FP

The twentyfive years experience of our companies gives us the opportunity to offer to our customers a solution for any type of sealing problem.

The excellent growth our group has experienced during these twentyfive years, is the logical result of customer's satisfaction, quality and service.

DET NORSKE VERITAS

QUALITY MANAGEMENT SYSTEM CERTIFICATE

Certificato No. / Certificate No. **CERT-03239-98-AQ-MIL-SINCERT**

Si attesta che / This certifies that

Il sistema di gestione per la qualità di / the quality management system of

F.lli PARIS S.r.l.

Via Marconi, 142/144 - 24060 Castelli Calepio (BG) - Italy

È conforme ai requisiti della norma per i sistemi di gestione per la qualità
Conforms to the quality management systems standard

UNI EN ISO 9001:2008 (ISO 9001:2008)

Questa certificazione è valida per il seguente campo applicativo:
This certificate is valid for the following products or services:

(Ulteriori chiarimenti riguardanti lo scopo e l'applicabilità dei requisiti della normativa si possono ottenere consultando l'organizzazione certificata)
(Further clarifications regarding the scope and the applicability of the requirements of the standard(s) may be obtained by consulting the certified organization)

Produzione di anelli di tenuta per alberi rotanti.
Produzione di articoli tecnici in gomma e gomma-metallo

Manufacture of rotating shaft oil seals.
Manufacture of rubber and metal-rubber technical articles

Data Prima Emissione
First Issue Date
1998-07-28

Data di scadenza
Expiry Date
2012-01-10

Luogo e data
Place and date
Agrate Brianza, (MI) 2009-04-28

per l'Organismo di Certificazione
for the Accredited Unit
DET NORSKE VERITAS ITALIA S.R.L.

SINCERT
ACCREDITAMENTO ORGANISMI DI CERTIFICAZIONE E ISPEZIONE

SGQ Registrazione N. 003A
SGA Registrazione N. 003D
PRD Registrazione N. 003B

Membro degli Accordi di Mutuo Riconoscimento EA e IAF
Signatory of EA and IAF Mutual Recognition Agreements

***Settore** EA :* 14

Eros Fusari
Lead Auditor

Vittore Marangon
Management Representative

La validità del presente certificato è subordinata a sorveglianza periodica (ogni 6, 9 o 12 mesi) e al riesame completo del sistema con periodicità triennale
The validity of this certificate is subject to periodical audits (every 6, 9 or 12 months) and the complete re-assessment of the system every three years
Le aziende in possesso di un certificato valido sono presenti nella banca dati sul sito www.dnv.it e sul sito Sincert (www.sincert.it) – All the companies with a valid certificate are online at the following addresses: **www.dnv.it** *and* **www.sincert.it**

F.LLI PARIS AND ATS: COMPANIES PROFILE

Foundation	F.lli Paris was founded in 1979, ATS in 1983
General Mgr	Mr. Osvaldo Paris
Factory area	total area 30.000 m^2 ; 15.500 m^2 are covered
Employees	124 people, 17 of which work in the Quality Area and 5 in the technical department
Machinery	we have a complete set of machines and instruments to produce and to control our articles. We have 100 moulding machines, equipped with a vacuum system: they are connected in a specific network to keep under control the curing cycles and to perform statistic process controls. Recently we have completed our equipments with moulding machines able to produce oil seals of 2000 mm diameter in one piece.
ISO 9000 Certificate	in January 2007 our company has passed the periodical maintenance audit scheduled from the certification ISO 9001:2000, always by Det Norske Veritas (DNV) ATS is working to obtain the certification
Other Certification	F.lli Paris is also implementing its System to meet the norm ISO 14001 and ISO TS 16949

turn over/millions Euro



Market share: 40% domestic sales and 60% export sales.

F.lli Paris is part of a companies group, operating in the production of rubber articles: rotary shaft oil seals, special oil seals and large diameter oil seals for heavy industry application, customized seals and O Rings. For this reason we can offer to our customers a wide experience for what concerns products and technologies.

LIST OF STANDARD ARTICLES

ROTARY SHAFT SEALS	G	GP	GZD	GZS	GZT
	GPZD	GPZS	GPZT	GPS	GPSP
	GS	GF	GPP	GPF	GRE
	GPRE	RGP	GTE	G2	G2S
	M	MP	MZD	MZS	MZT
	MPZS	MPZT	MPZD	MGPZS	MGPZD
	MFZD	M2	GPZDRE	GPA	
GREASE SEALING	MSM	GSM	G2SM	M2SM	GPSM
WIPERS SEAL	RM	RG	RPG	RPM	RPGR
HIGH PRESSURE OIL SEALS	GB	GBP	GA	GAP	GBPZT
	MB	MBP			
END COVERS	CC	CS			
HYDRAULIC PISTON SEALS	PDE				
PNEUMATIC PISTON SEALS	PDEP				
V-RINGS	VS	VA	VE	VL	VAX
	VRME				
SHOCK ABSORBERS	PM	MF	PF	MM	FF
RUBBER FABRIC OIL SEALS	TGU	TGUP	TGU-BP	TGU-TE	TGU/1
	TGR	TGA	TGA/1	TGA-BP	
SPECIAL OIL SEALS	TGF-B	TGF	GM	L1	L1A
	L1M	L1P	L2	L2P	L2M
	L2M-VF	L2M-PL	L2M-L	L2M-TE	L1MP
	L2MP	L1M-L	L2M-PLS	L2MP-PL	L2MP-PLS
	L1M-TE				

G



GP



GPA



GZD



GZS



GZT



GPZD



GPZS



GPZT



GF



GPP



GPF



GRE



GPRE



GPZDRE



RGP



GTE



GPTE



G2



M



MP



MZD



MZS



MZT



MPZS



MPZT



MPZD



MGPZS



MGPZD



M2



MSM



GSM



G2SM



M2SM



GPSM



RM



RG



RPG



RPM



RPGR



GB



GBP



GA



GAP



MB



MBP



CC



CS



PDE



PDEP



VA

VS



VL



VAX

VE



RME



TGU



TGUP



TGU-BP



TGU-TE



TGU/1



TGR



TGA



TGA/1



TGA-BP



TGF



TGFP



TGF-BP



TGF-B



TGU-GM



GM



GM-L2



L1



L1P



L2



L2P



L1A



L2M



L2MP



L2ML



L2MLP



L2M-BP



L2M-PL



L2ML-PL



L2M-PLS



L2ML-PLS



L2MP-PL



L2MP-PLS



L2MLP-PL



L2MLP-PLS



L2M-TE



L2MP-TE



L2M-VF



L1M



L1M-L



L1MP




L1M-TE
A
B
H

General

The rotary shaft seal is an indispensable component in a lubricated moving part and must be chosen with extreme care to ensure that the right design and materials are used to guarantee a long trouble-free life to the part.
With this in mind we would like to illustrate all, that the •FP• series of rotary shaft seals, a result of years of experience, trials and product development, can offer.

Characteristics of The materials used

•FP• rotary shaft seals are manufactured using the latest techniques and the most reliable materials to ensure they fully meet the requirements of their and-use.

The principal elements of a shaft seal, subject to strict quality control, are

The metal casing	Sheet steel is normally used. Stainless steel is available on request
Garter spring	Phosphated C72 spring steel (standard), or AISI 302 stainless steel (for acids and water).
Elastomer	We list here below the physical/mechanical properties of the compounds used for our standard production **NBR 70** **Nitrile rubber compound** High mineral and vegetable oil resistance and good abrasion, flex and ageing resistance make this a good general-purpose elastomer. It is also suitable for use with inorganic, alkaline and acid materials when not used at high concentrations or temperatures. **FKM 70** **Fluoroelastomer compound** (Viton® and Tecnoflon®) This rubber has good physical properties at high temperatures (with peaks of up to + 250°C), and is the best elastomer in terms of resistance to oils, fuels, solvents and chemicals in general. It is not recommended for use in the presence of low molecular weight esters and ethers, or with ketones or amines. It is indispensable for applications where the operating conditions cause other elastomers to age and degrade rapidly **SIL 70** **Silicone rubber compound** The physical/mechanical properties of this elastomer (tensile and tear strength, ultimate elongation) are lower than with other rubbers, but it has a very low compression set and coefficient of friction, extremely important in certain applications. It has good resistance to mineral oils but not to petrol, acids and chlorinated solvents.

General data of standard compounds

DESCRIPTION		NBR 70 Acrilnitrile – Butadiene	FKM 70 Fluorelastomer	SIL 70 Silicone base
Max operating temperature	°C	-20 ÷ +120	-18 ÷ +220	-50 ÷ +170
Hardness	Shore A (±5)	73°	75°	70°
Specific Gravity	g/cm^3	1,20 ÷ 1,26	2,12 ÷ 2,18	1,27 ÷ 1,33
Max operating speed	m/s	12	40	25

The data herein are the results of tests we believe to be reliable. We do not however guarantee that the same results will be reproduced by tests in other laboratories using different sample preparation and evaluation conditions.

For further details please refer to technical schedules.

Chart to calculate rim speeds from shaft diameter and Rpm.



List at page 37

GENERAL OPERATING CONDITIONS

For optional performance of our •FP• rotary shaft seals we suggest that the following recommendations be followed when preparing the assembly:

Shaft	The surface of the shaft in the seal's slip area should be finished to h11 standards. The quality of the finish and the hardness of the sealing zone are essential to the performance and the life of the seal itself. Generally the minimum hardness should be around 45HRC for rim speeds up to 3÷4 m/s, although we suggest hardness exceeding 55 HRC for higher speeds. When using shafts in non-ferrous materials such as copper and manganese alloys care should be taken as any sulphur excess in the elastomer or any hat build-us, due to friction or other causes, can generate by products which corrode the shaft's or the seal's surface. Hard chrome plating the shaft gives a surface highly resistant both to chemical attack and to high rim speeds, Machining, including grinding, produces a microscopic or macroscopic threading effect on the shaft which, when in motion, "pumps"
Housing	The cylindrical housing cavity should be finished to ISO H8 standards with ≥ 1 mm chamfer for 5-10°. Oil seal external diameters should be according to the following table:

DIN 3760 – 1996

External Diameter d_2	EXTERNAL RUBBER Tolerance	Accepted Ovaling
<= 50	+0.15 +0.30	0.25
50 ÷ 80	+0.20 +0.35	0.35
80 ÷ 120	+0.20 +0.35	0.50
120 ÷ 180	+0.25 +0.45	0.65
180 ÷ 300	+0.25 +0.45	0.80
300 ÷ 500	+0.30 +0.55	1.00

UNI ISO 6194/1 – 1990 in mm

External Diameter D	Tolerance		Accepted Ovaling	
	External Metal	External Rubber	External Metal	External Rubber
<= 50	+0.08 +0.20	+0.15 +0.30	0.18	0.25
50 ÷ 80	+0.09 +0.23	+0.20 +0.35	0.25	0.35
80 ÷ 120	+0.10 +0.25	+0.20 +0.35	0.30	0.50
120 ÷ 180	+0.12 +0.28	+0.25 +0.45	0.40	0.65
180 ÷ 300	+0.15 +0.35	+0.25 +0.45	0.25% of Ø	0.80
300 ÷ 440	+0.20 +0.45	+0.30 +0.55	0.25% of Ø	1.00

Height and thickness

DIN3760 in mm

<= 10	± 0.20
> 10	± 0.30

UNI ISO 6194/1 in mm

<= 10	± 0.30
> 10	± 0.40

Coaxiality	In the construction phase it is necessary to ensure the shaft's maximum concentricity relative to the seal's housing. Is should be borne in mind that shaft motion which is eccentric relative to the seal housing stresses the sealing lip, generating heat build-up further to that produced by rotary friction and the working environment. The diagram below shows the maximum acceptable eccentricity according to shaft diameter.



Shaft diameter, d_1, in mm

Misalignment	Misalignment occurs when the shaft's axis does not perfectly coincide with the axis of rotation. This eccentricity should not exceed certain limits. As the standard series of seals' efficiency is based on the seal lip's memory, i.e. its capability to spring back (assisted by the garter spring). The following diagram shows maximum acceptable misalignment. Beyond such limits in coaxiality and alignment we recommend development of a special seal.



Rotational speed of shaft, in min^{-1} (Rpm)

Beyond such limits in coaxiality and alignment we recommend development of a special seal.

List at page 37

TYPES OF •FP• ROTARY SHAFT SEALS	
G – GP	Oil seal with metal casing completely covered by elastomer as per DIN 3760. Suitable to withstand pressures up to 0.05-0.1 MPa.
M – MP	Oil seal with external metal casing, ground or coined as per DIN 3760. Suitable for pressures up to 0.05-0.1 MPa.
G2 – M2	Double lipped oil seal (with two garter springs) which ensures a compact sealing system from two different media
GTE	Oil seal used when the rotary motion is by the housing rather than by the shaft
GZS – GZD MZD – MZS	Oil seal with helix internal conical lip surface. Usually used in the automotive industry, particularly for driving shafts. The right (D) or left (S) helix limits the use of the seals to one-way rotary shafts. The same helixing is also available on oil seals with dust lips, designated GPZD, GPZS, MPZD and MPZS.
GPP – GPF GZT – MZT	Types of rotary shaft seals produced for special applications.

GREASE SEALING

List at page 55

The grease sealing type is a special oil seal, which does not contain any spring so the contact is more delicate.
It is used to seal against grease and dust: it is suitable for shafts with low rotating speed.

TYPES OF •FP• GREASE SEALING	
GSM	Oil seal with metal casing completely covered by elastomer without spring as per DIN 3760.
GPSM	Like GSM but with dust lip.
G2SM	Double lipped oil sel without springs which ensures a compact sealing system from two different media.
MSM	Oil seal with external metal casing, without spring, ground or coined to as per DIN 3760.
M2SM	Double lipped oil seal without springs with external metal casing, ground or coined to as per DIN 3760.

For further details see chapter about ROTARY SHAFT OIL SEALS.

List at page 57

•FP• rod wipers have been designed to give first class protection to hydraulic and pneumatic cylinders by excluding water, dust, dirt etc.

Characteristics of the materials used

The materials used for •FP• wipers are:

Metal cage	Steel Fe 37 Steel AISI 316 (only on request)
Elastomer	Elastomer with a nitrile base, resisting to mineral oils, fats, aqueous solution etc. Temperature -25°C ÷ +100°C. Hardness 85° Shore A. Elastomer with a fluorine-carbon base. Temperature: -20°C ÷ +200°C. Linear velocity 2 m/s
Hardness	85° Shore A.

General condition of use

For the correct use of our wipers we suggest the following mounting instruction

SHAFT	The shaft surface should have a roughness of R max = 2 µm.
Seal Housing	The housing of the wiper has to be worked Following the ISO H8 standard

TYPES OF •FP• WIPERS	
RM	Outside metal
RG	Outside rubber
RPM	Outside metal with dust lip
RPG	Outside rubber with dust lip

•FP• rod wiper has a chamfer at the outside diameter to facilitate press fitting into the housing bore. To simplify installation the bore should have a chamfer of 2 x 15 - 20°.

For further details see chapter about ROTARY SHAFT OIL SEALS.

GB - GA	G variant to withstand pressures over 0.1 MPa: guaranteed up to 1 MPa, although in some applications this limit has been greatly exceeded.
GBP - GAP	Like GB – GA but with additional dust lip.
MB	M variant to withstand pressures over 0,1 MPa: guaranteed up to 1 MPa, although in some applications this limit has been greatly exceeded.
MBP	Like MB but with additional dust lip.

For further details see chapter about ROTARY SHAFT OIL SEALS.

Generality

•FP• double acting piston seals are designed for alternating applications in oleodynamic and pneumatic range, made in NBR compound with an hardness of 85° Shore A.
They are fitted with expansion-springs, able to ensure a right pressure on the radial contact, in order to grant the following limits:

Pressure	Temperature range	Speed
up to 4 MPa (40 bar) in oleodynamic appliance up to 1 MPa (10 bar) in pneumatic appliance	-25°C ÷ +100°C	up to 0,5 m/s

Over these limits pressure support flanges are recommended, as well as other materials like:

- FKM compound,
- AISI 304 springs,
- AISI 316 support disc

Installation Details

Shaft finishes should be according to the following:

Cylinder diameter	According to tolerance ISO H11
Cylinder Roughness	R max </= 2 µm

The PDEP is a double acting piston seal specially designed for pneumatic applications.
It is made in nitrile compound (NBR), with an hardness of 70 Shore A, with special sealing edges bonded to steel body.

Conditions of utilisation:

Temperature	Pressure
-30 ÷ +100 °C	<= 1 MPa (10 bar)

To guarantee a good functioning, following structural tolerances of the seats have to be respected:

Tolerance on the cylinder	Tolerance on the shaft	Superficial roughness
H 11	h 10	Ra max <= 4 µm

The PDEP can be made in FKM compound when it has contact with aggressive fluids or in case of temperatures over 100 °C.

Mounting

To ease mounting it is advisable to lubricate the inside of the two lips.

All rubber seal for rotary shaft. Perfect solution to prevent the ingress of dirt, dust or water. It can be used as a secondary seal to protect primary seals.

TYPE OF V-RINGS SEALS	
VA	V-ring with cross section profile that varies according to shaft diameter
VS	V-ring with wider cross section profiles for a better hold on the shaft
VL	V-ring with narrow axial cross section suitable fo compact arrangements
VAX	V-ring with longer lip for heavy duty application
VE	V-ring with special lip profile for a better sealing.
VRME	V-ring with built-in housing for a radial retention metal band.

TEXTILE RUBBER OIL SEALS

List at page 74

The ATS - textile rubber oil seals are equipped with a strong flexible textile rubber back.
The specially designed seal lip carries a PTFE share that will reduce the friction of the seals.
The bedding of the stainless steel garter spring hinders a falling out when mounting blind.
Main applications of the ATS – textile rubber seals are in heavy industries: i.e. gear drives, propeller shafts, work rolls in hot and cold mills, pumps, paper machinery etc.

Model Description

TGU	Standard style in endless and split form. On request with additional dust lip (designation TGU**P**).
TGR	Like TGU, however radial lubrication grooves in the back. Available also in “Split” form. On request with additional dust lip (designation TGR**P**).
TGA	Like TGR , but with additional circumferential groove for lubrication. Preferably used in back to back arrangements. On request with additional dust lip (designation TGA**P**).
TGF	Contrary to TGU/TGR/TGA, type TGF does not use a textile rubber back, but a metallic flexible stiffening ring, which allows mounting without end cover. Available only in endless form. On request with additional dust lip (designation TGF**P**).
TGF-B	Like TGF but with axial and radial groove for lubrication as TGA type. It has a metallic flexible stiffening ring, which allows mounting without end cover. Available only in endless form. On request with additional dust lip (designation TGF**P**-B).
TGU-BP	Like TGU but with special profile of the sealing lip to resist to pressure until 4 bar.
TGA-BP	Like TGA but with special profile of the sealing lip to resist to pressure until 4 bar.

Available in NBR / FKM and HNBR compounds.

P.S. On request garter spring with PVC-cover or other materials to avoid dust to be enclosed by the spring.

Technical Data

Speed	ATS textile rubber oil seals are designed for a max speed of 15 m/s
Shaft Surface finish	The counterrace should have Ra = 0,3 - 0.5 µm and Rmax = 1-2 µm plunge ground.
Shaft hardness	Hardness of 40 - 50 HRC is recommended.
Shaft misalignment	Depending on the speed 1.5 mm should not be exceeded.
Pressure	"Endless" form of type TGA/TGU/TGR allow 0.05 MPa maximum. "Split" form no pressure can be applied.
Dimensions	ATS – textile rubber oil seals are available in sizes from 75 – 2000 mm.
Shaft and housing tolerances	All styles TGU/TGR/TGA - except TGF - should be clamped axially in the housing bore - by means of a sufficiently designed end cover. Shaft tolerance : h 11 Housing bore : H 8 Housing bore depth : nominal seal width ± 0,1 mm

Mounting Instructions TGU, TGR, TGA

ATS oil seals models TGU, TGR, TGA are always used with a retaining plate. The plate should be sufficiently dimensioned to avoid distortion when bolting up.
The retaining plate creates an axial preload that adds to the static sealibility of the seal.
To ease mounting of the oil seal make sure the housing has a chamfer.
Enter the seal evenly and press it against the housing shoulder.
Before tightening the retaining plate, check proper location of the seal lip and the textile back.

Mounting Instructions TGU SPLIT, TGR SPLIT, TGA SPLIT

Remove spring from the seal first and open it at the joint.
After placing the spring around the shaft place the ends together and screw up, then pass the seal on the shaft and lift spring into the seal lip.
Make sure that the joint of the seal is at the top (12.00 o' clock).
When using two split seals joints should be at 11.00 o' clock and 13.00 o' clock position.
Ensuring both ends fit perfectly, enter the seal and press against housing shoulder. Then tighten retaining plate as described above.

AZIENDA CON SISTEMA QUALITÀ
CERTIFICATO DA DNV
=UNI EN ISO 9001/2000=

TEXTILE RUBBER OIL SEALS 'TGU-GM'

List at page 84

The TGU-GM type is a seal with reinforcement in textile-rubber and finger spring:

- it has a vulcanised stainless steel finger spring that avoids spring displacement during installation
- a clamping plate is recommended
- on request it can be produced also in split design.

AZIENDA CON SISTEMA QUALITÀ
CERTIFICATO DA DNV
=UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'GM'

List at page 85

Type GM is a “Split” oil seal with a vulcanised stainless steel finger spring. Extremely suitable for difficult mounting conditions and seal changes at site.
Preferably used in applications with grease lubrication and high contamination.
In “endless” form suitable as wiper in hydraulic applications.

Dimensions	150 ∅ - 1300 ∅ mm shaft size Available standard cross sections: 12,5 x 12,5 mm 15 x 15 mm 20 x 20 mm 25 x 20 mm Also available in “inch” dimensions.
Technical Data	Max speed: : 10 m/s Max misalignment: : 0,2 mm Shaft hardness : 40 HRC Surface finish : Ra = 0,3 - 0,5 µm Rmax : 1 - 2 µm
Mounting	Type GM in Split form is produced to the corresponding dimensions, i.e. to the proper length. Install the seal joint first and the rest afterwards, carefully, using a wooden tool. Seal joint should always be placed at 12.00 o’clock position. It is advisable to never cut the seal length at site. Type GM should always be clamped axially by means of a sufficiently strong end cover.
Elastomers	Available in NBR and FKM Compound

OIL SEALS TYPE 'GM-L2'

List at page 141

GM-L2 is a special grease seal self retaining for severe working conditions:

- It has a moulded-in stainless steel finger spring to avoid spring dumping during mounting
- the outer metal ring is endless and machined according to DIN 3760 for a perfect sealing in the housing bore
- the sealing lip is vulcanised on the metal part for a perfect concentricity
- outside diameter from 140 mm to 1460 mm
- max pressure 0.2 bar.

SPECIAL OIL SEALS TYPE 'L'	
L1	Oil seals with external metal casing ground to DIN 3760. The sealing lip is vulcanised directly onto the metal case. This oil seal is used when the difference between the shaft and the housing is very small.
L1P	Like L1 but with dustlip.
L2	Cased shaft oil seals with external metal casing ground to DIN 3760. The sealing lip is vulcanised directly into the outside metal case. The inside metal ring strengths the oil seal. The application of this type of oil seal is generally for agricultural machinery as well as for earth moving machinery and general industry.
L2P	Like L2 but with dustlip.
L1A	Strong construction shaft oil seal presenting a stiffening ring in Fe37 with ground external diameter according to DIN 3760. This seal is usable on large diameter rolls.
L1AP	Like L1A but with dust lip.

External Diameter	tolerance	Accepted Ovaling
<= 50	+0.08 +0.20	0.18
50 ÷ 80	+0.09 +0.23	0.25
80 ÷ 120	+0.10 +0.25	0.30
120 ÷ 180	+0.12 +0.28	0.40
180 ÷ 300	+0.15 +0.35	0.8
300 ÷ 500	+0.20 +0.45	1
500 ÷ 630	+0.25 +0.40	1.3
630 ÷ 800	+0.30 +0.45	1.6
800÷ 1000	+0.30 +0.45	1.9
1000 ÷ 1250	+0.35 +0.50	2.2
1250 ÷ 1500	+0.40 +0.55	2.5

Height and thickness (mm)

<= 10	± 0.30
> 10	± 0.40

AZIENDA CON SISTEMA QUALITÀ
CERTIFICATO DA DNV
=UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'L2M'

List at page 177

The rotary shaft seal L2M has been developed specifically for the severe operating conditions encountered in the rolls of paper making machines hot and cold rolling mills, heavy industries and where high speed and misalignment are encountered.
The life and performance of a lip seal are largely dependent upon the preload of the seal lip on the shaft. In this respect the L2M design offers a significant advantage over conventional garter spring seal types as a result of its highly elastic garter finger spring combination.
Shaft misalignment (shaft deflection, bearing clearance, out of round and run out) creates changes to the lip preload that can in conventional seals compromise either or both lip tip sealing integrity and seal life.
The finger garter spring combination in L2M largely eliminates the effects of external forces causing changes in lip tip preload and therefore is more likely to maintain the fluid film underneath the lip the condition of which has the greatest effect on seal life and performance.
Even with the severe misalignment capability of the L2M design high speeds are also permissible up to 35 m/s. When fitting the L2M seal over a long shaft or into a housing where the lip cannot be seen another significant advantage is evident as the spring cannot come adrift from its housing as a result of the garter finger spring configuration eliminating spring detachment.
All garter and finger springs are constructed from stainless steel. The finger spring being clamped and the sealing lip bonded to the metal of the case eliminating any potential leakage between the seal components.
All garter and finger springs are constructed from stainless steel. The finger spring being clamped and the sealing lip bonded to the metal of the case eliminating any potential leakage between the seal components.

SHAFT AND HOUSING TOLERANCES (mm) for inch and metric sizes			
Shaft Ø (mm)	<= 100 ± 0.080	Housing bore (mm)	<= 76 ± 0.025
	101 ÷ 150 ± 0.100		77 ÷ 150 ± 0.040
	151 ÷ 250 ± 0.130		151 ÷ 255 ± 0.050
	>= 250 ± 0.250		256 ÷ 510 + 0.05/-0.10
			511 ÷ 1015 + 0.05/-0.15
			> 1015 + 0.05/-0.25

Shaft Ø (mm)	Fitting chamfer "F" (mm)
<= 250	7.00
> 250	12.00

Max misalignment admissible
2,5 mm



"We recommend the use of a tapered fitting ring when press fitting the L2M seal"

SHAFT HARDNESS AND SURFACE FINISH				
Speed (m/s)	Max roughness Ra (µm)	Rmax (µm)	Hardness HRC	
<= 10	0.5-0.6	2-3	30	
11 ÷ 16	0.3-0.5	1-2	40	Plunge ground
> 16	0.2-0.3	0.8-1	50	

SHAFT FINISH

Chromium-oxide coatings have the disadvantage of reduced heat transfer and should not be used at higher speeds (**>**10 m/s). Also recommended are wear sleeves – case carburized or through hardened – with plunge grinding. HARDNESS: 58 – 62 HRC.

Seal Construction

The illustration below shows the construction of the **"L2M"** seal and its component parts:



Storage instructions: the seals should be kept in dry and dark condition, flat in their own boxes.
Reccomended storage temperature: 20°C± 5
Seal storage life: about 5 years

1. Steel outer ring in **Fe-PO3** with a finish surface according to the relevant DIN standard for outer diameters.
2. Steel filler ring in **Fe37** steel providing the rigidity required ensuring an accurate assembly of the seal in the groove.
3. Stainless steel spring carrier to **BS1 301 S 01** is designed:
   a) to ensure the spring retention during the assembly.
   b) if necessary to permit the removal and refitting of garter spring in AISI 316 to provide a predetermined sealing lip preload which will permit the sealing element to follow shaft deflections.
4. Garter spring in AISI 316 to provide a regulated loading on the sealing lip and enable the sealing element to follow shaft deflections.
5. Sealing element is available in the elastomers listed below and is bonded to the steel outer ring.

SELECTION OF SEAL ELEMENT		
Elastomer	**Application**	**Temperature**
Nitrile NBR	Lubricating oils, hydraulic oils and greases on mineral base, water, HFA, HFB, HFC – liquids, caustic washing solutions	**- 20 ÷ +120°C**
Fluoro Elastomer FKM	Mineral based liquids and greases, HFA, HFB, HFC, HFD – liquids, water, chemicals and solutions. Non application in some difficult inflammable liquids on phosphoric acid ester base recommend for use with firesafe oils	**- 20 ÷ +220°C**
Silicone VQM	Applications: Organic oils and oils with high aniline point, motor oils and gear drive oils medium. Swell characteristics in mineral based oils and greases. Now applicable in aliphatic and aromatic hydrocarbons. This material has good temperature resistance including low temperature flexibility.	**- 60 ÷ +180°C**

List at page 177

General data of standard compounds

DESCRIPTION		NBR	FKM	VQM
Max operating temperature	°C (± 2)	-20 ÷ +120	-20 ÷ +220	-60 ÷ +180
Hardness	Shore A (±5)	71°	73°	72°
Specific Gravity	g/cm^3	1,30 ÷ 1,36	2,11 ÷ 2,17	1,36 ÷ 1,40
Max operating speed	m/s	25	25 ÷ 35	25

The data herein are the results of tests we believe to be reliable. We do not however guarantee that the same results will be reproduced by tests in other laboratories using different sample preparation and evaluation conditions.

For further details please refer to the technical schedules.

L2M STYLES	
L2M-STANDARD	Shaft seal for the spare part divisions for existing rolls and new applications up to 1200 m/min. Available in NBR / Silicone / FKM / HNBR. On request with additional dust lip (designation L2M**P**).
L2M-VT	Oil seals with special autolubricating compound with more resistance to the abrasion and for applications up to 1300 m/min. Only available in FKM compound. On request with additional dust lip (designation L2M**P**-VT).
L2M-PL	PL stands for optimized lip design. The elastomer is a special autolubricating compound and the lip profile configuration changed in order to be used at higher speeds creating less temperature at the lip. Speeds between 1400 and 1600 m/min. Seals only available in FKM compound. On request with additional dust lip (designation L2M**P**-PL).
L2M-PLS	Further upgrading of the L2M-PL version not to be used in paper application. Special designed for high speed gear drives, aluminium foil mills, high speed cold mills. On request with additional dust lip (designation L2M**P**-PLS).
L2M-VF	VF describes an L2M-seal with a vulcanized PTFE-lip tip. This style combines the flexibility of the FKM compound with the advantages PTFE has over rubber concerning max temperature and speed. 2200 m/min are in test positively . Only available in 1 FKM + PTFE film. On request with additional dust lip (designation L2M**P**-VF).
L2M-TE-VT	TE – stands for external lip. The ideal solution for paper machine bending compensation rolls with stationary axis and rotating shell. 3000 m/min have been reached in trial conditions. Only available in special FKM autolubricating compound that has more resistance to abrasion and reduces friction of the seal to the shaft. On request with additional dust lip (designation L2M**P**-TE).
L2M-BP	BP is the designation for L2M seals, which can take pressures above 0.5 bar up to 1 bar. Special profiles could be made for higher pressure.

SPECIAL OIL SEALS TYPE 'L1M'

List at page 203

These special shaft oil seals are similar to the L2M shaft oil seals and have been developed especially for small diameters rolls starting from 70 mm.
The construction of the L1M is made by:

- steel outer case, machine finished to DIN 3760 standard, onto which is bonded the sealing element.
- steel filler ring to provide the required rigidity to the seal.
- stainless steel finger spring to ensure the correct sealing performance even when shock loads arise.

These seals are used in the general industry, steel mill, gear drives, mining industry and as a replacement of original spare parts in American machineries.
On request with additional dust lip (designation L1M**P**).

Technical data

DESCRIPTION		FKM	NBR
Max operating speed	m/s	25	15
Max admitted misalignment	mm	1,5	1,5

SHAFT AND HOUSING TOLERANCES (mm) for inch and metric sizes					
Shaft Ø (mm)	<= 100	±	0.080	Housing bore (mm)	<= 76 ± 0.025
	101 ÷ 150	±	0.100		77 ÷ 150 ± 0.040
	151 ÷ 250	±	0.130		151 ÷ 255 ± 0.050
	>= 250	±	0.250		256 ÷ 510 + 0.05/-0.10
					511 ÷ 1015 + 0.05/-0.15
					> 1015 + 0.05/-0.25

Shaft Ø (mm)	Fitting chamfer “F” (mm)
<= 250	7.00
> 250	12.00

APPROXIMATE MINIMUN AMOUNT OF PIECES TO BE PACKED

If the customer's order doesn't define the amount of pieces for each package, we will use the following table requirements, specified for different size and material.

OIL SEALS FOR ROTARY SHAFTS IN NBR

out. Diameter mm	height mm	rols pz./pcs	envelop pz./pcs
≤ 35	-	-	100
> 35 - ≤ 40	≤ 6	-	100
> 35 - ≤ 100	≤ 8	20	-
	≥ 9 - ≤ 10	15	-
	≥ 11	10	-
> 100 - ≤ 200	≤ 10	15	
	≥ 11	10	
> 200	-	2	-

OIL SEALS FOR ROTARY SHAFTS IN FKM / SILICONE

out. diameter mm	height mm	rols pz./pcs	envelop pz./pcs
≤ 35	-	-	20
> 35 - ≤ 40	≤ 6	-	20
> 35 - < 100	-	10	-
≥ 100 - ≤ 200	-	6	-
> 200	-	2	-

WIPER SEALS

out. diameter mm	height mm	rols pz./pcs	envelop pz./pcs	compound
≤ 35	-	-	100	NBR
≤ 35	-	-	20	FKM
> 35 - ≤ 40	5 / 8	-	100	NBR
> 35 - ≤ 40	5 / 8	-	20	FKM
> 40 - < 200	5 / 8	20	-	NBR/FKM
> 35 - < 200	7 / 10	15	-	NBR/FKM
> 35 - < 200	9 / 12	10	-	NBR/FKM
≥ 200	-	5	-	NBR/FKM

AZIENDA CON SISTEMA QUALITÀ
CERTIFICATO DA DNV
=UNI EN ISO 9001/2000=

G



Pressure	0,5 ÷ 1 BAR
Application	RADIAL SEALING
External Ø	RUBBER COVERED
Construction	SEALING LIP WITH SPRING

GP



Pressure	0,5 ÷ 1 BAR
Application	RADIAL SEALING
External Ø	RUBBER COVERED
Construction	SEALING LIP WITH SPRING + DUST LIP

GPA



Pressure	0,5 ÷ 1 BAR
Application	RADIAL SEALING
External Ø	RUBBER COVERED
Construction	SEALING LIP WITH SPRING + DUST LIP

GZD



Pressure	0,5 ÷ 1 BAR
Application	RADIAL SEALING
External Ø	RUBBER COVERED
Construction	SEALING LIP WITH SPRING, RIGHT HELIX

GZS



Pressure	0,5 ÷ 1 BAR
Application	RADIAL SEALING
External Ø	RUBBER COVERED
Construction	SEALING LIP WITH SPRING, LEFT HELIX

GZT



Pressure	0,5 ÷ 1 BAR
Application	RADIAL SEALING
External Ø	RUBBER COVERED
Construction	SEALING LIP WITH SPRING, BIDIRECTIONAL HELIX

GPZD



Pressure	0,5 ÷ 1 BAR
Application	RADIAL SEALING
External Ø	RUBBER COVERED
Construction	SEALING LIP WITH SPRING, RIGHT HELIX + DUST LIP

GPZS



Pressure	0,5 ÷ 1 BAR
Application	RADIAL SEALING
External Ø	RUBBER COVERED
Construction	SEALING LIP WITH SPRING, LEFT HELIX + DUST LIP

GPZT



Pressure	0,5 ÷ 1 BAR
Application	RADIAL SEALING
External Ø	RUBBER COVERED
Construction	SEALING LIP WITH SPRING, BIDIRECTIONAL HELIX + DUST LIP

GF



Pressure	0,5 ÷ 1 BAR
Application	RADIAL AND STATIC SEALING
External Ø	RUBBER COVERED
Construction	SEALING LIP WITH SPRING + FLANGE

GPP



Pressure	0,5 ÷ 1 BAR
Application	RADIAL SEALING
External Ø	RUBBER COVERED
Construction	SEALING LIP WITH SPRING + DOUBLE DUST LIP

GPF



Pressure	0,5 ÷ 1 BAR
Application	RADIAL AND STATIC SEALING
External Ø	RUBBER COVERED
Construction	SEALING LIP WITH SPRING + DUST LIP + FLANGE

GRE



Pressure	0,5 ÷ 1 BAR
Application	RADIAL SEALING
External Ø	RUBBER COVERED WITH GROOVED O.D.
Construction	SEALING LIP WITH SPRING

GPRE



Pressure	0,5 ÷ 1 BAR
Application	RADIAL SEALING
External Ø	RUBBER COVERED WITH GROOVED O.D.
Construction	SEALING LIP WITH SPRING + DUST LIP

AZIENDA CON SISTEMA QUALITÀ
CERTIFICATO DA DNV
=UNI EN ISO 9001/2000=

GPZDRE



Pressure	0,5 ÷ 1 BAR
Application	RADIAL SEALING
External Ø	RUBBER COVERED WITH GROOVED O.D.
Construction	SEALING LIP WITH SPRING, RIGHT HELIX + DUST LIP

RGP



Pressure	
Application	ALTERNATIVE MOVEMENT AND RADIAL SEALING
External Ø	RUBBER COVERED WITH GROOVED O.D.
Construction	SEALING LIP WITH SPRING + DUST LIP

GTE



Pressure	0,5 ÷ 1 BAR
Application	EXTERNAL RADIAL SEALING
External Ø	RUBBER COVERED
Construction	SEALING LIP WITH SPRING

GPTE



Pressure	0,5 ÷ 1 BAR
Application	EXTERNAL RADIAL SEALING
External Ø	RUBBER COVERED
Construction	SEALING LIP WITH SPRING + DUST LIP

G2



Pressure	0,5 ÷ 1 BAR
Application	RADIAL SEALING
External Ø	RUBBER COVERED
Construction	DOUBLE SEALING LIP WITH SPRING

M



Pressure	0,5 ÷ 1 BAR
Application	RADIAL SEALING
External Ø	METAL
Construction	SEALING LIP WITH SPRING

MP



Pressure	0,5 ÷ 1 BAR
Application	RADIAL SEALING
External Ø	METAL
Construction	SEALING LIP WITH SPRING + DUST LIP

MZD



Pressure	0,5 ÷ 1 BAR
Application	RADIAL SEALING
External Ø	METAL
Construction	SEALING LIP WITH SPRING, RIGHT HELIX

MZS



Pressure	0,5 ÷ 1 BAR
Application	RADIAL SEALING
External Ø	METAL
Construction	SEALING LIP WITH SPRING, LEFT HELIX

MZT



Pressure	0,5 ÷ 1 BAR
Application	RADIAL SEALING
External Ø	METAL
Construction	SEALING LIP WITH SPRING, BIDIRECTIONAL HELIX

MPZS



Pressure	0,5 ÷ 1 BAR
Application	RADIAL SEALING
External Ø	METAL
Construction	SEALING LIP WITH SPRING, LEFT HELIX + DUST LIP

MPZT



Pressure	0,5 ÷ 1 BAR
Application	RADIAL SEALING
External Ø	METAL
Construction	SEALING LIP WITH SPRING, BIDIRECTIONAL HELIX + DUST LIP

MPZD



Pressure	0,5 ÷ 1 BAR
Application	RADIAL SEALING
External Ø	METAL
Construction	SEALING LIP WITH SPRING, RIGHT HELIX + DUST LIP

MGPZS



Pressure	0,5 ÷ 1 BAR
Application	RADIAL SEALING
External Ø	METAL WITH GROOVED RUBBER
Construction	SEALING LIP WITH SPRING, LEFT HELIX + DUST LIP

AZIENDA CON SISTEMA QUALITÀ
CERTIFICATO DA DNV
=UNI EN ISO 9001/2000=

MGPZD



Pressure	0,5 ÷ 1 BAR
Application	RADIAL SEALING
External Ø	METAL WITH GROOVED RUBBER
Construction	SEALING LIP WITH SPRING, RIGHT HELIX + DUST LIP

M2



Pressure	0,5 ÷ 1 BAR
Application	RADIAL SEALING
External Ø	METAL
Construction	DOUBLE SEALING LIP WITH SPRING

MSM



Pressure	
Application	GREASE SEALING
External Ø	METAL
Construction	SEALING LIP

GSM



Pressure	
Application	GREASE SEALING
External Ø	RUBBER COVERED
Construction	SEALING LIP

G2SM



Pressure	
Application	GREASE SEALING
External Ø	RUBBER COVERED
Construction	DOUBLE SEALING LIP

M2SM



Pressure	
Application	GREASE SEALING
External Ø	METAL
Construction	DOUBLE SEALING LIP

GPSM



Pressure	
Application	GREASE SEALING
External Ø	RUBBER COVERED
Construction	SEALING LIP + DUST LIP

RM



Pressure	
Application	ALTERNATIVE MOVEMENT
External Ø	METAL
Construction	WIPER LIP

RG



Pressure	
Application	ALTERNATIVE MOVEMENT
External Ø	RUBBER COVERED
Construction	WIPER LIP

RPG



Pressure	
Application	ALTERNATIVE MOVEMENT
External Ø	RUBBER COVERED WITH GROOVED O.D.
Construction	SEALING LIP + DUST LIP

RPM



Pressure	
Application	ALTERNATIVE MOVEMENT
External Ø	METAL
Construction	DOUBLE WIPER LIP

RPGR



Pressure	10 BAR
Application	ALTERNATIVE MOVEMENT
External Ø	RUBBER
Construction	DOUBLE SEALING LIP

GB



Pressure	10 BAR
Application	RADIAL SEALING
External Ø	RUBBER COVERED
Construction	SEALING LIP WITH SPRING

GBP



Pressure	10 BAR
Application	RADIAL SEALING
External Ø	RUBBER COVERED
Construction	SEALING LIP WITH SPRING + DUST LIP

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

GA



Pressure	10 BAR
Application	RADIAL SEALING
External Ø	RUBBER COVERED
Construction	SEALING LIP WITH SPRING

GAP



Pressure	10 BAR
Application	RADIAL SEALING
External Ø	RUBBER COVERED
Construction	SEALING LIP WITH SPRING + DUST LIP

MB



Pressure	10 BAR
Application	RADIAL SEALING
External Ø	METAL
Construction	SEALING LIP WITH SPRING

MBP



Pressure	10 BAR
Application	RADIAL SEALING
External Ø	METAL
Construction	SEALING LIP WITH SPRING + DUST LIP

CC



Pressure	0,5 BAR
Application	END COVER
External Ø	RUBBER COVERED
Construction	RUBBER + STEEL

CS



Pressure	0,5 BAR
Application	END COVER
External Ø	RUBBER COVERED
Construction	RUBBER + STEEL

PDE



Pressure	40 BAR
Application	ALTERNATIVE MOVEMENT
External Ø	2 SEALING LIPS WITH SPRINGS
Construction	DOUBLE SEALING LIP WITH SPRING

PDEP



Pressure	10 BAR
Application	ALTERNATIVE MOVEMENT
External Ø	2 SEALING LIPS
Construction	DOUBLE SEALING LIP

VA



Pressure	
Application	FRONT SEALING
External Ø	RUBBER
Construction	FRONT SEALING LIP

VS



Pressure	
Application	FRONT SEALING
External Ø	RUBBER
Construction	FRONT SEALING LIP

VL



Pressure	
Application	FRONT SEALING
External Ø	RUBBER
Construction	FRONT SEALING LIP

VAX



Pressure	
Application	FRONT SEALING
External Ø	RUBBER
Construction	FRONT SEALING LIP

VE



Pressure	
Application	FRONT SEALING
External Ø	RUBBER
Construction	FRONT SEALING LIP

RME



Pressure	
Application	FRONT SEALING
External Ø	RUBBER WITH METAL CLIP
Construction	FRONT SEALING LIP

TGU



Pressure	0,5 BAR
Application	RADIAL SEALING
External Ø	RUBBER/FABRIC
Construction	RUBBER/FABRIC OIL SEALS WITH LIP AND SPRING

TGU-BP



Pressure	4 BAR
Application	RADIAL SEALING
External Ø	RUBBER/FABRIC
Construction	RUBBER/FABRIC OIL SEALS WITH LIP AND SPRING

TGU/1



Pressure	0,5 BAR
Application	RADIAL SEALING
External Ø	RUBBER/FABRIC
Construction	RUBBER/FABRIC OIL SEALS WITH LIP AND SPRING

TGA



Pressure	0,5 BAR
Application	RADIAL SEALING
External Ø	RUBBER/FABRIC
Construction	RUBBER/FABRIC OIL SEALS WITH LIP+SPRING WITH RADIAL+ AXIAL LUBRICATION GROOVES

TGA-BP



Pressure	4 BAR
Application	RADIAL SEALING
External Ø	RUBBER/FABRIC
Construction	RUBBER/FABRIC OIL SEALS WITH LIP+SPRING AND AXIAL+RADIAL LUBRICATION GROOVES

TGFP



Pressure	0,2÷0,4 BAR
Application	RADIAL SEALING
External Ø	RUBBER COVERED
Construction	SEALING LIP WITH SPRING AND DUST LIP

TGF-B



Pressure	0,2÷0,4 BAR
Application	RADIAL SEALING
External Ø	RUBBER COVERED
Construction	SEALING LIP WITH SPRING+AXIAL AND RADIAL LUBRICATION GROOVES

TGUP



Pressure	0,5 BAR
Application	RADIAL SEALING
External Ø	RUBBER/FABRIC
Construction	RUBBER/FABRIC OIL SEALS WITH LIP AND SPRING AND DUST LIP

TGU-TE



Pressure	0,2 BAR
Application	EXTERNAL RADIAL SEALING
External Ø	SEALING LIP
Construction	RUBBER/FABRIC OIL SEALS WITH LIP

TGR



Pressure	0,5 BAR
Application	RADIAL SEALING
External Ø	RUBBER/FABRIC
Construction	RUBBER/FABRIC OIL SEALS WITH LIP+SPRING AND AXIAL LUBRICATION GROOVES

TGA/1



Pressure	0,5 BAR
Application	RADIAL SEALING
External Ø	RUBBER/FABRIC
Construction	RUBBER/FABRIC OIL SEALS WITH LIP+SPRING WITH RADIAL+ AXIAL LUBRICATION GROOVES

TGF



Pressure	0,2÷0,4 BAR
Application	RADIAL SEALING
External Ø	RUBBER COVERED
Construction	SEALING LIP WITH SPRING

TGF-BP



Pressure	4 BAR
Application	RADIAL SEALING
External Ø	RUBBER COVERED
Construction	SEALING LIP WITH SPRING

TGU-GM



Pressure	0,5 BAR
Application	RADIAL SEALING
External Ø	RUBBER/FABRIC
Construction	SEALING LIP WITH FINGER SPRING

AZIENDA CON SISTEMA QUALITÀ
CERTIFICATO DA DNV
=UNI EN ISO 9001/2000=

GM



Pressure	
Application	RADIAL SEALING
External Ø	RUBBER
Construction	SEALING LIP WITH FINGER SPRING

GM-L2



Pressure	0,5 BAR
Application	RADIAL SEALING
External Ø	METAL
Construction	SEALING LIP WITH FINGER SPRING AND METAL OUTSIDE

L1



Pressure	0,5 ÷ 1 BAR
Application	RADIAL SEALING
External Ø	METAL
Construction	SEALING LIP WITH SPRING

L1P



Pressure	0,5 ÷ 1 BAR
Application	RADIAL SEALING
External Ø	METAL
Construction	SEALING LIP WITH SPRING + DUST LIP

L2



Pressure	0,5 ÷ 1 BAR
Application	RADIAL SEALING
External Ø	METAL WITH METAL INNER CASE
Construction	SEALING LIP WITH SPRING

L2P



Pressure	0,5 ÷ 1 BAR
Application	RADIAL SEALING
External Ø	METAL WITH METAL INNER CASE
Construction	SEALING LIP WITH SPRING + DUST LIP

L1A



Pressure	0,5 ÷ 1 BAR
Application	RADIAL SEALING
External Ø	METAL WITH METAL INNER CASE
Construction	SEALING LIP WITH SPRING

L2M



Pressure	0,5 BAR
Application	RADIAL SEALING
External Ø	METAL WITH METAL INNER RING
Construction	SEALING LIP WITH FINGER SPRING AND GARTER SPRING

L2MP



Pressure	0,5 BAR
Application	RADIAL SEALING
External Ø	METAL WITH METAL INNER RING AND DUST LIP
Construction	SEALING LIP WITH FINGER SPRING + GARTER SPRING AND DUST LIP

L2ML



Pressure	0,5 BAR
Application	RADIAL SEALING
External Ø	METAL WITH METAL INNER RING FOR SMALL BAND
Construction	SEALING LIP WITH FINGER SPRING AND GARTER SPRING

L2MLP



Pressure	0,5 BAR
Application	RADIAL SEALING
External Ø	METAL WITH METAL INNER RING FOR SMALL BAND AND DUST LIP
Construction	SEALING LIP WITH FINGER SPRING + GARTER SPRING AND DUST LIP

L2M-BP



Pressure	1 BAR
Application	RADIAL SEALING
External Ø	METAL WITH METAL INNER RING
Construction	SEALING LIP WITH FINGER SPRING AND GARTER SPRING

L2M-PL



Pressure	0,5 BAR
Application	RADIAL SEALING/LOW INTERFERENCE
External Ø	METAL WITH METAL INNER RING
Construction	SEALING LIP WITH FINGER SPRING AND GARTER SPRING

L2ML-PL



Pressure	0,5 BAR
Application	RADIAL SEALING/LOW INTERFERENCE
External Ø	METAL WITH METAL INNER RING FOR SMALL BAND
Construction	SEALING LIP WITH FINGER SPRING AND GARTER SPRING

AZIENDA CON SISTEMA QUALITÀ
CERTIFICATO DA DNV
=UNI EN ISO 9001/2000=

L2M-PLS



Pressure	0,5 BAR
Application	RADIAL SEALING/LOW INTERFERENCE FOR HIGH SPEED WITHOUT MISALIGNMENT
External Ø	METAL WITH METAL INNER RING
Construction	SEALING LIP/FINGER+GARTER SPRING/NOT TO BE USED IN PAPER INDUSTRY

L2MP-PL



Pressure	0,5 BAR
Application	RADIAL SEALING/LOW INTERFERENCE
External Ø	METAL WITH METAL INNER RING AND DUST LIP
Construction	SEALING LIP WITH FINGER SPRING + GARTER SPRING AND DUST LIP

L2MLP-PL



Pressure	0,5 BAR
Application	RADIAL SEALING/LOW INTERFERENCE
External Ø	METAL WITH METAL INNER RING FOR SMALL BAND AND DUST LIP
Construction	SEALING LIP WITH FINGER+GARTER SPRING AND DUST LIP

L2M-TE



Pressure	0,5 BAR
Application	EXTERNAL RADIAL SEALING
External Ø	METAL WITH METAL INNER RING
Construction	SEALING LIP WITH FINGER SPRING AND GARTER SPRING

L2M-VF



Pressure	0,5 BAR
Application	RADIAL SEALING
External Ø	METAL WITH METAL INNER RING
Construction	SEALING LIP WITH FINGER SPRING AND GARTER SPRING/VULCANIZED PTFE-LIP TIP

L1M-L



Pressure	0,5 BAR
Application	RADIAL SEALING
External Ø	METAL WITH METAL INNER CASE FOR SMALL BAND
Construction	SEALING LIP WITH FINGER SPRING

L1M-TE



Pressure	0,5 BAR
Application	EXTERNAL RADIAL SEALING
External Ø	METAL WITH METAL INNER CASE
Construction	SEALING LIP WITH FINGER SPRING

L2ML-PLS



Pressure	0,5 BAR
Application	RADIAL SEALING/LOW INTERFERENCE FOR HIGH SPEED WITHOUT MISALIGNMENT
External Ø	METAL WITH METAL INNER RING FOR SMALL BAND
Construction	SEALING LIP/FINGER+GARTER SPRING/NOT TO BE USED IN PAPER INDUSTRY

L2MP-PLS



Pressure	0,5 BAR
Application	RADIAL SEALING/LOW INTERFERENCE FOR HIGH SPEED WITHOUT MISALIGNMENT
External Ø	METAL WITH METAL INNER RING AND DUST LIP
Construction	SEALING LIP/FINGER+GARTER SPRING+DUST LIP.NOT TO BE USED IN PAPER INDUSTRY

L2MLP-PLS



Pressure	0,5 BAR
Application	RADIAL SEALING/LOW INTERFERENCE FOR HIGH SPEED WITHOUT MISALIGNMENT
External Ø	METAL WITH METAL INNER RING FOR SMALL BAND AND DUST LIP
Construction	SEALING LIP/FINGER+GARTER SPRING+DUST LIP/NOT TO BE USED IN PAPER INDUSTRY

L2MP-TE



Pressure	0,5 BAR
Application	EXTERNAL RADIAL SEALING
External Ø	METAL WITH METAL INNER RING AND DUST LIP
Construction	SEALING LIP WITH FINGER SPRING+GARTER SPRING+DUST LIP

L1M



Pressure	0,5 BAR
Application	RADIAL SEALING
External Ø	METAL WITH METAL INNER CASE
Construction	SEALING LIP WITH FINGER SPRING

L1MP



Pressure	0,5 BAR
Application	RADIAL SEALING
External Ø	METAL WITH METAL INNER CASE
Construction	SEALING LIP WITH FINGER SPRING AND DUST LIP

P.S. Pressure is not applicable on SPLIT type

Size List

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

ROTARY SHAFT OIL SEALS

Technical description at page 6





























































code	*B*		*A*		*h / H*	*type*
001089	5,00	x	15,00	x	6,00	G
001383	6,00	x	11,00	x	4,50	M
001175	6,00	x	12,00	x	4,50	G
000699	6,00	x	16,00	x	5,00	GP
001113	6,00	x	16,00	x	7,00	G
001100	6,00	x	18,00	x	8,00	G2
000700	6,00	x	19,00	x	5,00	G
000002	6,00	x	19,00	x	7,00	G
000003	6,00	x	22,00	x	7,00	G
001455	6,35	x	19,15	x	6,35	M
000006	7,00	x	14,00	x	5,00	G
000633	7,00	x	15,00	x	5,00	G
000707	7,00	x	16,00	x	7,00	G
000005	7,00	x	22,00	x	7,00	G
001365	8,00	x	16,00	x	5,00	M
001792	8,00	x	16,00	x	7,00	GP
000007	8,00	x	16,00	x	7,00	G
001385	8,00	x	16,00	x	10,00	G2
000008	8,00	x	18,00	x	5,00	G
001285	8,00	x	18,00	x	6,00	GP
002007	8,00	x	22,00	x	5,00 / 5,50	G
001866	8,00	x	22,00	x	6,50	GP
000009	8,00	x	22,00	x	7,00	G
001403	8,00	x	24,00	x	7,00	M2
001289	8,00	x	25,00	x	7,00	G
001299	8,50	x	18,00	x	7,00	G
001399	9,00	x	18,00	x	7,00	GP
000987	9,00	x	22,00	x	7,00	G
001874	9,00	x	24,00	x	7,00	G
001938	10,00	x	16,00	x	4,00	M
000010	10,00	x	16,00	x	5,00	G

* Clearance Sales
P.S. 'GPP' Type fornishable only in NBR compound

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

ROTARY SHAFT OIL SEALS

Technical description at page 6

code	B		A		h / H	type
000011	10,00	x	18,00	x	4,00 / 4,80	GPA
000012	10,00	x	18,00	x	6,00	G
000708	10,00	x	19,00	x	7,00	G
000013	10,00	x	19,00	x	7,00 / 9,00	GPA
001748	10,00	x	20,00	x	6,00	G
001408	10,00	x	22,00	x	6,00	GP
000014	10,00	x	22,00	x	7,00	G
000015	10,00	x	24,00	x	7,00	G
001665	10,00	x	25,00	x	5,00	G
000004	10,00	x	26,00	x	5,50	G
001360	10,00	x	26,00	x	7,00	GP
000866	10,00	x	26,00	x	7,00	G
001987	10,00	x	30,00	x	8,00	G
001174	11,00	x	17,00	x	4,00	G
001804	11,00	x	19,00	x	7,00	G
000016	11,00	x	22,00	x	7,00	G
001522	12,00	x	18,00	x	4,50	GP
001559	12,00	x	19,00	x	4,00	M
000017	12,00	x	19,00	x	5,00	G
000018	12,00	x	20,00	x	4,50	M
002001	12,00	x	20,00	x	5,00	G
000019	12,00	x	20,00	x	5,00	GP
001855	12,00	x	20,00	x	5,00 / 7,00	RGP
SP7756	12,00	x	20,00	x	5,00 / 7,00	RGP
000931	12,00	x	22,00	x	4,00	G
000020	12,00	x	22,00	x	5,00	G
000696	12,00	x	22,00	x	7,00	GP
001570	12,00	x	22,00	x	7,00	M
000021	12,00	x	22,00	x	7,00	G
001965	12,00	x	24,00	x	4,50	G
000022	12,00	x	24,00	x	6,00	G
000823	12,00	x	24,00	x	7,00	G
000023	12,00	x	24,00	x	7,00	GP
001505	12,00	x	25,00	x	4,50	G
001544	12,00	x	25,00	x	8,00	G
001873	12,00	x	26,00	x	7,00	G
000024	12,00	x	26,00	x	8,00	G
001966	12,00	x	28,00	x	6,00	G
000025	12,00	x	28,00	x	7,00	G
001418	12,00	x	28,00	x	7,00	GP
001004	12,00	x	30,00	x	7,00	M
000722	12,00	x	30,00	x	7,00	G

code	B		A		h / H	type
001284	12,00	x	30,00	x	7,00	GP
000026	12,00	x	32,00	x	7,00	G
001206	12,50	x	20,00	x	5,00	G
001207	12,50	x	20,00	x	6,00	G
000544	12,50	x	22,00	x	4,50	G
001420	13,00	x	20,00	x	4,00	MP
001161	13,00	x	20,00	x	4,00	M
000567	13,00	x	22,00	x	4,00	G
001282	13,00	x	22,00	x	7,00	GP
000027	13,00	x	26,00	x	5,00	G
001958	13,00	x	28,00	x	7,00	G
000545	14,00	x	22,00	x	4,00	G
000028	14,00	x	24,00	x	5,00	GP
001856	14,00	x	24,00	x	5,00	G
001426	14,00	x	24,00	x	6,00	M
000029	14,00	x	24,00	x	7,00	G
001417	14,00	x	24,00	x	7,00	GP
000030	14,00	x	28,00	x	7,00	G
000819	14,00	x	28,00	x	7,00	GP
000031	14,00	x	30,00	x	7,00	G
000822	14,00	x	30,00	x	8,00	G
000033	14,00	x	35,00	x	7,00	G
000034	14,00	x	35,00	x	10,00	G
001005	15,00	x	22,00	x	5,00	MP
000035	15,00	x	24,00	x	5,00	G
001425	15,00	x	24,00	x	6,00	GP
001381	15,00	x	24,00	x	7,00	M2
000036	15,00	x	24,00	x	7,00	G
001281	15,00	x	24,00	x	7,00	GP
000037	15,00	x	25,00	x	7,00	G
001382	15,00	x	25,40	x	5,00 / 7,00	GPA
000038	15,00	x	25,50	x	4,60	G
000040	15,00	x	26,00	x	7,00	GP
000039	15,00	x	26,00	x	7,00	G
000041	15,00	x	26,00	x	7,00	MP
000042	15,00	x	27,00	x	7,00	GP
001886	15,00	x	27,00	x	7,00	G
000641	15,00	x	28,00	x	6,00	G
000534	15,00	x	30,00	x	4,50	G
001794	15,00	x	30,00	x	7,00	GP
000043	15,00	x	30,00	x	7,00	G
001427	15,00	x	32,00	x	7,00	GP

* Clearance Sales

P.S. 'GPP' Type fornishable only in NBR compound

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

ROTARY SHAFT OIL SEALS

Technical description at page 6

code	B		A		h / H	type
000711	15,00	x	32,00	x	7,00	G
001391	15,00	x	35,00	x	5,00	G
001960	15,00	x	35,00	x	5,00	GTE
000045	15,00	x	35,00	x	6,00	MP
000826	15,00	x	35,00	x	6,00 / 7,00	MP
001725	15,00	x	35,00	x	7,00	GP
000046	15,00	x	35,00	x	7,00	G
001411	15,00	x	35,00	x	7,00	GZT
001486	15,00	x	35,00	x	8,00	G
000047	15,00	x	40,00	x	10,00	G
000048	15,00	x	42,00	x	7,00	G
001124	15,00	x	50,00	x	7,00	G
000049	15,08	x	23,82	x	4,76	G
001809	15,30	x	28,00	x	6,00	G
001477	15,88	x	25,48	x	6,35	MP
001469	15,88	x	25,48	x	6,35	M
001824	16,00	x	22,00	x	4,00	G
000050	16,00	x	24,00	x	5,00	G
000051	16,00	x	28,00	x	7,00	G
000052	16,00	x	30,00	x	5,00	G
001527	16,00	x	30,00	x	6,00	G
000528	16,00	x	30,00	x	6,60	G
000053	16,00	x	30,00	x	7,00	G
001646	16,00	x	32,00	x	7,00	G
000959	16,00	x	32,00	x	9,00	G
000759	16,00	x	35,00	x	6,00 / 8,00	G2
000055	16,00	x	35,00	x	7,00	G
000056	16,00	x	35,00	x	10,00	G
000058	16,00	x	40,00	x	10,00	G
001739	17,00	x	24,00	x	5,00	G
000568	17,00	x	25,00	x	4,00	G
000676	17,00	x	28,00	x	6,00	G
000060	17,00	x	28,00	x	7,00	G
000546	17,00	x	28,00	x	7,00	GP
000814	17,00	x	28,00	x	7,00	M
000724	17,00	x	28,00	x	7,30	G
001259	17,00	x	30,00	x	5,00	G
001963	17,00	x	30,00	x	5,00	GP
001793	17,00	x	30,00	x	7,00	GP
000061	17,00	x	30,00	x	7,00	G
000513	17,00	x	32,00	x	5,00	G
000062	17,00	x	32,00	x	7,00	G

code	B		A		h / H	type
000063	17,00	x	35,00	x	7,00	G
000064	17,00	x	35,00	x	7,00	GP
000065	17,00	x	35,00	x	8,00	GP
001964	17,00	x	40,00	x	7,00	GP
000066	17,00	x	40,00	x	7,00	G
001298	17,00	x	40,00	x	8,50	G
000067	17,00	x	40,00	x	10,00	G
000068	17,00	x	47,00	x	7,00	G
000069	17,45	x	28,58	x	8,00	G2
001984	18,00	x	24,00	x	5,00	GP
001895	18,00	x	26,00	x	6,00	G
000071	18,00	x	28,00	x	7,00	GP
000070	18,00	x	28,00	x	7,00	G
000820	18,00	x	30,00	x	7,00	G
001521	18,00	x	30,00	x	7,00	GP
000956	18,00	x	30,00	x	8,00	G2
001429	18,00	x	32,00	x	7,00	GP
000072	18,00	x	32,00	x	7,00	G
000073	18,00	x	32,00	x	8,00	G
000590	18,00	x	32,00	x	8,00	G2
001052	18,00	x	35,00	x	8,00	G
000074	18,00	x	35,00	x	10,00	G
001434	19,00	x	27,00	x	6,00	G
001435	19,00	x	30,00	x	7,00	M
001254	19,00	x	30,50	x	8,50 / 11,50	GPA
000075	19,00	x	32,00	x	7,00	G
000076	19,00	x	32,00	x	7,00	GP
000077	19,00	x	32,00	x	10,00	G
000078	19,00	x	32,00	x	10,00	GP
000079	19,00	x	35,00	x	10,00	G
001467	19,00	x	42,00	x	7,00	G
000080	19,00	x	47,00	x	10,00	G
001936	19,05	x	30,00	x	7,00	GP
001935	19,05	x	47,00	x	7,00	GP
000082	20,00	x	28,00	x	4,00	G
000083	20,00	x	28,00	x	6,00	G
001384	20,00	x	28,00	x	6,00	MP
001341	20,00	x	28,00	x	7,00	G
000930	20,00	x	30,00	x	4,00	G
000085	20,00	x	30,00	x	5,00	GP
000084	20,00	x	30,00	x	5,00	G
000613	20,00	x	30,00	x	6,00	G

* Clearance Sales

P.S. 'GPP' Type fornishable only in NBR compound

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

ROTARY SHAFT OIL SEALS

Technical description at page 6

code	B		A		h / H	type
000086	20,00	x	30,00	x	7,00	G
000687	20,00	x	30,00	x	7,00	GP
001471	20,00	x	31,00	x	7,00	M
001436	20,00	x	32,00	x	7,00	M
000087	20,00	x	32,00	x	7,00	G
000527	20,00	x	32,00	x	7,00	GP
000624	20,00	x	35,00	x	5,00	G
001751	20,00	x	35,00	x	6,00	GPZS
000088	20,00	x	35,00	x	6,00	GP
000090	20,00	x	35,00	x	7,00	GP
000089	20,00	x	35,00	x	7,00	G
000621	20,00	x	35,00	x	8,00	G
001679	20,00	x	35,00	x	8,00	MP
000091	20,00	x	35,00	x	10,00	G
001654	20,00	x	36,00	x	8,00	GP
001516	20,00	x	37,00	x	8,00	G
000725	20,00	x	38,00	x	8,00	G
000092	20,00	x	38,00	x	8,00	GP
000093	20,00	x	40,00	x	6,00	GP
000094	20,00	x	40,00	x	7,00	G
000095	20,00	x	40,00	x	7,00	GP
001529	20,00	x	40,00	x	8,00	G
000096	20,00	x	40,00	x	8,00 / 13,00	G2
000097	20,00	x	40,00	x	10,00	G
000530	20,00	x	42,00	x	6,00	G
001864	20,00	x	42,00	x	6,00	GP
000098	20,00	x	42,00	x	7,00	G
000635	20,00	x	42,00	x	7,00	GP
000512	20,00	x	42,00	x	10,00	G
000099	20,00	x	42,00	x	10,00	GP
000100	20,00	x	45,00	x	7,00	GP
000101	20,00	x	47,00	x	7,00	G
001428	20,00	x	47,00	x	7,00	GP
000102	20,00	x	47,00	x	8,00	G
000844	20,00	x	47,00	x	10,00	MP
000103	20,00	x	47,00	x	10,00	G
000104	20,00	x	52,00	x	7,00	G
000105	20,00	x	52,00	x	10,00	G
000106	21,00	x	40,00	x	7,00	GP
001506	21,80	x	38,10	x	6,35	G
001336	22,00	x	32,00	x	5,50	G
001090	22,00	x	32,00	x	7,00 / 9,00	MP

code	B		A		h / H	type
001324	22,00	x	32,00	x	7,00	GP
000107	22,00	x	32,00	x	7,00	G
001636	22,00	x	35,00	x	5,00	G
001438	22,00	x	35,00	x	7,00	GP
000108	22,00	x	35,00	x	7,00	G
000969	22,00	x	35,00	x	8,00	G
000110	22,00	x	35,00	x	10,00	GP
000109	22,00	x	35,00	x	10,00	G
000112	22,00	x	40,00	x	7,00	GP
000855	22,00	x	40,00	x	7,00	G
000111	22,00	x	40,00	x	8,00	G
000115	22,00	x	40,00	x	8,00 / 11,50	GPA
001664	22,00	x	40,00	x	8,50	G2
001553	22,00	x	45,00	x	7,00	G
001492	22,00	x	47,00	x	7,00	GP
001854	22,00	x	47,00	x	7,00	G
000113	22,00	x	47,00	x	10,00	G
000114	22,00	x	62,00	x	7,00	G
001006	22,20	x	34,90	x	6,35	G
000116	22,70	x	47,00	x	7,00	G
001316	23,00	x	47,00	x	10,00	GP
000518	23,00	x	47,00	x	10,00	G
001211	23,70	x	45,00	x	8,00	M
001379	23,80	x	38,10	x	9,60	GZT
000117	24,00	x	35,00	x	6,00	GZD
000905	24,00	x	35,00	x	7,00	M
000118	24,00	x	35,00	x	7,00	G
SP1506	24,00	x	36,00	x	7,00	G
000552	24,00	x	37,00	x	7,00	G
000119	24,00	x	40,00	x	7,00	G
000120	24,00	x	40,00	x	8,00	GP
000121	24,00	x	40,00	x	10,00	G
000933	24,00	x	42,00	x	8,00	G
000602	24,00	x	45,00	x	7,00	GP
001292	24,00	x	48,00	x	10,00	G
000123	24,00	x	52,00	x	10,00	G
000124	24,90	x	45,00	x	6,50	GZD
000125	24,90	x	45,00	x	6,50	G
000127	25,00	x	32,00	x	5,00	M
001491	25,00	x	33,00	x	4,00	G
000126	25,00	x	35,00	x	5,00	G
001945	25,00	x	35,00	x	5,00	GP

* Clearance Sales

P.S. 'GPP' Type fornishable only in NBR compound

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

ROTARY SHAFT OIL SEALS

Technical description at page 6

code	B		A		h / H	type
SP1299	25,00	x	35,00	x	5,50	G
001189	25,00	x	35,00	x	6,00	G
000128	25,00	x	35,00	x	7,00	G
000129	25,00	x	35,00	x	7,00	GP
000130	25,00	x	37,00	x	5,00	G
001119	25,00	x	37,00	x	7,00	GP
000131	25,00	x	37,00	x	7,00	G
000555	25,00	x	38,00	x	7,00	G
001126	25,00	x	38,00	x	7,00	GP
001704	25,00	x	38,00	x	8,00	G2
001985	25,00	x	40,00	x	5,00	G
001962	25,00	x	40,00	x	7,00 / 10,00	RGP
000133	25,00	x	40,00	x	7,00	GP
001439	25,00	x	40,00	x	7,00	M
000132	25,00	x	40,00	x	7,00	G
000778	25,00	x	40,00	x	8,00	G
000603	25,00	x	40,00	x	8,00	GP
001350	25,00	x	40,00	x	8,00	G2
000134	25,00	x	40,00	x	10,00	G
000610	25,00	x	42,00	x	6,00	G
000136	25,00	x	42,00	x	7,00	GP
000649	25,00	x	42,00	x	7,00	M
000135	25,00	x	42,00	x	7,00	G
001248	25,00	x	42,00	x	8,00	GZD
000138	25,00	x	42,00	x	8,50	GP
000137	25,00	x	42,00	x	8,50	G
001795	25,00	x	42,00	x	10,00	M
000139	25,00	x	42,00	x	14,00	G2
001955	25,00	x	43,00	x	8,00	G
001496	25,00	x	43,00	x	9,00	G
001968	25,00	x	45,00	x	10,00	GP
000140	25,00	x	45,00	x	10,00	G
000141	25,00	x	46,00	x	7,00	G
001310	25,00	x	47,00	x	7,00	GP
000142	25,00	x	47,00	x	7,00	G
001356	25,00	x	47,00	x	8,00 / 11,50	GPA
000532	25,00	x	47,00	x	8,70	GP
000144	25,00	x	47,00	x	10,00	GP
000143	25,00	x	47,00	x	10,00	G
000589	25,00	x	49,00	x	10,00 / 15,00	GPA
000146	25,00	x	50,00	x	10,00	GP
000145	25,00	x	50,00	x	10,00	G

code	B		A		h / H	type
001400	25,00	x	52,00	x	7,00	GZT
000147	25,00	x	52,00	x	7,00	G
000148	25,00	x	52,00	x	7,00	GP
000705	25,00	x	52,00	x	8,00	GP
000149	25,00	x	52,00	x	8,00	G
000151	25,00	x	52,00	x	10,00	GP
000150	25,00	x	52,00	x	10,00	G
001942	25,00	x	62,00	x	7,00	GP
001402	25,00	x	62,00	x	7,00	GZT
000152	25,00	x	62,00	x	10,00	G
001218	25,40	x	35,00	x	7,00	GP
001517	25,40	x	36,52	x	6,35	MP
001454	25,40	x	38,18	x	6,50	M
001456	25,40	x	41,35	x	6,35	M
001217	25,40	x	52,00	x	7,00	GP
000153	25,70	x	35,00	x	7,00 / 9,00	MP
001842	26,00	x	33,00	x	7,00	M
001635	26,00	x	35,00	x	5,00	G
001442	26,00	x	35,00	x	7,00	M
001390	26,00	x	35,00	x	7,00	GP
000607	26,00	x	36,00	x	7,00	GP
001085	26,00	x	37,00	x	7,00 / 8,00	GPA
000614	26,00	x	42,00	x	7,00	G
001703	26,00	x	42,00	x	8,00	GP
000154	26,00	x	42,00	x	8,00	GPZD
000155	26,00	x	47,00	x	7,00	G
000157	26,00	x	52,00	x	8,00	G
000158	27,00	x	37,00	x	7,00	G
000698	27,00	x	41,00	x	10,00	G
000159	27,00	x	47,00	x	6,00	G
001251	27,00	x	47,00	x	7,00	GP
000629	27,00	x	47,00	x	7,00	G
000790	27,00	x	47,00	x	10,00 / 12,00	GPA
000160	28,00	x	38,00	x	6,00	G
000161	28,00	x	38,00	x	7,00	G
000666	28,00	x	38,00	x	7,00	GPZD
001074	28,00	x	38,00	x	7,00	GP
000162	28,00	x	40,00	x	7,00	G
000163	28,00	x	40,00	x	7,00	GP
000994	28,00	x	42,00	x	7,00	M
000164	28,00	x	42,00	x	7,00	G
000165	28,00	x	42,00	x	10,00	G

* Clearance Sales

P.S. 'GPP' Type fornishable only in NBR compound

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

ROTARY SHAFT OIL SEALS

Technical description at page 6

code	B	A	h / H	type
001640	28,00	45,00	8,00	G
000955	28,00	47,00	7,00	G
000968	28,00	47,00	7,00	GP
000054	28,00	47,00	8,00	G
000557	28,00	47,00	10,00	G
000166	28,00	52,00	5,00	G
000170	28,00	52,00	7,00	G
000570	28,00	52,00	10,00	GP
000168	28,00	52,00	10,00	G
001845	28,00	55,00	7,00	GP
000169	28,00	62,00	12,00	G
000592	28,45	38,10	6,35	G
000541	28,50	47,82	9,00	GZD
000695	29,00	45,00	9,50	G
001501	30,00	38,00	5,00	M
000691	30,00	40,00	4,00	G
001565	30,00	40,00	6,00	GP
000863	30,00	40,00	7,00 / 9,00	RGP
000171	30,00	40,00	7,00	G
000718	30,00	40,00	7,00	GP
001246	30,00	40,00	7,00	GZD
001443	30,00	42,00	6,00	GP
000172	30,00	42,00	7,00	G
000173	30,00	42,00	7,00	GP
001523	30,00	42,00	8,00	GP
000650	30,00	42,00	8,00	GZS
000977	30,00	43,00	8,00	M
000558	30,00	43,64	13,90	MP
000174	30,00	44,00	10,00	G
000529	30,00	44,00	10,00	GP
001229	30,00	45,00	5,00	G
001788	30,00	45,00	8,00	GP
000175	30,00	45,00	8,00	G
001414	30,00	47,00	5,00	G
000176	30,00	47,00	6,00	G
000178	30,00	47,00	7,00	GP
000177	30,00	47,00	7,00	G
001050	30,00	47,00	8,00	G
000179	30,00	47,00	8,00	GP
000180	30,00	47,00	10,00	G
001102	30,00	47,00	10,00	GP
000181	30,00	48,00	8,00	G

code	B	A	h / H	type
000182	30,00	50,00	5,00	G
000183	30,00	50,00	7,00	G
000185	30,00	50,00	8,00	GP
000184	30,00	50,00	8,00	G
001367	30,00	50,00	10,00	GP
000186	30,00	50,00	10,00	G
SP162	30,00	52,00	6,00	G
001444	30,00	52,00	7,00	MP
000187	30,00	52,00	7,00	G
000594	30,00	52,00	7,00	MZD
000188	30,00	52,00	7,00	GP
000189	30,00	52,00	10,00	G
000190	30,00	52,00	10,00	GP
000791	30,00	52,00	10,00 / 12,00	GPA
001334	30,00	53,50	10,00 / 14,00	GPA
000741	30,00	53,50	12,00 / 17,50	GPA
000192	30,00	55,00	7,00	G
000514	30,00	55,00	10,00	GP
000193	30,00	55,00	10,00	G
001378	30,00	55,00	12,00	M
000194	30,00	56,00	10,00	G
000195	30,00	60,00	10,00	G
000196	30,00	62,00	7,00	G
000197	30,00	62,00	7,00	GP
000198	30,00	62,00	10,00	G
000199	30,00	62,00	10,00	GP
000201	30,00	68,00	7,00	G
000202	30,00	72,00	10,00	G
001450	30,20	50,70	6,35	G
000204	31,00	50,00	8,00	GPZD
000205	31,00	52,00	7,00	G
001311	31,00	52,00	7,00	GP
000206	31,00	62,00	4,00 / 5,00	G
000207	31,50	47,00	7,00	G
000208	31,70	47,80	8,00 / 10,00	GPZT
001216	31,75	40,00	7,00	GP
001220	31,75	44,60	6,35	G
000559	31,75	47,75	9,60 / 10,70	G
001215	31,75	62,00	7,00	GP
000210	32,00	42,00	7,00	GP
000209	32,00	42,00	7,00	G
000744	32,00	45,00	7,00	GP

* Clearance Sales

P.S. 'GPP' Type fornishable only in NBR compound

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

ROTARY SHAFT OIL SEALS

Technical description at page 6

code	B		A		h / H	type
000211	32,00	x	45,00	x	7,00	G
000212	32,00	x	47,00	x	7,00	G
000917	32,00	x	47,00	x	7,00	MP
001445	32,00	x	47,00	x	7,00	M
001941	32,00	x	47,00	x	7,00	GPRE
001518	32,00	x	47,00	x	8,00	G
000593	32,00	x	47,00	x	10,00	GPZT
000934	32,00	x	47,00	x	12,00	G2
001022	32,00	x	48,00	x	7,00	G
000213	32,00	x	48,00	x	7,00	GP
001193	32,00	x	50,00	x	8,00	G
000214	32,00	x	52,00	x	5,00	G
001446	32,00	x	52,00	x	7,00	M
000215	32,00	x	52,00	x	7,00	G
001890	32,00	x	52,00	x	7,00	GP
001351	32,00	x	52,00	x	7,50	G
001410	32,00	x	52,00	x	10,00	G
000726	32,00	x	52,00	x	10,00 / 12,00	GPA
001133	32,00	x	52,00	x	12,00	G
000521	32,00	x	56,00	x	10,00	G
000216	32,00	x	62,00	x	6,00 / 7,00	G
000217	32,00	x	62,00	x	10,00	G
000517	33,00	x	50,00	x	10,00	GP
000538	33,00	x	52,00	x	6,00	G
SP4042	34,00	x	47,60	x	8,00	G
000604	34,00	x	52,00	x	8,00	G
001971	34,00	x	52,00	x	8,00	GP
000945	34,00	x	62,00	x	10,00	G
001424	34,90	x	46,50	x	7,00	M
000221	34,90	x	50,80	x	11,10	GP
000222	34,90	x	53,90	x	7,90	G
SP952	34,92	x	54,08	x	9,52	G
000531	34,92	x	60,30	x	12,70	G
SP7695	35,00	x	42,00	x	4,00	G
001108	35,00	x	42,00	x	5,00	M
001563	35,00	x	45,00	x	6,00	G
000560	35,00	x	45,00	x	7,00	GP
001741	35,00	x	45,00	x	7,00	G
001946	35,00	x	47,00	x	5,00	GP
001322	35,00	x	47,00	x	6,00	G
000623	35,00	x	47,00	x	7,00	GZD
000225	35,00	x	47,00	x	7,00	GP

code	B		A		h / H	type
SP1777	35,00	x	47,00	x	7,00 / 9,00	GPA
000224	35,00	x	47,00	x	7,00	G
000226	35,00	x	47,00	x	10,00	G
000223	35,00	x	47,00	x	10,00	GP
000227	35,00	x	47,80	x	7,90	GZD
000228	35,00	x	48,00	x	7,00	GPZD
000229	35,00	x	50,00	x	7,00	G
000587	35,00	x	50,00	x	7,00	GPZD
000596	35,00	x	50,00	x	8,00	GPZD
000561	35,00	x	50,00	x	8,00	G
001820	35,00	x	50,00	x	8,00	GP
001825	35,00	x	50,00	x	10,00	GPZD
000230	35,00	x	50,00	x	10,00	G
000231	35,00	x	50,00	x	10,00	GP
001493	35,00	x	52,00	x	7,00	GP
001900	35,00	x	52,00	x	7,00	GZS
000232	35,00	x	52,00	x	7,00	G
001142	35,00	x	52,00	x	8,00	GP
000233	35,00	x	52,00	x	8,00	G
000234	35,00	x	52,00	x	10,00	G
000235	35,00	x	52,00	x	10,00	GP
000236	35,00	x	52,00	x	12,00	G2
000237	35,00	x	55,00	x	8,00	G
000238	35,00	x	55,00	x	9,00	GP
000239	35,00	x	55,00	x	10,00	G
000240	35,00	x	55,00	x	10,00	GP
000688	35,00	x	56,00	x	10,00	G
000242	35,00	x	58,00	x	10,00	GP
000241	35,00	x	58,00	x	10,00	G
000848	35,00	x	60,00	x	10,00	G
000243	35,00	x	60,00	x	10,00	GP
001872	35,00	x	62,00	x	7,00 / 7,50	GPA
000245	35,00	x	62,00	x	7,00	GP
000244	35,00	x	62,00	x	7,00	G
000246	35,00	x	62,00	x	8,00	GP
000591	35,00	x	62,00	x	8,00	G
000248	35,00	x	62,00	x	10,00	GP
000247	35,00	x	62,00	x	10,00	G
000515	35,00	x	62,00	x	12,00	GP
000670	35,00	x	65,00	x	10,00	G
001832	35,00	x	65,00	x	10,00	GP
001326	35,00	x	67,00	x	7,00	G

* Clearance Sales

P.S. 'GPP' Type fornishable only in NBR compound

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

ROTARY SHAFT OIL SEALS

Technical description at page 6

code	B	A	h / H	type
001520	35,00	72,00	7,00	GP
000250	35,00	72,00	10,00	G
000251	35,00	72,00	10,00	GP
000525	35,00	72,00	12,00	GP
000252	35,00	72,00	12,00	G
001039	35,00	76,00	10,00 / 14,00	GPP
000253	35,00	80,00	10,00	GP
000776	35,00	80,00	10,00	G
000605	35,00	80,00	12,00	G
000254	36,00	45,00	6,00	G
000255	36,00	47,00	7,00	G
001571	36,00	47,00	7,00	GP
001806	36,00	48,00	10,00	G
000612	36,00	50,00	7,00	G
001940	36,00	50,00	10,00	G
001342	36,00	52,00	7,00	G
000974	36,00	52,00	10,00	GP
000619	36,00	54,00	7,50	G
000690	36,00	58,00	10,00	G
001893	36,00	62,00	7,00	G
000258	36,00	68,00	10,00	G
000259	36,00	70,00	8,00 / 12,50	GZS
000260	36,50	52,40	12,70	GZD
000962	36,51	52,58	7,93	GP
001800	38,00	47,00	7,00	GP
001972	38,00	50,00	5,00	GP
001738	38,00	50,00	7,00	GP
000261	38,00	50,00	7,00	G
000262	38,00	52,00	7,00	GZT
001939	38,00	52,00	7,00	GPRE
000993	38,00	52,00	10,00	M
000263	38,00	54,00	5,00	G
000673	38,00	54,00	7,00	GPZD
000264	38,00	55,00	7,00	G
000265	38,00	55,00	10,00	G
000266	38,00	55,00	10,00	GP
000267	38,00	56,00	10,00	G
000563	38,00	62,00	7,00	G
001799	38,00	62,00	10,00	GP
000268	38,00	62,00	10,00	G
000935	38,00	72,00	10,00	G
001953	38,10	55,00	7,00	GP

code	B	A	h / H	type
001952	38,10	80,00	10,00	GP
000269	39,70	58,70	9,50	GPZD
001881	40,00	50,00	5,00	G
000622	40,00	52,00	7,00	GZT
000272	40,00	52,00	7,00	GP
000271	40,00	52,00	7,00	G
000270	40,00	52,00	10,00	GP
001245	40,00	52,00 / 58,00	8,00	GPF
001924	40,00	53,00	4,20	GP
000274	40,00	55,00	7,00	GP
000273	40,00	55,00	7,00	G
000276	40,00	55,00	8,00	GP
000275	40,00	55,00	8,00	G
000674	40,00	55,00	9,00	GPZD
001195	40,00	55,00	10,00	MPZT
000745	40,00	56,00	7,00	MZD
000277	40,00	56,00	8,00	G
000278	40,00	56,00	8,00	GP
001054	40,00	56,00	10,00	G
000655	40,00	58,00	8,00	GZD
000279	40,00	58,00	10,00	G
000533	40,00	58,00	10,00	GP
000918	40,00	60,00	7,00	G
000281	40,00	60,00	10,00	GP
000280	40,00	60,00	10,00	G
000282	40,00	62,00	7,00	G
001083	40,00	62,00	7,00	GP
000283	40,00	62,00	10,00	G
001012	40,00	62,00	10,00	MP
000284	40,00	62,00	10,00	GP
000285	40,00	65,00	10,00	G
000818	40,00	65,00	12,00	G
001112	40,00	68,00	10,00	G
000588	40,00	70,00	10,00	G
000286	40,00	72,00	7,00	G
001526	40,00	72,00	7,00	GP
000287	40,00	72,00	10,00	G
001182	40,00	80,00	7,00	GP
000288	40,00	80,00	10,00	G
000289	40,00	80,00	10,00	GP
001871	40,00	85,00	11,00	MP
000852	40,00	90,00	12,00	G

* Clearance Sales

P.S. 'GPP' Type fornishable only in NBR compound

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

ROTARY SHAFT OIL SEALS

Technical description at page 6

code	B	A	h / H	type
001132	40,00	90,00	12,00	GP
SP4548	41,28	60,35	9,52	GP
000292	42,00	55,00	7,00	G
001647	42,00	55,00	8,00	G
000291	42,00	55,00	10,00	GP
000293	42,00	56,00	7,00	G
000294	42,00	56,20	7,00	GZD
000648	42,00	58,00	11,00	GPZD
000295	42,00	60,00	12,00	G *
000916	42,00	62,00	7,00	G
000572	42,00	62,00	7,00	GP
000296	42,00	62,00	8,00	GP
001628	42,00	62,00	8,00	GZD
000573	42,00	62,00	8,00	G
000297	42,00	62,00	10,00	G
001782	42,00	65,00	12,00	MGPZD
001053	42,00	72,00	8,00	G
001949	42,00	72,00	12,00 / 16,00	G2
000299	43,00	55,00	10,00	GP
000574	43,00	60,00	10,00	G
001238	44,00	62,00	10,00	GP
000301	44,00	72,00	12,00	G
001013	44,40	68,26	15,00 / 19,00	MP
001757	44,45	63,40	12,70	MP
000302	44,50	63,65	9,50	M
000951	45,00	55,00	6,00	G
001716	45,00	55,00	7,00	MZT
000303	45,00	58,00	7,00	GP
000965	45,00	60,00	7,00 / 8,00	GPA
SP7637	45,00	60,00	7,00	G
000305	45,00	60,00	7,00	GP
000304	45,00	60,00	7,00	G
000523	45,00	60,00	8,00	G
000306	45,00	60,00	8,00 / 9,00	GPZD
001015	45,00	60,00	8,00	GPZT
000522	45,00	60,00	10,00	G
001843	45,00	62,00	7,00	GP
000307	45,00	62,00	7,00	G
000308	45,00	62,00	8,00	G
000310	45,00	62,00	10,00	GP
000309	45,00	62,00	10,00	G
000311	45,00	62,00	12,00	G

code	B	A	h / H	type
000312	45,00	65,00	8,00	G
000611	45,00	65,00	8,00	GP
000313	45,00	65,00	10,00	G
001187	45,00	65,00	10,00 / 12,00	GPA
000314	45,00	65,00	10,00	GP
000836	45,00	65,00	10,00	MP
001386	45,00	66,00	6,00	G
000315	45,00	66,00	10,00	G
001312	45,00	68,00	10,00	G
000316	45,00	70,00	10,00	G
001017	45,00	72,00	8,00	G
000317	45,00	72,00	8,00	GP
000703	45,00	72,00	10,00 / 12,00	GPP
000318	45,00	72,00	10,00	G
001093	45,00	75,00	8,00	GP
001092	45,00	75,00	8,00	G
000319	45,00	75,00	10,00	G
000320	45,00	75,00	10,00	GP
001564	45,00	80,00	7,00	GP
000321	45,00	80,00	10,00	G
001519	45,00	80,00	10,00	GP
000729	45,00	85,00	10,00	G
000322	45,00	85,00	10,00	GP
001387	45,00	90,00	10,00	G
000323	46,00	65,00	10,00	G
000599	47,00	70,00	10,00	G
000520	47,00	77,00	8,00	G
001923	47,20	62,10	4,20	GP
000324	47,62	66,78	11,40	M
000325	48,00	62,00	8,00	G
001494	48,00	62,00	8,00	GP
000326	48,00	65,00	10,00	G
000327	48,00	65,00	10,00	GP
000682	48,00	65,00	10,00	M
001388	48,00	68,00	10,00	GP
000954	48,00	68,00	12,00	G
001423	48,00	68,00	14,00	GP
000683	48,00	69,00	10,00	MZD
000539	48,00	70,00	9,00	GPZD
000328	48,00	72,00	10,00	G
000709	48,00	72,00	15,00	G2
001155	48,00	75,00	8,00	MZD

* Clearance Sales

P.S. 'GPP' Type fornishable only in NBR compound

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

ROTARY SHAFT OIL SEALS

Technical description at page 6

code	B	A	h / H	type
000329	48,00	80,00	10,00	G
001906	49,00	92,00	10,00	GP
001502	50,00	58,00	5,00	M
001750	50,00	62,00	7,00	G
000330	50,00	65,00	8,00	G
000331	50,00	65,00	8,00	GP
000834	50,00	68,00	8,00	G
001944	50,00	68,00	8,00	GP
001249	50,00	68,00	10,00	GPZD
000333	50,00	68,00	10,00	GP
000332	50,00	68,00	10,00	G
001173	50,00	70,00	8,00	G
000335	50,00	70,00	10,00	G
001337	50,00	72,00	6,00	G
000336	50,00	72,00	8,00	G
000970	50,00	72,00	8,00 / 10,00	GPA
001932	50,00	72,00	8,00	GP
000337	50,00	72,00	10,00	G
000571	50,00	72,00	10,00	GP
000338	50,00	72,00	12,00	G
000339	50,00	75,00	10,00	G
001103	50,00	75,00	12,00	GP
000340	50,00	80,00	8,00	G
001073	50,00	80,00	8,00	GP
000341	50,00	80,00	10,00	G
000342	50,00	80,00	10,00	GP
001300	50,00	80,00	15,00	G2
001733	50,00	85,00	10,00	GP
000853	50,00	85,00	10,00	G
000344	50,00	90,00	10,00	G
000716	50,00	90,00	10,00	GP
000912	50,80	69,93	12,70	MP
000345	50,80	76,30	9,50	G
000346	51,60	67,85	9,50	G
000347	52,00	68,00	8,00	G
000348	52,00	70,00	7,00	G
001481	52,00	72,00	8,00	G
001020	52,00	73,30	10,60	G
001115	52,00	75,00	12,00	G
001363	52,00	80,00	10,00	GP
001339	52,00	80,00	10,00	G
000511	52,00	87,00	8,00	G

code	B	A	h / H	type
001922	52,95	69,00	4,20	GP
001328	53,00	80,00	10,00	G
000350	53,97	72,93	12,70	GP
001830	54,00	68,00	10,50	G
000351	54,00	72,00	10,00	GP
000352	54,00	85,00	10,00	G
000943	54,00	85,00	10,00	GP
000353	54,80	70,00	10,00	GZS
000562	54,86	82,57	12,70	G
001956	55,00	68,00	8,00	GTE
000712	55,00	68,00	8,00	G
000354	55,00	70,00	8,00	G
001574	55,00	70,00	8,00	MP
000536	55,00	70,00	10,00	GP
000915	55,00	70,00	10,00	G
001315	55,00	70,10	8,00 / 5,50	MZS
001934	55,00	72,00	8,00	G
000998	55,00	72,00	8,00	GZT
000797	55,00	72,00	8,00	GP
000355	55,00	72,00	10,00	G
000356	55,00	72,00	10,00	GP
001313	55,00	75,00	8,00	G
001354	55,00	75,00	9,00	G
000357	55,00	75,00	10,00	G
000358	55,00	75,00	10,00	GP
000359	55,00	75,00	12,00	G
000360	55,00	78,00	10,00	G
001419	55,00	80,00	8,00	GP
000361	55,00	80,00	8,00	G
000363	55,00	80,00	10,00	GP
000362	55,00	80,00	10,00	G
000365	55,00	85,00	10,00	G
000661	55,00	85,00	10,00	GP
001509	55,00	85,00	14,00	GP
000367	55,00	90,00	10,00	GP
000366	55,00	90,00	10,00	G
001869	55,00	110,00	12,00	GP
000895	56,00	80,00	8,00	G
001346	56,00	90,00	10,00	GP
000815	57,10	76,20	12,70	MP
000369	58,00	72,00	8,00	G
000370	58,00	72,00	10,00	GP

* Clearance Sales
P.S. 'GPP' Type fornishable only in NBR compound

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

ROTARY SHAFT OIL SEALS

Technical description at page 6

code	B		A		h / H	type
000845	58,00	x	72,00	x	10,00	G
000372	58,00	x	80,00	x	10,00	GP
000371	58,00	x	80,00	x	10,00	G
000738	58,00	x	80,00	x	12,00	G
000373	58,00	x	85,00	x	10,00	G
000374	58,00	x	90,00	x	10,00	G
001756	60,00	x	72,00	x	8,00	G
001954	60,00	x	75,00	x	7,00	G
00375C	60,00	x	75,00	x	8,00	G
000375	60,00	x	75,00	x	8,00	G
000535	60,00	x	75,00	x	8,00	GP
001918	60,00	x	78,00	x	10,00	GZD
000803	60,00	x	80,00	x	8,00	GP
000376	60,00	x	80,00	x	8,00	G
001123	60,00	x	80,00	x	10,00	MP
000378	60,00	x	80,00	x	10,00	GP
000377	60,00	x	80,00	x	10,00	G
001449	60,00	x	80,00	x	12,00	MP
000636	60,00	x	80,00	x	12,00	MZD
000597	60,00	x	82,00	x	12,00	GP
001460	60,00	x	85,00	x	8,00	M
000380	60,00	x	85,00	x	8,00	G
001829	60,00	x	85,00	x	8,00	GP
000382	60,00	x	85,00	x	10,00	GP
000381	60,00	x	85,00	x	10,00	G
001870	60,00	x	90,00	x	8,00	G
001317	60,00	x	90,00	x	8,00	GP
000384	60,00	x	90,00	x	10,00	GP
000383	60,00	x	90,00	x	10,00	G
000385	60,00	x	95,00	x	10,00	G
001846	60,00	x	95,00	x	10,00	GP
000386	60,00	x	110,00	x	13,00	G
001581	60,00	x	120,00	x	8,00	G
000387	60,30	x	76,53	x	11,00	GZS
000388	60,30	x	82,65	x	11,90	M
001286	60,30	x	88,50	x	12,70	GP
000777	62,00	x	76,00	x	10,00	G
000667	62,00	x	80,00	x	12,00	MPZD
000389	62,00	x	85,00	x	10,00	G
000390	62,00	x	85,00	x	10,00	GP
000888	62,00	x	85,00	x	12,00	G
000894	62,00	x	87,00	x	8,00	G

code	B		A		h / H	type
000391	62,00	x	90,00	x	10,00	G
001099	62,00	x	90,00	x	13,00	G
001430	62,00	x	90,00	x	13,00	G2
001314	62,70	x	89,00	x	13,80	M
000780	63,00	x	90,00	x	10,00	GP
001891	63,00	x	90,00	x	10,00	G
000393	64,00	x	80,00	x	8,00	G
001838	64,00	x	85,00	x	8,00	GP
001304	64,00	x	90,00	x	13,00	GP
001153	65,00	x	75,00	x	8,00	GP
000394	65,00	x	80,00	x	8,00	G
001692	65,00	x	80,00	x	8,00	GP
000395	65,00	x	80,00	x	10,00	G
001331	65,00	x	80,00	x	12,00	G
000397	65,00	x	85,00	x	10,00	GP
000396	65,00	x	85,00	x	10,00	G
000854	65,00	x	85,00	x	12,00	G
000398	65,00	x	90,00	x	10,00	G
000642	65,00	x	90,00	x	10,00	GP
001694	65,00	x	90,00	x	13,00 / 12,50	MGPZD
001681	65,00	x	95,00	x	10,00	G
001275	65,00	x	95,00	x	10,00	GP
000564	65,00	x	100,00	x	10,00	G
001072	65,00	x	100,00	x	10,00	GP
001495	65,00	x	100,00	x	12,00	GP
000658	65,00	x	125,00	x	12,00	G
000586	66,60	x	86,00	x	9,50	GZD
000884	66,60	x	95,18	x	22,22	M2
001023	67,00	x	95,40	x	15,00	MP
000963	68,00	x	85,00	x	10,00	G
001252	68,00	x	90,00	x	7,00	GP
000399	68,00	x	90,00	x	10,00	G
001371	68,00	x	95,00	x	13,00	G
000519	68,00	x	97,00	x	8,00	G
001377	68,00	x	100,00	x	10,00	GP
000400	68,00	x	100,00	x	10,00	G
000401	68,00	x	100,00	x	13,00	G
001937	70,00	x	78,00	x	5,00	M
001915	70,00	x	82,00	x	7,00	GPRE
000402	70,00	x	85,00	x	8,00	GP
001185	70,00	x	85,00	x	8,00	G
000403	70,00	x	85,00	x	10,00	GP

* Clearance Sales

P.S. 'GPP' Type fornishable only in NBR compound

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

ROTARY SHAFT OIL SEALS

Technical description at page 6

code	B	A	h / H	type
000746	70,00	90,00	10,00	MPZS
001452	70,00	90,00	10,00	GTE
000405	70,00	90,00	10,00	GP
000632	70,00	90,00	10,00	G2
000404	70,00	90,00	10,00	G
001178	70,00	90,00	12,00	G
000784	70,00	90,00	13,00	G2
000406	70,00	95,00	10,00	G
000407	70,00	95,00	13,00	G
000409	70,00	100,00	10,00	GP
000408	70,00	100,00	10,00	G
000410	70,00	100,00	12,00	G
SP4045	70,00	103,00	13,00	G
000516	70,00	110,00	10,00	G
000412	70,00	110,00	12,00	G
000413	70,00	110,00	12,00	GP
001868	70,00	112,00	12,00	GP
001319	70,00	120,00	13,00	G
000653	71,00	88,00	8,00	GZS
001480	72,00	90,00	10,00	GP
000414	72,00	90,00	10,00	G
000789	72,00	101,60	12,50	G
SP4047	72,00	105,00	13,00	G
001184	72,00	130,00	12,00	G
000415	72,60	92,32	12,70	GZS
001024	73,00	101,80	14,20	GPP
SP4048	75,00	90,00	8,00	G
001186	75,00	90,00	10,00	GP
000664	75,00	94,00	10,00	GPZS
001294	75,00	95,00	10,00	GPZD
000417	75,00	95,00	10,00	G
000418	75,00	95,00	10,00	GP
000419	75,00	95,00	12,00	G
000420	75,00	100,00	10,00	G
001118	75,00	100,00	10,00	GZT
000421	75,00	100,00	10,00	GP
001230	75,00	100,00	12,00 / 13,00	MPZD
001301	75,00	100,00	13,00	G2
000422	75,00	105,00	12,00	G
000788	75,00	107,00	10,00	G
000799	75,00	110,00	12,00	G
SP4049	75,00	120,00	10,00	G

code	B	A	h / H	type
000723	75,00	120,00	12,00	G
SP899	75,00	130,00	13,00	G
000651	76,20	95,50	9,50	GZS
000423	76,20	98,67	9,50	GZS
000424	77,00	100,10	11,45	GPZS
000920	78,00	95,50	12,70	G
001930	78,00	100,00	8,00	G
000425	78,00	100,00	10,00	G
001375	78,00	100,00	10,00	GP
001901	78,00	125,00	12,00	G
000665	79,00	95,25	11,10	MPZS
000426	79,00	95,30	11,00	GZS
001025	80,00	95,00	5,00	M
000427	80,00	95,00	8,00	G
000428	80,00	98,00	10,00 / 7,70	GPZS
000429	80,00	100,00	10,00	G
000578	80,00	100,00	10,00	GP
001852	80,00	100,00	12,00	G
000736	80,00	100,00	13,00	G
000540	80,00	100,00	13,00	GPZS
001352	80,00	101,00	10,00	GTE
001875	80,00	105,00	12,00	G
000579	80,00	110,00	10,00	G
001026	80,00	110,00	12,00	GP
000430	80,00	110,00	12,00	G
000431	80,00	120,00	13,00	G
SP4050	80,00	125,00	10,00	G
000909	80,00	125,00	12,00	GP
000432	80,00	125,00	12,00	G
001318	80,00	150,50	13,00	G
000598	81,00	100,10	11,50	GPZS
001362	82,00	105,00	12,00	GP
000433	82,00	110,00	12,00	G
000652	82,50	98,70	12,70	GZS
SP4051	82,55	107,95	12,70	G
000434	85,00	100,00	9,00	G
000435	85,00	102,00	13,00	G
000684	85,00	105,00	10,00	MZS
001560	85,00	105,00	10,00	GPZD
000645	85,00	105,00	12,00	GPZS
001247	85,00	105,00	12,00	GZS
001277	85,00	105,00	12,00	M

* Clearance Sales
P.S. 'GPP' Type fornishable only in NBR compound

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

ROTARY SHAFT OIL SEALS

Technical description at page 6

code	B	A	h / H	type
000677	85,00	105,00	13,00	G
001835	85,00	110,00	11,00	G
000437	85,00	110,00	12,00	GP
000436	85,00	110,00	12,00	G
000438	85,00	110,00	13,00	G
000439	85,00	110,00	13,00	GP
001431	85,00	115,00	15,00	G
001573	85,00	115,00	15,00	GZS
SP4052	85,00	120,00	12,00	G
001210	85,00	120,00	13,00	G
000743	85,00	120,00	13,00	GP
001767	85,00	122,00	10,00	G
001768	85,00	130,00	12,00	G
001882	85,00	140,00	13,00	M
SP4053	85,00	155,00	12,00	G
SP4054	85,72	111,12	12,70	G
000440	86,00	104,00	11,00 / 8,40	GPZS
000441	88,00	108,00	11,11	GPZS
SP4055	88,00	155,00	13,00	G
000580	88,90	105,10	9,50	GZS
001898	88,90	118,20	6,50	G
SP4056	88,90	118,22	6,50	G
001335	89,70	105,00	6,00	G
001338	90,00	104,00	11,00 / 9,00	MPZS
000727	90,00	105,00	10,00	G
001130	90,00	110,00	7,50	GP
000885	90,00	110,00	8,00	G
001627	90,00	110,00	10,00	GZS
000442	90,00	110,00	10,00	G
000443	90,00	110,00	12,00	G
000444	90,00	110,00	12,00	GP
000445	90,00	110,00	13,00	G
001629	90,00	110,00	13,00	GZD
000446	90,00	115,00	13,00	G
SP4057	90,00	118,40	9,50	G
000581	90,00	120,00	12,00	G
001841	90,00	120,00	13,00	G
000693	90,00	130,00	12,00	G
000944	90,00	130,00	12,00	GP
001821	90,00	140,00	13,00	GP
001690	90,00	155,00	12,00	G
000582	92,00	120,00	13,00	G

code	B	A	h / H	type
001278	92,00	120,00	13,00	GP
001288	95,00	110,00	10,00	G
000952	95,00	110,00	12,00	G
001576	95,00	115,00	12,00	GPZDRE
001655	95,00	115,00	13,00	GTE
002012	95,00	115,00	13,00	G
001321	95,00	120,00	8,00	GP
SP7736	95,00	120,00	8,00	G
001777	95,00	120,00	12,00	GZT
000447	95,00	120,00	12,00	G
000448	95,00	120,00	12,00	GPZT
001931	95,00	120,00	12,00	GP
000701	95,00	120,00	13,00	G
001151	95,00	125,00	12,00	G
SP4058	95,00	170,00	13,00	G
SP4059	97,00	167,00	13,00	G
001744	100,00	115,00	9,00	G
001929	100,00	120,00	8,00	G
001395	100,00	120,00	10,00	M
000451	100,00	120,00	12,00	G
001345	100,00	120,00	12,00	GTE
000452	100,00	120,00	12,00	GP
001027	100,00	120,00	12,00	G2
000450	100,00	120,00	13,00	G
000719	100,00	120,00	14,00	G2
000453	100,00	125,00	12,00	G
000454	100,00	125,00	13,00	G
SP4550	100,00	127,40	12,00	GP
000715	100,00	130,00	12,00	GP
001159	100,00	130,00	12,00	G2
000985	100,00	130,00	12,00	G
000455	100,00	130,00	13,00	G
000713	100,00	130,00	13,00	G2
000692	100,00	140,00	13,00	G
001909	100,00	145,00	12,00	GP
SP4061	100,00	150,00	12,00	G
SP4060	100,00	150,00	13,00	G
SP4062	100,00	185,00	13,00	G
SP4063	101,50	130,00	13,00	G
SP2737	101,60	146,05	12,70	GTE
SP4065	104,00	180,50	13,00	G
SP4066	104,77	133,35	11,90	G

* Clearance Sales
P.S. 'GPP' Type fornishable only in NBR compound

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

ROTARY SHAFT OIL SEALS

Technical description at page 6

code	B	A	h / H	type
SP2829	105,00	130,00	12,00	GTE
000942	105,00	130,00	12,00	GP
001683	105,00	130,00	12,00	MGPZD
000456	105,00	130,00	12,00	G
000457	105,00	130,00	13,00	GP
SP4751	105,00	130,00	13,00	GTE
001028	105,00	140,00	12,00	G
000458	105,00	150,00	15,00	G
001643	105,00	160,00	12,00	G
001992	106,00	133,50	9,00	GTE
SP2720	107,80	152,40	15,90	GTE
SP4068	107,90	133,35	12,70	G
000537	107,95	136,45	12,70	G
SP5220	108,00	133,00	12,70	GTE
001691	110,00	128,00	9,00	G
001622	110,00	130,00	8,00	G
000459	110,00	130,00	12,00	G
001819	110,00	130,00	12,00	GP
000461	110,00	135,00	12,00	G
001781	110,00	135,00	13,00	MPZS
000740	110,00	140,00	12,00	GP
000462	110,00	140,00	12,00	G
000463	110,00	140,00	13,00	G
SP4552	110,00	147,40	11,50	GP
SP4070	110,00	160,00	15,00	G
SP958	112,00	140,00	13,00	G
SP4071	112,70	139,70	12,70	G
SP2719	114,10	165,10	12,70	GTE
SP4072	114,30	139,70	14,28	G
001219	115,00	140,00	12,00	GP
000464	115,00	140,00	12,00	G
000584	115,00	140,00	13,00	G
000710	115,00	150,00	12,00	GP
000466	115,00	150,00	12,00	G
SP4073	115,00	180,50	13,00	G
001693	120,00	140,00	13,00 / 12,00	MGPZS
001745	120,00	140,00	13,00	G
001740	120,00	150,00	8,00	GP
SP4074	120,00	150,00	9,00	G
001029	120,00	150,00	10,00	G
000833	120,00	150,00	10,00 / 12,00	GPA
000468	120,00	150,00	12,00	GP

code	B	A	h / H	type
000467	120,00	150,00	12,00	G
001973	120,00	150,00	15,00	G
000469	120,00	150,00	15,00	GPP
001533	120,00	160,00	12,00	G
001542	120,00	160,00	13,00	G
000470	120,00	160,00	15,00	GPP
001421	125,00	145,00	13,00	GTE
000509	125,00	150,00	12,00	G
000471	125,00	150,00	12,00	GP
SP4555	125,00	152,40	10,20	G
SP4075	125,00	155,00	14,00	G
000472	125,00	160,00	12,00	G
001416	125,00	160,00	15,00	GP
SP4076	125,39	150,79	12,70	G
001515	126,00	158,00	10,00	G
SP4077	127,00	152,40	12,70	G
SP4078	128,00	150,00	13,00	G
000474	130,00	150,00	12,00	GP
SP4101	130,00	150,00	15,00	GP
001772	130,00	154,00	8,00	G
SP4556	130,00	157,40	11,50	GP
001361	130,00	160,00	12,00	GP
000475	130,00	160,00	12,00	G
001705	130,00	160,00	13,00	G
000476	130,00	160,00	14,00	GP
001950	130,00	160,00	15,00	GP
000477	130,00	160,00	15,00	G
SP4079	130,00	165,00	13,00	G
SP4557	130,00	167,40	11,50	GP
000913	130,00	170,00	12,00	G
001536	130,00	170,00	12,00	GP
SP4080	133,35	158,75	12,70	G
000903	134,50	155,50	9,52	G
000478	135,00	160,00	12,00	G
001988	135,00	160,00	12,00	GP
001537	135,00	160,00	15,00	G
SP4067	135,00	165,00	15,00	G
000249	135,00	170,00	12,00	GP
000706	135,00	170,00	12,00	G
SP4102	135,00	170,00	15,00	GP
001899	136,00	163,40	12,00	GP
001295	138,00	158,00	10,00	GPZS

* Clearance Sales

P.S. 'GPP' Type fornishable only in NBR compound

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

ROTARY SHAFT OIL SEALS

Technical description at page 6

code	B		A		h / H	type
SP802	138,00	x	158,00	x	10,20	GZS
SP7419	138,00	x	160,00	x	15,00	GP
001578	140,00	x	160,00	x	12,00	GP
000631	140,00	x	165,00	x	15,00	GP
000827	140,00	x	165,00	x	15,00	G
001380	140,00	x	170,00	x	8,00	G
001406	140,00	x	170,00	x	8,00	GP
001250	140,00	x	170,00	x	12,00	GP
000479	140,00	x	170,00	x	12,00	G
001538	140,00	x	170,00	x	14,00	GP
001482	140,00	x	170,00	x	15,00	GP
000480	140,00	x	170,00	x	15,00	G
001257	140,00	x	180,00	x	12,00	G
SP4103	140,00	x	180,00	x	12,00	GP
000720	144,00	x	160,00	x	12,00	G
000948	145,00	x	180,00	x	12,00	G
001736	145,00	x	180,00	x	13,00	GP
000483	150,00	x	168,00	x	12,00	G
000484	150,00	x	170,00	x	12,00	G
000978	150,00	x	170,00	x	12,00	GP
SP6291	150,00	x	180,00	x	12,00	GP
000697	150,00	x	180,00	x	12,00	G
000485	150,00	x	180,00	x	13,00	G
000737	150,00	x	180,00	x	15,00	GP
000689	150,00	x	180,00	x	15,00	G
001552	150,00	x	180,00	x	20,00	GP
001707	150,00	x	200,00	x	12,00	G
000486	150,81	x	178,05	x	12,70	G
SP151	152,00	x	180,00	x	15,00	GTE
001905	152,40	x	190,50	x	19,05	G
SP4083	155,00	x	175,00	x	12,00	G
001990	155,00	x	180,00	x	12,00	GP
001989	155,00	x	180,00	x	12,00	G
SP4084	155,00	x	190,00	x	14,00	G
SP4559	155,00	x	190,00	x	15,00	G
001836	155,00	x	190,00	x	15,00	GP
001612	160,00	x	180,00	x	10,00	GP
000487	160,00	x	180,00	x	12,00	GP
000488	160,00	x	185,00	x	10,00	G
SP4104	160,00	x	185,00	x	10,00	GP
SP4086	160,00	x	185,40	x	12,70	G
001579	160,00	x	190,00	x	13,00	GP

code	B		A		h / H	type
001524	160,00	x	190,00	x	13,00	G
000491	160,00	x	190,00	x	15,00	GP
001465	160,00	x	190,00	x	15,00	G2
000490	160,00	x	190,00	x	15,00	G
000492	160,00	x	200,00	x	12,00	G
001541	160,00	x	200,00	x	12,00	GP
001669	160,00	x	200,00	x	15,00	GP
SP4105	160,00	x	220,00	x	15,00	GP
SP4558	160,73	x	183,50	x	6,80	G
001580	162,00	x	190,00	x	12,00	G
SP4106	165,00	x	190,00	x	13,00	GP
001951	165,00	x	190,00	x	13,00	G
000730	165,00	x	200,00	x	15,00	GP
000493	165,00	x	200,00	x	15,00	G
SP4088	165,10	x	203,20	x	19,05	G
001031	168,00	x	189,75	x	31,50	M
000714	168,00	x	200,00	x	15,00	G
001995	170,00	x	190,00	x	13,00	GP
000494	170,00	x	190,00	x	15,00	GP
SP4081	170,00	x	197,00	x	15,00	G
000585	170,00	x	200,00	x	12,00	G
SP4107	170,00	x	200,00	x	12,00	GP
001706	170,00	x	200,00	x	13,00	G
000495	170,00	x	200,00	x	15,00	G
000681	170,00	x	200,00	x	15,00	GP
001980	170,00	x	200,00	x	15,00	G2
001582	170,00	x	200,00	x	16,00	G
001742	170,00	x	204,00	x	10,00	GPRE
SP4670	170,00	x	210,00	x	10,60	GTE
002009	175,00	x	200,00	x	12,00	G
002010	175,00	x	200,00	x	12,00	GP
SP4082	175,00	x	200,00	x	13,00	G
001583	175,00	x	200,00	x	15,00	GP
000496	175,00	x	200,00	x	15,00	G
SP4087	175,00	x	215,00	x	16,00	G
SP1790	180,00	x	200,00	x	12,00	G
SP4508	180,00	x	200,00	x	13,00	G
SP791	180,00	x	200,00	x	13,00	GTE
SP4108	180,00	x	200,00	x	13,00	GP
001032	180,00	x	200,00	x	15,00	G
SP4109	180,00	x	200,00	x	15,00	GP
SP4089	180,00	x	205,00	x	12,50	G

* Clearance Sales
P.S. 'GPP' Type fornishable only in NBR compound

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

ROTARY SHAFT OIL SEALS

Technical description at page 6

code	B	A	h / H	type
SP4090	180,00	207,05	10,00	G
SP4560	180,00	207,50	10,00	G
SP4561	180,00	207,50	11,00	G
001798	180,00	208,00	15,00	GP
002006	180,00	210,00	13,00	G
000721	180,00	210,00	15,00	GP
000497	180,00	210,00	15,00	G
000869	180,00	215,00	15,00	G
001510	180,00	215,00	15,00	GP
001561	180,00	215,00	16,00	G
001585	180,00	215,00	16,00	GP
SP4113	180,00	220,00	15,00	GP
000498	180,00	220,00	15,00	G
SP4563	180,00	220,00	16,00	G
SP4091	180,00	230,00	17,00	G
001670	180,00	250,00	15,00	GP
001169	185,00	210,00	13,00	GP
001549	185,00	210,00	13,00	G
001586	185,00	210,00	15,00	G
000620	185,00	215,00	15,00	G
000733	185,00	220,00	15,00	G
001970	190,00	210,00	10,00	GTE
SP4092	190,00	215,00	15,00	G
000595	190,00	215,00	16,00	G
001877	190,00	215,00	16,00	GP
SP4562	190,00	217,40	15,00	GP
SP4114	190,00	220,00	12,00	GP
000548	190,00	220,00	15,00	G
001372	190,00	220,00	15,00	GP
001566	190,00	220,00	16,00	G
000499	190,00	230,00	15,00	G
001587	190,00	230,00	16,00	G
001588	195,00	215,00	15,00	GP
001834	195,00	215,00	16,00	G
SP4115	195,00	215,00	16,00	GP
SP4116	195,00	230,00	16,00	GP
SP4093	200,00	220,00	10,00	G
000500	200,00	225,00	15,00	G
000501	200,00	230,00	13,00	G
001353	200,00	230,00	13,00	GP
001589	200,00	230,00	15,00	GP
SP7391	200,00	230,00	15,00	G2

code	B	A	h / H	type
000502	200,00	230,00	15,00	G
000981	200,00	240,00	15,00	G
000961	200,00	250,00	15,00	G
001590	200,00	250,00	16,00	G
SP4094	203,30	228,60	15,87	G
001699	206,25	244,35	14,22	G
SP4096	206,25	244,35	14,28	G
001974	210,00	237,40	13,00	GP
001865	210,00	240,00	13,00	G
001591	210,00	240,00	15,00	GP
000504	210,00	240,00	15,00	G
000505	210,00	250,00	15,00	G
001790	210,00	250,00	16,00	G
001562	215,00	240,00	12,00	G
001548	215,00	248,00	15,00	G
001593	215,90	254,00	19,05	GP
SP4118	215,90	254,00	19,05	GP
001188	215,90	254,10	14,28	GP
SP4119	220,00	250,00	14,00	GP
000754	220,00	250,00	15,00	GP
000506	220,00	250,00	15,00	G
001466	220,00	250,00	16,00	G2
001979	220,00	250,00	16,00	GP
001594	220,00	250,00	16,00	G
001595	220,00	255,00	18,00	G
000656	220,00	260,00	15,00	G
001596	220,00	280,00	20,00	G
001969	222,25	260,35	14,00	GRE
SP4970	222,25	260,35	18,00	GRE
SP6256	225,00	250,00	16,00	G
SP4834	227,00	254,00	16,00	GP
SP2575	230,00	254,00	10,00	GTE
SP3188	230,00	254,00	10,00	GTE
001597	230,00	260,00	12,50	G
000849	230,00	260,00	15,00	GP
000679	230,00	260,00	15,00	G
000868	230,00	270,00	15,00	G
001598	230,00	280,00	15,00	G
000668	230,00	280,00	16,00	G
001472	235,00	265,00	15,00	G
SP4120	235,00	265,00	15,00	GP
SP4098	235,00	270,00	15,00	G

* Clearance Sales
P.S. 'GPP' Type fornishable only in NBR compound

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

ROTARY SHAFT OIL SEALS

Technical description at page 6

code	B	A	h / H	type
000507	240,00	270,00	15,00	G
000753	240,00	270,00	15,00	GP
001981	240,00	270,00	15,00	G2
000618	240,00	280,00	15,00	G
001599	240,00	280,00	16,00	G
001600	241,30	292,10	25,40	G
001601	250,00	280,00	13,00	GTE
SP7390	250,00	280,00	15,00	G2
001447	250,00	280,00	15,00	GP
000508	250,00	280,00	15,00	G
000878	250,00	285,00	18,00	GP
001602	250,00	290,00	16,00	G
001019	258,00	290,00	16,00	G
001120	259,00	300,00	20,00	G2
001603	260,00	290,00	15,00	G
001993	260,00	290,00	15,00	GP
001822	260,00	290,00	16,00	GP
000630	260,00	290,00	16,00	G
SP4095	260,00	300,00	10,00	G
001700	260,00	300,00	20,00	GP
000510	260,00	300,00	20,00	G
001771	264,16	310,00	16,00	G
001497	265,00	290,00	16,00	G
001144	267,00	318,00	19,00	GP
001770	270,00	290,00	10,00	G
000821	270,00	310,00	16,00	G
SP1791	270,00	314,00	20,00	G
001604	275,00	320,00	15,00	G
000897	279,40	304,80	16,66	G
SP4121	280,00	310,00	15,00	GP
000416	280,00	310,00	15,00	G
001605	280,00	310,00	16,00	G
001157	280,00	310,00	16,00	GP
001606	280,00	315,00	15,00	GP
001608	280,00	320,00	16,00	G
001539	280,00	320,00	20,00	GP
000906	280,00	320,00	20,00	G
SP4099	285,70	336,50	23,80	G
001407	285,75	336,55	23,82	G
000896	290,00	320,00	15,00	G
001761	290,00	320,00	15,00	GP
001610	290,00	330,00	18,00	G

code	B	A	h / H	type
000825	290,00	330,00	18,00	GP
SP4129	290,00	334,00	20,00	G
001789	300,00	330,00	15,00	GP
001671	300,00	332,00	16,00	GP
001498	300,00	332,00	16,00	G
000860	300,00	340,00	16,00	G
001828	300,00	340,00	18,00	GP
000907	300,00	340,00	18,00	G
000859	300,00	340,00	20,00	G
001558	300,00	340,00	20,00	GP
001611	310,00	350,00	20,00	G
SP1792	310,00	354,00	20,00	G
001765	315,60	360,00	18,00	G
SP4130	316,00	360,00	20,00	G
000958	317,10	368,30	18,00	GP
SP4122	317,50	368,30	18,00	GP
001764	320,00	345,00	12,00	G
002011	320,00	350,00	15,00	G
000908	320,00	360,00	18,00	G
000840	320,00	360,00	20,00	G
001837	320,00	360,00	20,00	GP
001104	325,00	365,00	20,00	G2
001256	330,00	370,00	18,00	G
001614	330,00	370,00	20,00	G
001999	340,00	370,00	15,00	G
001760	340,00	370,00	15,00	GP
000910	340,00	370,00	20,00	G
001547	340,00	372,00	16,00	G
001061	340,00	380,00	18,00	G
001555	340,00	380,00	20,00	GP
SP7461	340,00	380,00	20,00	GP
000919	340,00	380,00	20,00	G
SP2909	342,00	380,00	16,00	GTE
SP5676	345,00	385,00	20,00	G
001183	350,00	380,00	15,00	G
001638	350,00	394,00	20,00	G
SP4123	350,00	405,00	20,00	GP
SP4132	355,00	393,70	19,05	G
001775	360,00	390,00	15,00	GP
001847	360,00	390,00	16,00	G
001879	360,00	400,00	18,00	G
000850	360,00	400,00	20,00	G

* Clearance Sales

P.S. 'GPP' Type fornishable only in NBR compound

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

ROTARY SHAFT OIL SEALS

Technical description at page 6

code	B		A		h / H	type
001499	360,00	x	404,00	x	20,00	G
001632	360,00	x	405,00	x	20,00	GP
001766	368,17	x	405,00	x	18,00	G
001554	368,30	x	406,40	x	17,45	G
000898	370,00	x	410,00	x	15,00	G
001672	370,00	x	410,00	x	18,00	G
001769	380,00	x	410,00	x	12,00	G
000900	380,00	x	420,00	x	18,00	G
001817	380,00	x	420,00	x	20,00	GP
000899	380,00	x	420,00	x	20,00	G
001616	390,00	x	430,00	x	16,00	G
001617	390,00	x	430,00	x	20,00	G
SP4134	400,00	x	427,40	x	12,00	G
001567	400,00	x	430,00	x	12,00	G
001743	400,00	x	430,00	x	12,00	GP
000890	400,00	x	440,00	x	20,00	G
001639	400,00	x	444,00	x	20,00	G
001618	400,00	x	451,00	x	17,45	G
001619	404,00	x	438,00	x	19,05	G
SP4135	404,00	x	438,10	x	19,05	G
001776	410,00	x	440,00	x	15,00	GP
001658	420,00	x	460,00	x	16,00	G
001620	420,00	x	460,00	x	18,00	G
001631	420,00	x	465,00	x	20,00	GP
001366	420,00	x	470,00	x	20,00	GP
002008	430,00	x	480,00	x	15,00	GP
001621	435,00	x	485,00	x	17,45	G
000889	440,00	x	480,00	x	20,00	G
SP4124	440,00	x	480,00	x	20,00	GP
SP1233	445,00	x	480,00	x	16,00	GP
001826	448,00	x	480,00	x	15,00	G
SP4136	450,00	x	478,00	x	12,00	G
001592	450,00	x	480,00	x	12,00	G
000870	460,00	x	500,00	x	20,00	G
SP4125	460,00	x	500,00	x	20,00	GP
SP4126	470,00	x	527,40	x	19,50	GP
001902	480,00	x	510,00	x	15,00	GP
001997	480,00	x	520,00	x	20,00	GP
001904	480,00	x	520,00	x	20,00	G
001749	485,00	x	515,00	x	15,00	GP
001897	485,00	x	520,00	x	16,00	G
SP4133	490,00	x	540,00	x	25,00	G

code	B		A		h / H	type
SP4127	495,00	x	542,40	x	19,05	GP
001961	500,00	x	544,00	x	20,00	G
001010	500,00	x	550,00	x	22,00	G
001623	508,00	x	558,80	x	25,40	G
001624	510,00	x	550,00	x	25,00	G
001711	510,00	x	560,00	x	25,00	G
SP4137	525,00	x	575,00	x	25,00	G
001887	540,00	x	580,00	x	20,00	GP
SP4138	540,00	x	600,00	x	25,00	G
000879	560,00	x	610,00	x	20,00	G
001530	590,50	x	628,60	x	15,87	GP
SP4139	590,50	x	641,30	x	20,62	G
000880	600,00	x	640,00	x	20,00	G
001919	600,00	x	640,00	x	20,00	GP
001996	600,00	x	650,00	x	22,00	G
001607	630,00	x	670,00	x	20,00	G
001896	650,00	x	700,00	x	20,00	G
001478	670,00	x	710,00	x	20,00	G
001894	670,00	x	730,00	x	25,00	GP
001000	670,00	x	730,00	x	25,00	G
SP7594	680,00	x	720,00	x	20,00	GP
SP7059	720,00	x	760,00	x	20,00	GP

P.S.: * Special design

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

GREASE SEALING

Technical description at page 12











code	B		A		h / H	type
SP1287	2,30	x	9,00	x	3,00	MSM
SP7377	3,00	x	6,00	x	1,50	MSM
SP1894	4,00	x	8,00	x	2,00	MSM
SP1384	4,50	x	13,00	x	6,50 / 8,00	M2SM
001305	4,50	x	14,00	x	5,00	M2SM
000932	4,50	x	14,50	x	4,00	GPSM
001823	4,50	x	22,00	x	7,00	G2SM
000937	4,80	x	14,50	x	4,00	GPSM
SP1895	5,00	x	9,00	x	2,00	MSM
SP1896	5,00	x	10,00	x	2,00	MSM
SP3200	5,50	x	9,50	x	2,00	MSM
SP1897	6,00	x	10,00	x	2,00	MSM
SP1898	6,00	x	12,00	x	2,00	MSM
SP1899	7,00	x	11,00	x	2,00	MSM
000828	7,80	x	13,70	x	2,50	GSM
SP3202	8,00	x	11,00	x	2,00	MSM
SP1900	8,00	x	12,00	x	3,00	MSM
001397	8,00	x	13,00	x	3,50	MSM
001686	8,00	x	13,00	x	4,00	GSM
001797	8,00	x	15,00	x	3,00	GSM
SP1901	8,00	x	15,00	x	3,00	MSM
001171	8,00	x	16,00	x	3,50	GSM
001730	8,62	x	14,39	x	2,67	MSM
SP1902	9,00	x	13,00	x	2,00	MSM
SP1903	10,00	x	14,00	x	3,00	MSM
001003	10,00	x	15,00	x	3,00	MSM
SP1904	10,00	x	17,00	x	3,00	MSM
000960	10,00	x	21,00	x	4,00	GSM
001344	12,00	x	16,00	x	3,00	GSM
SP1905	12,00	x	16,00	x	3,00	MSM
001271	12,00	x	18,00	x	3,00	MSM

code	B		A		h / H	type
001333	12,00	x	18,35	x	3,00	GSM
001393	12,00	x	19,00	x	3,00	GSM
SP1906	12,00	x	19,00	x	3,00	MSM
000830	12,80	x	19,40	x	2,50	GSM
000569	13,00	x	19,00	x	3,00	GSM
001731	13,37	x	19,18	x	2,37	MSM
SP1907	14,00	x	18,00	x	2,50	MSM
SP1908	14,00	x	18,00	x	3,00	MSM
001762	14,00	x	20,00	x	3,00	GSM
SP1910	14,00	x	20,00	x	3,00	MSM
001049	15,00	x	21,00	x	3,00	GSM
SP1911	15,00	x	21,00	x	3,00	MSM
SP1912	15,00	x	23,00	x	3,00	MSM
001258	15,00	x	25,00	x	3,00	GSM
SP1913	15,80	x	20,60	x	2,40	MSM
SP1914	16,00	x	20,00	x	2,50	MSM
SP1916	16,00	x	22,00	x	3,00	M2SM
SP1915	16,00	x	22,00	x	3,00	MSM
000829	16,00	x	22,70	x	2,00	GSM
001392	16,00	x	24,00	x	3,00	GSM
SP1917	16,00	x	24,00	x	3,00	MSM
001796	16,00	x	25,00	x	3,00	GSM
001678	16,00	x	26,00	x	3,50	GSM
SP1918	17,00	x	23,00	x	3,00	M2SM
001926	17,00	x	28,00	x	4,00	GSM
001983	17,00	x	32,00	x	7,00	GSM
001878	17,00	x	35,00	x	5,00	GSM
001862	18,00	x	24,00	x	3,00	GSM
SP1919	18,00	x	24,00	x	3,00	MSM
001283	18,00	x	24,00	x	4,00	GSM
SP2750	18,00	x	26,00	x	4,00	MSM
SP1920	20,00	x	26,00	x	4,00	M2SM
001357	20,00	x	26,00	x	4,00	GSM
SP1921	20,00	x	26,00	x	4,00	MSM
001369	20,00	x	28,00	x	4,00	GSM
SP1922	20,00	x	28,00	x	4,00	MSM
000938	20,00	x	32,00	x	5,00	GPSM
000972	20,40	x	27,15	x	2,00	GSM
SP1923	22,00	x	26,00	x	2,50	MSM
SP1924	22,00	x	27,00	x	4,00	MSM
SP1926	22,00	x	28,00	x	4,00	M2SM
SP1925	22,00	x	28,00	x	4,00	MSM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

GREASE SEALING

Technical description at page 12

code	B		A		h / H	type
001863	22,00	x	30,00	x	4,00	GSM
SP1298	22,00	x	30,00	x	4,00	MSM
000156	22,22	x	28,60	x	3,58	MSM
SP1927	22,40	x	30,00	x	3,00	MSM
001415	23,00	x	30,00	x	4,00	GSM
001861	25,00	x	32,00	x	4,00	GSM
SP1928	25,00	x	32,00	x	4,00	MSM
SP1930	25,00	x	33,00	x	4,00	M2SM
SP1929	25,00	x	33,00	x	4,00	MSM
001394	25,00	x	35,00	x	4,00	GSM
SP1931	25,00	x	35,00	x	4,00	MSM
SP1933	28,00	x	35,00	x	4,00	M2SM
SP1932	28,00	x	35,00	x	4,00	MSM
SP1934	28,00	x	37,00	x	4,00	MSM
001008	30,00	x	35,00	x	4,00	MSM
SP1935	30,00	x	36,00	x	2,50	MSM
001858	30,00	x	37,00	x	4,00	GSM
SP1936	30,00	x	37,00	x	4,00	MSM
001368	30,00	x	40,00	x	4,00	GSM
SP1937	30,00	x	40,00	x	4,00	MSM
SP1939	32,00	x	42,00	x	4,00	M2SM
001802	32,00	x	42,00	x	4,00	GSM
SP1938	32,00	x	42,00	x	4,00	MSM
001857	35,00	x	42,00	x	4,00	GSM
SP1940	35,00	x	42,00	x	4,00	MSM
SP1958	35,00	x	45,00	x	4,00	MSM
SP1941	38,00	x	48,00	x	4,00	MSM
001859	40,00	x	47,00	x	4,00	GSM
SP1942	40,00	x	47,00	x	4,00	MSM
SP1943	40,00	x	50,00	x	4,00	M2SM
001528	40,00	x	50,00	x	4,00	GPSM
001689	40,00	x	50,00	x	4,00	GSM
SP1944	40,00	x	50,00	x	4,00	MSM
SP7367	40,00	x	50,00	x	4,00	MSM
001927	40,00	x	52,00	x	4,00	GSM
001682	40,00	x	52,00	x	5,00	GSM
001011	40,00	x	56,00	x	8,50	GSM
000936	41,00	x	51,00	x	5,00	GPSM
SP1945	42,00	x	49,00	x	3,00	MSM
001876	42,00	x	52,00	x	4,00	GSM
001791	42,00	x	52,00	x	4,00	GPSM
SP1946	42,00	x	52,00	x	4,00	MSM

code	B		A		h / H	type
001860	45,00	x	52,00	x	4,00	GSM
SP1947	45,00	x	55,00	x	4,00	MSM
001928	45,00	x	60,00	x	5,00	GSM
001016	45,00	x	62,00	x	8,00	GSM
SP2921	46,00	x	54,00	x	4,00	MSM
001753	48,00	x	55,00	x	4,00	MSM
001808	50,00	x	58,00	x	4,00	GSM
SP1949	50,00	x	58,00	x	4,00	M2SM
SP1948	50,00	x	58,00	x	4,00	MSM
001630	50,00	x	60,00	x	4,00	MSM
SP1950	50,00	x	62,00	x	5,00	MSM
SP142	50,00	x	65,00	x	4,00	MSM
001018	50,00	x	68,00	x	8,50	GSM
000801	51,99	x	68,26	x	6,35	MSM
SP1951	52,00	x	59,00	x	3,50	MSM
SP1952	55,00	x	63,00	x	5,00	MSM
001642	55,00	x	70,00	x	4,00	MSM
SP141	60,00	x	75,00	x	4,00	MSM
000838	61,60	x	74,00	x	5,00	MSM
SP1953	65,00	x	73,00	x	4,00	MSM
001680	65,00	x	75,00	x	6,00	GSM
SP140	65,00	x	80,00	x	4,00	MSM
001577	70,00	x	78,00	x	5,00	GSM
SP984	70,00	x	85,00	x	4,00	MSM
SP139	75,00	x	90,00	x	4,00	MSM
SP1954	75,50	x	81,50	x	3,00	MSM
001323	80,00	x	90,00	x	6,00	GSM
001644	80,00	x	95,00	x	4,00	MSM
SP1955	83,00	x	90,00	x	3,50	MSM
SP292	85,00	x	95,00	x	5,00	MSM
SP985	85,00	x	100,00	x	4,00	MSM
002013	85,00	x	110,00	x	5,50	GSM
001645	90,00	x	105,00	x	4,00	MSM
SP137	100,00	x	115,00	x	4,00	MSM
SP1956	107,00	x	117,00	x	4,00	MSM
SP136	110,00	x	125,00	x	4,00	MSM
SP986	125,00	x	140,00	x	4,00	MSM
SP1957	138,00	x	146,00	x	5,00	MSM

P.S.: * Special design

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

WIPER SEALS

Technical description at page 13











code	B		A		h / H	type	
001649	10,00	x	16,00	x	3,00 / 4,50	RM	
001696	10,00	x	16,00	x	3,50 / 5,00	RG	
SP7138	10,00	x	18,00	x	4,00 / 6,00	RPG	
001727	10,00	x	18,00	x	5,00 / 7,00	RPG	
000950	10,00	x	20,00	x	5,00 / 8,00	RM	
001568	12,00	x	18,00	x	3,50 / 5,00	RG	
SP1685	12,00	x	18,00	x	4,00 / 6,00	RM	
001101	12,00	x	19,00	x	6,80 / 8,30	RPG	*
000971	12,00	x	20,00	x	4,00 / 6,00	RM	
001747	12,00	x	20,00	x	4,00 / 6,00	RPG	
001673	12,00	x	20,00	x	6,00 / 8,50	RPGR	
001476	12,00	x	22,00	x	4,00 / 6,00	RPG	
001094	14,00	x	19,80	x	3,00 / 4,50	RM	
001349	14,00	x	20,00	x	3,50 / 5,00	RM	
000774	14,00	x	22,00	x	3,00 / 4,00	RM	
SP1146	14,00	x	22,20	x	5,00 / 7,00	RPG	
001535	15,00	x	25,00	x	5,00 / 7,00	RPM	
001035	16,00	x	22,00	x	3,00 / 4,00	RM	
001225	16,00	x	23,00	x	6,80 / 9,30	RPG	*
000876	16,00	x	26,00	x	5,00 / 8,00	RM	
001885	16,00	x	26,00	x	5,00 / 8,00	RG	
001223	18,00	x	25,00	x	6,80 / 8,80	RPG	*
001674	18,00	x	26,00	x	6,00 / 8,50	RPGR	
000976	18,00	x	28,00	x	5,00 / 7,00	RM	
001440	18,00	x	28,00	x	6,00 / 8,00	RPG	
001293	18,00	x	28,00	x	7,00 / 12,00	RM	
000794	18,00	x	28,00	x	7,00 / 10,00	RM	
000877	18,00	x	32,00	x	5,00 / 9,00	RM	
SP1686	20,00	x	26,00	x	3,50 / 5,00	RM	
000762	20,00	x	28,00	x	3,50 / 5,00	RM	
000767	20,00	x	28,00	x	7,00 / 10,00	RG	

code	B		A		h / H	type	
000765	20,00	x	30,00	x	4,00 / 6,00	RM	
000817	20,00	x	30,00	x	5,00 / 8,00	RM	
000766	20,00	x	30,00	x	7,00 / 10,00	RG	
000837	20,00	x	30,00	x	7,00 / 10,00	RM	
001347	20,00	x	32,00	x	6,00 / 9,00	RPM	
000856	20,00	x	35,00	x	7,00 / 10,00	RM	
001329	21,00	x	28,00	x	3,50 / 5,00	RM	
000865	22,00	x	28,00	x	5,00 / 9,00	RM	
001224	22,00	x	29,00	x	6,80 / 9,30	RPG	*
001575	22,00	x	30,00	x	4,00 / 5,00	RM	
001036	22,00	x	32,00	x	5,00 / 7,00	RM	
000763	22,00	x	32,00	x	7,00 / 10,00	RM	
001675	22,00	x	32,00	x	7,00 / 9,50	RPGR	
000846	22,00	x	35,00	x	5,00 / 8,00	RM	
001037	24,00	x	32,00	x	5,00 / 7,00	RM	
001422	25,00	x	31,00	x	5,00 / 7,00	RM	
001226	25,00	x	34,00	x	6,90 / 9,40	RPG	*
000973	25,00	x	35,00	x	5,00 / 8,00	RM	
001569	25,00	x	35,00	x	5,00 / 7,00	RG	
000764	25,00	x	35,00	x	7,00 / 10,00	RM	
000761	25,00	x	35,00	x	7,00 / 10,00	RG	
001633	25,40	x	33,00	x	3,25 / 4,50	RM	
000758	28,00	x	38,00	x	5,00 / 8,00	RM	
001116	28,00	x	38,00	x	7,00 / 10,00	RM	
000875	28,00	x	40,00	x	7,00 / 10,00	RM	
000975	30,00	x	40,00	x	5,00 / 8,00	RM	
000769	30,00	x	40,00	x	7,00 / 10,00	RG	
001676	30,00	x	40,00	x	7,00 / 9,50	RPGR	
000752	30,00	x	40,00	x	7,00 / 10,00	RM	
000842	32,00	x	40,00	x	4,00 / 7,00	RM	
001137	32,00	x	42,00	x	5,00 / 7,00	RM	
000857	32,00	x	42,00	x	7,00 / 10,00	RM	
001222	32,00	x	44,00	x	8,00 / 10,50	RPG	*
001205	32,00	x	45,00	x	4,00 / 8,00	RM	
001152	32,00	x	45,00	x	5,00 / 7,00	RM	
000793	32,00	x	45,00	x	7,00 / 10,00	RM	
000904	35,00	x	45,00	x	5,00 / 8,00	RM	
001047	35,00	x	45,00	x	7,00 / 9,50	RPGR	
000768	35,00	x	45,00	x	7,00 / 10,00	RG	
000760	35,00	x	45,00	x	7,00 / 10,00	RM	
000964	35,00	x	52,00	x	7,00 / 10,00	RM	
000843	36,00	x	45,00	x	7,00 / 10,00	RM	

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

WIPER SEALS

Technical description at page 13

code	B		A		h / H	type
000804	40,00	x	50,00	x	5,00 / 8,00	RM
001677	40,00	x	50,00	x	7,00 / 9,50	RPGR
000792	40,00	x	50,00	x	7,00 / 10,00	RM
000772	40,00	x	50,00	x	7,00 / 10,00	RG
001359	40,00	x	52,00	x	7,00 / 10,00	RPM
001851	40,00	x	55,00	x	7,00 / 10,00	RPG
000749	45,00	x	55,00	x	7,00 / 10,00	RM
000941	45,00	x	57,00	x	7,00 / 10,00	RPM
000851	45,00	x	60,00	x	7,00 / 10,00	RM
000999	48,00	x	60,00	x	7,00 / 10,00	RM
001192	50,00	x	56,00	x	5,00 / 8,00	RM
001209	50,00	x	60,00	x	5,00 / 7,00	RM
000748	50,00	x	60,00	x	7,00 / 10,00	RM
000773	50,00	x	60,00	x	7,00 / 10,00	RG
001348	50,00	x	62,00	x	7,00 / 10,00	RPM
001134	50,00	x	65,00	x	7,00 / 10,00	RM
000914	55,00	x	63,00	x	7,00 / 10,00	RM
000795	55,00	x	65,00	x	7,00 / 10,00	RM
000657	56,00	x	65,00	x	7,00 / 10,00	RM
001117	56,00	x	66,00	x	7,00 / 10,00	RM
000770	60,00	x	70,00	x	7,00 / 10,00	RG
000787	60,00	x	70,00	x	7,00 / 10,00	RM
001306	60,00	x	80,00	x	7,00 / 10,00	RM
000786	63,00	x	75,00	x	7,00 / 10,00	RM
000785	65,00	x	75,00	x	7,00 / 10,00	RM
000750	70,00	x	80,00	x	7,00 / 10,00	RM
000798	75,00	x	85,00	x	7,00 / 10,00	RM
001272	75,00	x	87,00	x	5,00 / 7,00	RM
000802	78,00	x	88,00	x	7,00 / 10,00	RM
000781	80,00	x	90,00	x	7,00 / 10,00	RM
000751	85,00	x	95,00	x	7,00 / 10,00	RM
000771	90,00	x	100,00	x	7,00 / 10,00	RM
SP7672	95,00	x	105,00	x	7,00 / 10,00	RG
001048	95,00	x	105,00	x	7,00 / 10,00	RM
000873	100,00	x	110,00	x	7,00 / 10,00	RM
000800	105,00	x	115,00	x	7,00 / 10,00	RM
000966	110,00	x	120,00	x	7,00 / 10,00	RM
001221	115,00	x	125,00	x	7,00 / 10,00	RM
000874	120,00	x	130,00	x	7,00 / 10,00	RM
000796	125,00	x	140,00	x	9,00 / 12,00	RM
000835	130,00	x	145,00	x	9,00 / 12,00	RM
001325	135,00	x	145,00	x	7,00 / 10,00	RM
001308	135,00	x	150,00	x	9,00 / 12,00	RM
000847	140,00	x	150,00	x	7,00 / 10,00	RM
000805	140,00	x	155,00	x	9,00 / 12,00	RM
001908	140,00	x	160,00	x	8,00 / 10,00	RM
001051	150,00	x	165,00	x	9,00 / 12,00	RM
001903	155,00	x	170,00	x	7,00 / 10,00	RM
001176	160,00	x	175,00	x	9,00 / 12,00	RM
001327	163,00	x	175,00	x	7,00 / 10,00	RM
001884	200,00	x	220,00	x	12,00 / 16,00	RM
001265	210,00	x	230,00	x	12,00 / 16,00	RM
001557	220,00	x	240,00	x	9,00 / 12,00	RM
001697	220,00	x	240,00	x	12,00 / 16,00	RM
001839	245,00	x	265,00	x	12,00 / 16,00	RM
001816	275,00	x	300,00	x	12,00 / 16,00	RM
001833	280,00	x	300,00	x	12,00 / 16,00	RM
001531	310,00	x	340,00	x	16,00 / 22,00	RM
001208	360,00	x	380,00	x	15,00 / 18,00	RM
001532	390,00	x	420,00	x	16,00 / 22,00	RM
001659	400,00	x	420,00	x	12,00 / 16,00	RM
SP6603	430,00	x	455,00	x	12,00 / 16,00	RM
001551	490,00	x	520,00	x	16,00 / 22,00	RM

P.S.: * Special design

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

HIGH PRESSURE OIL SEALS

Technical description at page 14













code	B		A		h / H	type
000739	8,00	x	22,00	x	7,00	GA
001409	12,00	x	22,00	x	6,00 / 6,50	GBP
001853	12,00	x	22,00	x	7,00	GB
001358	12,00	x	22,00	x	7,00 / 7,50	GBP
001818	14,00	x	22,00	x	6,00 / 6,50	GBP
001441	15,00	x	30,00	x	8,00	MB
000057	16,00	x	35,00	x	10,00	GA
000059	16,00	x	40,00	x	10,00	GA
001432	17,00	x	28,00	x	4,50 / 5,00	MBP
001433	17,00	x	40,00	x	7,00 / 7,50	GBP
001572	17,46	x	28,58	x	6,35	GB
000081	19,00	x	47,00	x	10,00	GA
001303	20,00	x	30,00	x	7,00	GAP
001998	20,00	x	30,00	x	7,00 / 7,50	GBP
001437	20,00	x	35,00	x	7,00 / 7,50	GBP
001244	22,00	x	35,00	x	6,00 / 6,50	GBP
001001	25,00	x	35,00	x	6,00 / 6,50	GBP
001508	25,00	x	38,00	x	7,00	GA
001925	25,00	x	40,00	x	7,00	GAP
SP1797	25,00	x	42,00	x	6,00 / 6,50	GBP
001709	25,00	x	47,00	x	6,00 / 6,50	GBP
001212	28,00	x	40,00	x	8,00 / 8,50	GBP
001943	30,00	x	40,00	x	7,00 / 7,50	GBP
001715	30,00	x	42,00	x	6,00 / 6,50	GBPZT
001343	30,00	x	55,00	x	7,00 / 9,00	GBP
001287	30,00	x	62,00	x	10,00	GA
001038	30,00	x	72,00	x	10,00	GA
001685	31,75	x	69,98	x	8,50 / 9,00	GBP
001512	32,00	x	45,00	x	7,00	GA
001701	32,00	x	47,00	x	6,00 / 6,50	GBP
SP873	32,00	x	58,00	x	10,00 / 10,50	GBP

code	B		A		h / H	type
SP965	35,00	x	47,00	x	7,00 / 7,50	GBP
001849	35,00	x	52,00	x	6,00 / 6,50	GBP
001007	35,00	x	52,00	x	7,00	GA
001883	35,00	x	62,00	x	7,00 / 7,50	GBP
001320	36,00	x	60,00	x	15,00	GAP
001668	40,00	x	52,00	x	7,00 / 7,50	GBP
001507	40,00	x	62,00	x	7,00	GAP
000640	44,45	x	57,30	x	6,35	GA
001723	45,00	x	62,00	x	7,00 / 7,50	GBP
SP1798	45,00	x	72,00	x	7,00 / 7,50	GBP
001720	50,00	x	65,00	x	8,00 / 8,50	GBP
001719	50,00	x	68,00	x	8,00 / 8,50	GBP
001213	54,80	x	70,00	x	9,00 / 9,50	GBP
001513	55,00	x	68,00	x	8,00	GA
001718	55,00	x	70,00	x	8,00 / 8,50	GBP
001848	55,00	x	72,00	x	7,00 / 7,50	GBP
001713	55,00	x	72,00	x	8,00 / 8,50	GBP
001389	60,00	x	75,00	x	7,00 / 7,50	GBP
001831	60,00	x	80,00	x	7,00 / 7,50	GBP
001986	63,00	x	90,00	x	10,00	GB
001663	65,00	x	78,00	x	8,00 / 8,50	GBP
001514	65,00	x	80,00	x	8,00	GA
001920	65,00	x	85,00	x	7,00 / 7,50	GB
001055	65,00	x	85,00	x	7,00 / 7,50	GBP
001710	70,00	x	82,00	x	7,00 / 8,00	GBP
001687	70,00	x	82,00	x	7,00 / 7,50	GBP
001722	70,00	x	90,00	x	10,00 / 10,50	GBP
001967	70,00	x	100,00	x	10,00 / 10,50	GBP
001991	82,00	x	110,00	x	10,00 / 10,50	GBP
001959	85,00	x	115,00	x	9,00 / 9,50	GBP
SP2017	90,00	x	110,00	x	12,00 / 12,50	GBP
001034	100,00	x	130,00	x	12,00 / 12,50	GBP
SP4553	100,00	x	150,00	x	11,50 / 12,00	GBP
001666	105,00	x	130,00	x	11,50 / 12,00	GBP
001667	110,00	x	130,00	x	11,50 / 12,00	GBP
001729	115,00	x	140,00	x	7,50	GB
SP7715	120,00	x	140,00	x	7,50 / 8,00	GB
001913	120,00	x	140,00	x	7,50 / 8,00	GBP
001721	120,00	x	150,00	x	12,00 / 12,50	GBP
SP4554	128,00	x	150,00	x	11,50 / 12,00	GBP
001556	130,00	x	150,00	x	7,50	GBP
001625	130,00	x	160,00	x	12,00 / 12,50	GBP

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

HIGH PRESSURE OIL SEALS

Technical description at page 14

code	B		A		h / H	type
SP6292	135,00	x	170,00	x	12,00	GBP
001889	145,00	x	175,00	x	8,00 / 8,50	GBP
001488	150,00	x	180,00	x	8,00 / 8,50	GBP
001888	155,00	x	175,00	x	6,00 / 6,50	GBP
002000	160,00	x	190,00	x	15,00	GBP
001734	170,00	x	200,00	x	12,00 / 12,50	GBP
SP74	170,00	x	200,00	x	12,00	GA
001914	200,00	x	230,00	x	13,00 / 8,50	GBP
001487	240,00	x	270,00	x	8,00 / 8,50	GBP
SP903	240,00	x	280,00	x	8,00 / 8,50	GBP
001626	290,00	x	330,00	x	20,00	GAP
002002	360,00	x	400,00	x	20,00	GBP

P.S.: * Special design

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

END COVERS





code	A		h / H	type
001412	13,00	x	4,50	CC
001500	14,00	x	4,00	CC
001413	16,00	x	4,00	CC
001063	19,00	x	7,00	CC
001263	20,00	x	4,00	CC
001724	20,20	x	4,00	CC
001774	22,00	x	4,00	CC
001150	22,00	x	5,00	CC
001149	22,00	x	7,00	CC
001840	24,00	x	5,00	CC
001453	24,00	x	7,00	CC
001064	26,00	x	5,00	CC
001135	26,00	x	6,50	CC
000953	28,00	x	4,00	CC
001148	28,00	x	7,00	CC
001065	30,00	x	7,00	CC
001147	32,00	x	7,00	CC
001827	35,00	x	5,00	CC
001911	35,00	x	7,00	CC
000984	35,00	x	8,00	CC
001066	37,00	x	7,00	CC
001907	40,00	x	4,00	CC
001653	40,00	x	6,00	CC
001168	40,00	x	7,00	CC
001302	42,00	x	7,00	CC
001810	44,00	x	7,00	CC
001405	45,00	x	7,00	CC
000983	47,00	x	7,00	CC
001166	48,00	x	4,00	CC
001264	52,00	x	6,50	CC
001067	52,00	x	7,00	CC
001068	55,00	x	6,00 / 11,00	CS
001273	55,00	x	7,00	CC
001684	55,00	x	10,00	CC
001787	62,00	x	7,00	CC
001069	62,00	x	10,00	CC
001070	65,00	x	6,00 / 11,00	CS

code	A		h / H	type
001652	65,00	x	10,00	CC
001910	68,00	x	8,00	CC
001274	70,00	x	10,00	CC
001546	72,00	x	8,00	CC
001071	72,00	x	10,00	CC
001656	75,00	x	8,00	CC
001190	75,00	x	12,00	CC
001648	80,00	x	8,00	CC
001143	80,00	x	10,00	CC
001657	90,00	x	8,00	CC
001376	90,00	x	10,00	CC
001651	100,00	x	10,00	CC
001650	110,00	x	10,00	CC
001458	120,00	x	12,00	CC
001504	130,00	x	12,00	CC
001489	150,00	x	12,00	CC
001459	170,00	x	12,00	CC
001490	190,00	x	15,00	CC

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

HYDRAULIC PISTON SEALS 'PDE'

Technical description at page 15



code	description	D	F	H	GF	S1	S2
000883	26 x 8 x 22	26	8,2	22	15	3	6
000893	30 x 8 x 22	30	8,2	22	16	3	6
000939	35 x 8 x 26	35	8,2	26	20	3	6
000831	40 x 10 x 22	40	10,2	22	20	3	6
001041	45 x 10 x 25	45	10,2	25	22	4	7
000841	50 x 10 x 25	50	10,2	25	27	4	7
000902	55 x 10 x 25	55	10,2	25	32	4	7
001545	60 x 12 x 26	60	12,2	26	37	4	7
001332	63 x 12 x 25	63	12,2	25	40	4	7
000872	70 x 12 x 30	70	12,2	30	44	5	8
001957	70 x 10 x 30	70	10,2	30	44	5	8
000911	80 x 12 x 30	80	12,2	30	54	5	10
001661	90 x 38 x 24	90	38	24	65	6	10
000862	100 x 12 x 35	100	12,2	35	72	6	10
000892	110 x 26 x 40	110	26,2	40	78	6	10
001330	110 x 12 x 40	110	12,2	40	78	6	10
000864	115 x 20 x 30	115	20,2	30	83	8	13
000881	125 x 20 x 40	125	20,2	40	85	8	14
001260	140 x 20 x 40	140	20,2	40	100	9	15
000882	150 x 20 x 40	150	20,2	40	105	10	15
000891	160 x 20 x 40	160	20,2	40	115	10	15
001732	160 x 28 x 40	160	28	40	115	10	15
001815	175 x 20 x 40	175	20,2	40	120	10	15
001241	180 x 20 x 40	180	20,2	40	130	10	15
SP65	180 x 120 x 40	180	120	40	130	10	15
000871	200 x 20 x 40	200	20,2	40	146	10	15
001373	250 x 30 x 40	250	30,2	40	200	12	16,5
001374	300 x 35 x 40	300	35,2	40	250	12	16,5
SP1387	300 x 60 x 40	300	60	40	250	12	17

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

PNEUMATIC PISTON SEALS 'PDEP'

Technical description at page 16



code	description	D	F	H	GF	S1	S2
001801	25 x 8 x 12	25	8+0.1	12	15	4	4
001778	32 x 8 x 15	32	8+0.1	15	19	4	6
001779	40 x 10 x 18	40	10+0.1	18	21	5	7
001783	50 x 10 x 18	50	10+0,1	18	21	5	7
001634	60 x 12 x 22	60	12+0.1	22	39	5	9
001773	63 x 16 x 22	63	16+0.1	22	43,5	6	9
001807	63 x 12 x 22	63	12+0.1	22	42	6	9
001075	65 x 12 x 25	65	12+0,1	25	40	5	7,5
000946	70 x 12 x 22	70	12+0.1	22	49	6	8
001754	80 x 16 x 24	80	16+0.1	24	55	6	9
001975	90 x 24 x 24	90	24+0,2	24	65	9	12
001786	100 x 20 x 26	100	20+0,2	26	74	9	12
001850	100 x 18 x 24	100	18+0,2	24	74	9	12
001976	115 x 24 x 24	115	24+0,2	24	90	9	12
001784	125 x 20 x 26	125	20+0,2	26	94	9	12
001977	150 x 30 x 30	150	30+0,2	30	118	11	14
001785	160 x 27 x 30	160	27+0,2	30	128	11	14
001917	160 x 24 x 30	160	24+0,2	30	56	11	14
001978	180 x 30 x 30	180	30+0,2	30	148	11	14
001755	200 x 27 x 35	200	27+0.2	35	168	11,5	14,5

AZIENDA CON SISTEMA QUALITÀ
CERTIFICATO DA DNV
=UNI EN ISO 9001/2000=

V - RINGS TYPE 'A'

Technical description at page 17



code	C	d	D	h	H	d2	d1	h1
VA4	3,5÷4,5	3,2	7,2	2,4	3,7	C+1	C+6	3±0,4
VA6	5,5÷6,5	5	9	2,4	3,7	C+1	C+6	3±0,4
VA8	8÷9,5	7	11	2,4	3,7	C+1	C+6	3±0,4
VA10	9,5÷11,5	9	15	3,4	5,5	C+2	C+9	4,5±0,6
VA12	11,5÷12,5	10,5	16,5	3,4	5,5	C+2	C+9	4,5±0,6
VA14	13,5÷15,5	12,5	18,5	3,4	5,5	C+2	C+9	4,5±0,6
VA16	15,5÷17	14	20	3,4	5,5	C+2	C+9	4,5±0,6
VA18	17,5÷19	16	22	3,4	5,5	C+2	C+9	4,5±0,6
VA20	19÷21	18	26	4,7	7,5	C+2	C+12	6±0,8
VA22	21÷24	20	28	4,7	7,5	C+2	C+12	6±0,8
VA25	24÷27	22	30	4,7	7,5	C+2	C+12	6±0,8
VA28	27÷29	25	33	4,7	7,5	C+3	C+12	6±0,8
VA30	29÷31	27	35	4,7	7,5	C+3	C+12	6±0,8
VA32	31÷33	29	37	4,7	7,5	C+3	C+12	6±0,8
VA35	33÷36	31	39	4,7	7,5	C+3	C+12	6±0,8
VA38	36÷38	34	42	4,7	7,5	C+3	C+12	6±0,8
VA40	38÷43	36	46	5,5	9	C+3	C+15	7±1
VA45	43÷48	40	50	5,5	9	C+3	C+15	7±1
VA50	48÷53	45	55	5,5	9	C+3	C+15	7±1
VA55	53÷58	49	59	5,5	9	C+3	C+15	7±1
VA60	58÷63	54	64	5,5	9	C+3	C+15	7±1
VA65	63÷68	58	68	5,5	9	C+3	C+15	7±1
VA70	68÷73	63	75	6,8	11	C+4	C+18	9±1,2
VA75	73÷78	67	79	6,8	11	C+4	C+18	9±1,2
VA80	78÷83	72	84	6,8	11	C+4	C+18	9±1,2
VA85	83÷88	76	88	6,8	11	C+4	C+18	9±1,2
VA90	88÷93	81	93	6,8	11	C+4	C+18	9±1,2
VA95	93÷98	85	97	6,8	11	C+4	C+18	9±1,2
VA100	98÷105	90	102	6,8	11	C+4	C+18	9±1,2
VA110	105÷115	99	113	7,9	12,8	C+4	C+21	10,5±1,5
VA120	115÷125	108	122	7,9	12,8	C+4	C+21	10,5±1,5
VA130	125÷135	117	131	7,9	12,8	C+4	C+21	10,5±1,5

AZIENDA CON SISTEMA QUALITÀ
CERTIFICATO DA DNV
=UNI EN ISO 9001/2000=

V - RINGS TYPE 'A'

Technical description at page 17

code	C	d	D	h	H	d2	d1	h1
VA140	135÷145	126	140	7,9	12,8	C+4	C+21	10,5±1,5
VA150	145÷155	135	149	7,9	12,8	C+4	C+21	10,5±1,5
VA160	155÷165	144	160	9	14,5	C+5	C+24	12±1,8
VA170	165÷175	153	169	9	14,5	C+5	C+24	12±1,8
VA180	175÷185	162	178	9	14,5	C+5	C+24	12±1,8
VA190	185÷195	171	187	9	14,5	C+5	C+24	12±1,8
VA199	195÷210	180	196	9	14,5	C+5	C+24	12±1,8
VA200	190÷210	180	210	14,3	25	C+10	C+45	20±4
VA220	210÷235	198	228	14,3	25	C+10	C+45	20±4
VA250	235÷265	225	255	14,3	25	C+10	C+45	20±4
VA275	265÷290	247	277	14,3	25	C+10	C+45	20±4
VA300	290÷310	270	300	14,3	25	C+10	C+45	20±4
VA325	310÷335	292	322	14,3	25	C+10	C+45	20±4
VA350	335÷365	315	345	14,3	25	C+10	C+45	20±4
VA375	365÷390	337	367	14,3	25	C+10	C+45	20±4
VA400	390÷430	360	390	14,3	25	C+10	C+45	20±4
VA450	430÷480	405	435	14,3	25	C+10	C+45	20±4
VA500	480÷530	450	480	14,3	25	C+10	C+45	20±4
VA550	530÷580	495	525	14,3	25	C+10	C+45	20±4
VA600	580÷630	540	570	14,3	25	C+10	C+45	20±4
VA650	630÷665	600	630	14,3	25	C+10	C+45	20±4
VA700	665÷705	630	660	14,3	25	C+10	C+45	20±4
VA725	705÷745	670	700	14,3	25	C+10	C+45	20±4
VA750	745÷785	705	735	14,3	25	C+10	C+45	20±4
VA800	785÷830	745	775	14,3	25	C+10	C+45	20±4
VA850	830÷875	785	815	14,3	25	C+10	C+45	20±4
VA900	875÷920	825	855	14,3	25	C+10	C+45	20±4
VA950	920÷965	865	895	14,3	25	C+10	C+45	20±4
VA1000	965÷1015	910	940	14,3	25	C+10	C+45	20±4
VA1050	1015÷1065	955	985	14,3	25	C+10	C+45	20±4
VA1100	1065÷1115	1000	1030	14,3	25	C+10	C+45	20±4
VA1150	1115÷1165	1045	1075	14,3	25	C+10	C+45	20±4
VA1200	1165÷1215	1090	1120	14,3	25	C+10	C+45	20±4
VA1250	1215÷1270	1135	1165	14,3	25	C+10	C+45	20±4
VA1300	1270÷1320	1180	1210	14,3	25	C+10	C+45	20±4
VA1350	1320÷1370	1225	1255	14,3	25	C+10	C+45	20±4
VA1400	1370÷1420	1270	1300	14,3	25	C+10	C+45	20±4
VA1550	1520÷1570	1405	1435	14,3	25	C+10	C+45	20±4

AZIENDA CON SISTEMA QUALITÀ
CERTIFICATO DA DNV
=UNI EN ISO 9001/2000=

V - RINGS TYPE 'S'

Technical description at page 17



code	C	d	D	h	H	d2	d1	h1
VS5	4,5÷5,5	4	8	3,9	5,2	C+1	C+6	4,5±0,4
VS6	5,5÷6,5	5	9	3,9	5,2	C+1	C+6	4,5±0,4
VS7	6,5÷8	6	10	3,9	5,2	C+1	C+6	4,5±0,4
VS8	8÷9,5	7	11	3,9	5,2	C+1	C+6	4,5±0,4
VS10	9,5÷11,5	9	15	5,6	7,7	C+2	C+9	6,7±0,6
VS12	11,5÷13,5	10,5	16,5	5,6	7,7	C+2	C+9	6,7±0,6
VS14	13,5÷15,5	12,5	18,5	5,6	7,7	C+2	C+9	6,7±0,6
VS16	15,5÷17,5	14	20	5,6	7,7	C+2	C+9	6,7±0,6
VS18	17,5÷19	16	22	5,6	7,7	C+2	C+9	6,7±0,6
VS20	19÷21	18	26	7,9	10,5	C+2	C+12	9±0,8
VS22	21÷24	20	28	7,9	10,5	C+2	C+12	9±0,8
VS25	24÷27	22	30	7,9	10,5	C+2	C+12	9±0,8
VS28	27÷29	25	33	7,9	10,5	C+3	C+12	9±0,8
VS30	29÷31	27	35	7,9	10,5	C+3	C+12	9±0,8
VS32	31÷33	29	37	7,9	10,5	C+3	C+12	9±0,8
VS35	33÷36	31	39	7,9	10,5	C+3	C+12	9±0,8
VS38	36÷38	34	42	7,9	10,5	C+3	C+12	9±0,8
VS40	38÷43	36	46	9,5	13	C+3	C+15	11±1
VS45	43÷48	40	50	9,5	13	C+3	C+15	11±1
VS50	48÷53	45	55	9,5	13	C+3	C+15	11±1
VS55	53÷58	49	59	9,5	13	C+3	C+15	11±1
VS60	58÷63	54	64	9,5	13	C+3	C+15	11±1
VS65	63÷68	58	68	9,5	13	C+3	C+15	11±1
VS70	68÷73	63	75	11,3	15,5	C+4	C+18	13,5±1,2
VS75	73÷78	67	79	11,3	15,5	C+4	C+18	13,5±1,2
VS80	78÷83	72	84	11,3	15,5	C+4	C+18	13,5±1,2
VS85	83÷88	76	88	11,3	15,5	C+4	C+18	13,5±1,2
VS90	88÷93	81	93	11,3	15,5	C+4	C+18	13,5±1,2
VS95	93÷98	85	97	11,3	15,5	C+4	C+18	13,5±1,2
VS100	98÷105	90	102	11,3	15,5	C+4	C+18	13,5±1,2
VS110	105÷115	99	113	13,1	18	C+4	C+21	15,5±1,5
VS120	115÷125	108	122	13,1	18	C+4	C+21	15,5±1,5
VS130	125÷135	117	131	13,1	18	C+4	C+21	15,5±1,5

AZIENDA CON SISTEMA QUALITÀ
CERTIFICATO DA DNV
=UNI EN ISO 9001/2000=

V - RINGS TYPE 'S'

Technical description at page 17

code	C	d	D	h	H	d2	d1	h1
VS140	135÷145	126	140	13,1	18	C+4	C+21	15,5±1,5
VS150	145÷155	135	149	13,1	18	C+4	C+21	15,5±1,5
VS160	155÷165	144	160	15	20,5	C+5	C+24	18±1,8
VS170	165÷175	153	169	15	20,5	C+5	C+24	18±1,8
VS180	175÷185	162	178	15	20,5	C+5	C+24	18±1,8
VS190	185÷195	171	187	15	20,5	C+5	C+24	18±1,8
VS199	195÷210	180	196	15	20,5	C+5	C+24	18±1,8

AZIENDA CON SISTEMA QUALITÀ
CERTIFICATO DA DNV
=UNI EN ISO 9001/2000=

V - RINGS TYPE 'L'

Technical description at page 17



code	shaft	A
VL120	115÷125	108
VL130	125÷135	117
VL140	135÷145	126
VL150	145÷155	135
VL160	155÷165	144
VL170	165÷175	153
VL180	175÷185	162
VL190	185÷195	171
VL200	195÷210	182
VL220	210÷233	198
VL250	233÷260	225
VL275	260÷285	247
VL300	285÷310	270
VL325	310÷335	292
VL350	335÷365	315
VL375	365÷385	337
VL400	385÷410	360
VL425	410÷440	382
VL425	410÷440	382
VL450	440÷475	405
VL500	475÷510	450
VL550	540÷575	495
VL600	575÷625	540
VL650	625÷675	600
VL700	675÷710	630
VL750	740÷775	705

P.S. please send us enquiries for sizes we have not listed in the catalogue.

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

V - RINGS TYPE 'AX'

Technical description at page 17



code		shaft	A
VAX220	VAX220	219÷224	207
VAX240	VAX240	236÷240	223
VAX260	VAX260	250÷260	236
SP3789	VAX280	270÷281	255
SP6355	VAX300	292÷303	275
VAX310	VAX310	303÷313	285
SP6356	VAX320	313÷325	295
SP3926	VAX340	335÷345	315
SP3927	VAX350	345÷355	322
VAX360	VAX360	250÷260	236
SP4522	VAX400	390÷415	360
SP4224	VAX450	443÷480	410
VAX500	VAX500	480÷530	450
SP4225	VAX550	530÷580	495
VAX600	VAX600	580÷630	540
VAX650	VAX650	630÷665	600
SP4226	VAX725	705÷745	670
SP4830	VAX750	745÷785	705
SP6353	VAX800	785÷830	745
SP2488	VAX850	830÷875	785
VAX900	VAX900	875÷920	825
VAX950	VAX950	920÷965	865
SP4147	VAX1000	965÷1015	910
SP4687	VAX1050	1015÷1065	955
SP6231	VAX1100	1065÷1115	1000
SP4822	VAX1300	1270÷1320	1180

P.S. please send us enquiries for sizes we have not listed in the catalogue.

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

V - RINGS TYPE 'E'

Technical description at page 17



code	shaft	A
VE220	217÷220	214
VE250	250÷255	245
VE265	265÷270	259
VE310	310÷315	304
VE315	315÷320	309
VE320	320÷325	314
VE360	360÷365	352
VE375	375÷380	367
VE390	390÷395	381
VE400	400÷405	391
VE430	430÷435	420
VE450	450÷455	439
VE460	460÷465	448
VE475	475÷480	463
VE480	480÷485	468
VE485	485÷490	473
VE490	490÷495	478
VE500	500÷505	488
VE505	505÷510	493
VE510	510÷515	497
VE515	515÷520	502
VE520	520÷525	507
VE530	530÷535	517
VE545	545÷550	531

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

V - RINGS TYPE 'E'

Technical description at page 17

code	shaft	A
VE550	550÷555	536
VE560	560÷565	546
VE580	580÷585	565
VE585	585÷590	570
VE600	600÷610	582
VE610	610÷620	592
VE620	620÷630	602
VE630	630÷640	612
VE640	640÷650	621
VE650	650÷660	631
VE660	660÷670	640
VE690	690÷700	670
VE710	710÷720	689
VE740	740÷750	718
VE750	750÷758	728
VE760	758÷766	735
VE770	766÷774	743
VE800	792÷801	768
VE820	810÷821	786
VE850	841÷851	814
VE860	851÷861	824
VE900	892÷912	871
VE930	922÷933	890
VE950	944÷955	911
VE970	966÷977	932
VE990	988÷999	953
VE1000	999÷1010	963
VE1020	1010÷1025	973
VE1040	1025÷1045	990
VE1060	1045÷1065	1008
VE1100	1085÷1105	1045
VE1120	1105÷1125	1065
VE1260	1245÷1270	1195
VE1500	1490÷1515	1419

P.S. please send us enquiries for sizes we have not listed in the catalogue.

V - RINGS TYPE 'RME'

Technical description at page 17



code		*shaft*	*A*
SP6582	VRME210	210÷215	207
SP5472	VRME280	280÷285	274
SP4591	VRME310	310÷315	304
SP4478	VRME320	320÷325	314
SP5934	VRME345	345÷350	338
SP7660	VRME355	355÷360	347
SP7394	VRME375	375÷380	367
SP4479	VRME390	390÷395	381
SP5510	VRME420	420÷425	410
SP4539	VRME450	450÷455	439
SP5471	VRME490	490÷495	478
SP4480	VRME515	515÷520	502
SP4481	VRME545	545÷550	531
SP5213	VRME560	560÷565	546
SP5252	VRME580	580÷585	565
SP4540	VRME600	600÷610	582
SP4732	VRME620	620÷630	602
SP5560	VRME650	650÷660	631
SP4482	VRME690	690÷700	670
SP4649	VRME740	740÷750	718
SP4497	VRME750	750÷758	728
SP4913	VRME760	758÷766	735
SP5473	VRME780	774÷783	751
SP4483	VRME820	810÷821	786

AZIENDA CON SISTEMA QUALITÀ
CERTIFICATO DA DNV
=UNI EN ISO 9001/2000=

V - RINGS TYPE 'RME'

Technical description at page 17

code		shaft	A
SP7701	VRME880	871÷882	843
SP5214	VRME900	892÷912	871
SP4650	VRME930	922÷933	890
SP5561	VRME970	966÷977	932
SP5626	VRME980	977÷988	942
SP4651	VRME1020	1010÷1025	973

P.S. please send us enquiries for sizes we have not listed in the catalogue.

Special Oil Seals

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

TEXTILE RUBBER OIL SEALS

Technical description at page 18



















Code	B		A		H	type
TGU5001	25,40	x	47,60	x	9,52	TGU
TGU5061	40,00	x	60,00	x	10,00	TGU
TGU5080	55,00	x	80,00	x	12,20	TGU
TGU5141	60,00	x	80,00	x	10,00	TGU
TGU5156	69,85	x	85,72	x	7,92	TGU
TGU5181	70,00	x	102,00	x	12,50	TGU
TGUP5188	75,00	x	107,00	x	12,50	TGUP
TGA5190	80,00	x	95,00	x	10,00	TGA
TGU5221	80,00	x	100,00	x	8,00	TGU
TGUP5221	80,00	x	100,00	x	8,00	TGUP
TGUP5221	80,00	x	100,00	x	8,00	TGUP
TGU5222	80,00	x	100,00	x	10,00	TGU
TGU5224	80,00	x	112,00	x	12,50	TGU
TGU5225	82,50	x	114,30	x	12,70	TGU
TGU5230	84,00	x	100,00	x	8,00	TGU
TGU5237	85,00	x	101,00	x	8,00	TGU
TGU5240	85,00	x	109,00	x	12,00	TGU
TGU5242	85,00	x	120,00	x	12,00	TGU
TGU5245	87,00	x	120,00	x	15,00	TGU
TGUP5249	88,00	x	108,00	x	10,00	TGUP
TGU5252	88,90	x	114,30	x	12,70	TGU
TGU5256	90,00	x	110,00	x	10,00	TGU
TGU5258	90,00	x	110,00	x	12,00	TGU
TGU5264	90,00	x	122,00	x	12,50	TGU
TGU5264C	95,00	x	120,00	x	12,50	TGU
TGU5265	98,40	x	123,90	x	12,70	TGU

Code	B		A		H	type
TGU5267	100,00	x	116,00	x	8,00	TGU
TGU5269	100,00	x	120,00	x	13,00	TGU
TGUP5270	100,00	x	125,00	x	10,00	TGUP
TGU5270	100,00	x	125,00	x	10,00	TGU
TGU5273	100,00	x	130,00	x	10,00	TGU
TGA5274	100,00	x	130,00	x	12,50	TGA
TGU5310	101,60	x	127,00	x	12,70	TGU
TGU5312	101,60	x	133,40	x	12,70	TGU
TGUP5321	105,00	x	145,00	x	16,00	TGUP
TGUP5330	107,95	x	146,05	x	15,87	TGUP
TGU5335	110,00	x	130,00	x	12,00	TGU
TGUP5336	110,00	x	130,00	x	13,00	TGUP
TGU5341	110,00	x	140,00	x	13,00	TGU
TGU5342	110,00	x	140,00	x	15,00	TGU
TGU5353	112,40	x	139,70	x	14,28	TGU
TGU5351	112,70	x	138,80	x	14,80	TGU
TGU5381	120,00	x	150,00	x	13,00	TGU
TGUP5384	120,00	x	160,00	x	12,00	TGUP
TGU5386	120,00	x	160,00	x	16,00	TGU
TGU5391	123,80	x	149,20	x	12,70	TGU
TGU5395	125,00	x	155,00	x	12,50	TGU
TGU5400	125,00	x	157,00	x	12,50	TGU
TGU5402	125,00	x	160,00	x	12,00	TGU
TGU5407	127,00	x	146,05	x	11,11	TGU
TGU5410	127,00	x	158,80	x	12,30	TGA
TGR5408	127,00	x	158,80	x	12,30	TGR
TGU5411	127,00	x	165,00	x	16,00	TGU
TGU5414	130,00	x	150,00	x	12,00	TGU
TGU5416	130,00	x	160,00	x	12,00	TGU
TGU5431	132,20	x	165,20	x	15,00	TGU
TGU5432	133,00	x	165,00	x	12,50	TGU
TGU5433	135,00	x	160,00	x	12,00	TGU
TGU5436	135,00	x	170,00	x	16,50	TGU
TGU5440	140,00	x	170,00	x	12,00	TGU
TGU5461	140,00	x	170,00	x	15,00	TGU
TGA5465	140,00	x	180,00	x	16,00	TGA
TGUP5465	140,00	x	180,00	x	16,00	TGUP
TGU5471	142,80	x	168,20	x	15,87	TGU
TGU5475	145,00	x	175,00	x	15,00	TGU
TGU5481	145,00	x	180,00	x	14,00	TGU
TGU5489	146,05	x	177,80	x	15,87	TGU
TGUP5490	146,05	x	184,15	x	15,87	TGUP

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

TEXTILE RUBBER OIL SEALS

Technical description at page 18

Code	B	A	H	type
TGU5498	149,20	177,80	12,50	TGU
TGU5501	150,00	180,00	12,00	TGU
TGU5504	150,00	180,00	15,00	TGU
TGA5506	150,00	190,00	16,00	TGA
TGU5509	152,40	181,00	16,00	TGU
TGU5510	152,40	190,50	15,87	TGU
TGU5512	152,40	190,50	19,05	TGU
TGA5530	160,00	190,00	14,30	TGA
TGU5535	160,00	190,00	15,00	TGU
TGU5538	160,00	190,00	16,50	TGU
TGU5540	160,00	200,00	10,00 / 16,00	TGU
TGA5541	160,00	200,00	16,00	TGA
TGU5541	160,00	200,00	16,00	TGU
TGU5557	165,00	190,00	13,00	TGU
TGA5561	165,00	195,00	15,00	TGA
TGU5566	165,00	205,00	16,00	TGU
TGU5570	165,10	203,20	19,05	TGU
TGU5575	170,00	200,00	12,00	TGU
TGUP5575	170,00	200,00	12,00	TGUP
TGUP5577	170,00	200,00	16,00	TGUP
TGU5577	170,00	200,00	16,00	TGU
TGU5581	170,00	210,00	16,00	TGU
TGU5582	170,00	211,00	16,00	TGU
TGU5585	171,40	196,80	19,05	TGU
TGU5585A	175,00	200,00	15,00	TGU
TGU5585P	175,00	205,00	15,00	TGU
TGU5587A	177,00	230,00	16,00	TGU
TGU5587	177,80	203,20	11,11	TGU
TGU5600	177,80	209,55	19,05	TGU
TGU5617	179,38	209,55	19,05	TGU
TGUP5620	180,00	210,00	14,00	TGUP
TGU5621C	180,00	210,00	15,00	TGU
TGU5621L	180,00	215,00	18,00	TGU
TGU5622A	180,00	220,00	16,00	TGU
TGU5623	180,00	222,00	16,00	TGU
TGU5623D	180,97	215,90	15,87	TGU
TGU5624	184,15	215,90	15,87	TGU
TGU5630	185,00	225,00	16,00	TGU
TGU5645	190,00	220,00	15,00	TGU
TGU5656	190,00	225,00	18,00	TGU
TGU5659	190,00	230,00	10,00 / 16,00	TGU
TGU5660	190,00	230,00	15,00	TGU

Code	B	A	H	type
TGA5661	190,00	230,00	16,00	TGA
TGA5661	190,00	230,00	16,00	TGA
TGUP5561	190,00	230,00	16,00	TGUP
TGU5661	190,00	230,00	16,00	TGU
TGU5662	190,50	215,90	15,87	TGU
TGU5667	195,00	220,40	12,70	TGU
TGU5685	200,00	225,40	12,70	TGU
TGA5686	200,00	230,00	14,00	TGA
TGA5695	200,00	230,00	15,00	TGA
TGU5687M	200,00	230,00	15,87	TGU
TGU5690	200,00	240,00	16,00	TGU
TGU5692BP	200,00	240,00	16,50	TGU-BP
TGU5698	200,00	250,00	15,00	TGU
TGU5701	200,00	250,00	18,00	TGU
TGU5733	210,00	230,00	15,00	TGU
TGU5735	210,00	240,00	12,00	TGU
TGU5735	210,00	240,00	12,00	TGU
TGU5737	210,00	240,00	15,00	TGU
TGU5738	210,00	245,00	18,20	TGU
TGU5741	210,00	250,00	16,00	TGU
TGA5741	210,00	250,00	16,00	TGA
TGU5754	215,00	240,00	12,00	TGU
TGU5757	215,00	240,00	20,00	TGU
TGU5761	215,00	248,00	15,00	TGU
TGU5763	215,00	250,00	16,00	TGU
TGUP5763	215,00	250,00	16,00	TGUP
TGA5764	215,90	247,65	20,62	TGA
TGU5764	218,40	250,00	15,00	TGU
TGA5765	220,00	250,00	15,00	TGA
TGU5765	220,00	250,00	15,00	TGU
TGA5768	220,00	250,00	16,50	TGA
TGU5770	220,00	255,00	18,00	TGU
TGA5771	220,00	255,00	18,30	TGA
TGU5781	220,00	260,00	16,00	TGU
TGUP5781	220,00	260,00	16,00	TGUP
TGU5782	220,00	260,00	16,50	TGU
TGA5784	220,00	260,00	18,00	TGA
TGU5790	222,25	254,00	15,87	TGU
TGU5801	225,00	265,00	16,00	TGU
TGU5808	226,00	276,00	22,30	TGU
TGU5812	228,00	254,00	10,50	TGU
TGUP5816	228,60	270,00	16,00	TGUP

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

TEXTILE RUBBER OIL SEALS

Technical description at page 18

Code	B	A	H	type
TGU5818	230,00	260,00	15,00	TGU
TGU5819	230,00	260,00	16,00	TGU
TGU5821	230,00	265,00	18,00	TGU
TGA5824	230,00	270,00	16,00	TGA
TGU5824	230,00	270,00	16,00	TGU
TGU5827	231,77	282,57	25,40	TGU
TGUP5830	235,00	265,00	15,00	TGUP
TGU5830	235,00	265,00	15,00	TGU
TGA5831	235,00	265,00	15,30	TGA
TGU5839	235,00	270,00	16,00	TGU
TGU5838	235,00	275,00	16,00	TGU
TGU5841	235,00	275,00	20,00	TGU
TGU5846	236,00	276,00	16,00	TGU
TGU5853	240,00	270,00	15,00	TGU
TGU5858	240,00	275,00	18,00	TGU
TGA5862	240,00	280,00	16,00	TGA
TGU5862BP	240,00	280,00	16,00	TGU-BP
TGU5862	240,00	280,00	16,00	TGU
TGA5863	240,00	280,00	18,00	TGA
TGU5863	240,00	280,00	18,00	TGU
TGU5865	240,00	290,00	16,00	TGU
TGU5868	240,00	290,00	25,00	TGU
TGA5868	240,00	290,00	25,00	TGA
TGU5870	241,30	292,10	25,40	TGU
TGU5878	244,47	295,53	25,40	TGU
TGU5880	245,00	275,00	16,00	TGU
TGA5880	245,00	285,00	16,00	TGA
TGU5885	250,00	275,40	12,70	TGU
TGU5890	250,00	280,00	15,00	TGU
TGA5887	250,00	280,00	16,00	TGA
TGU5900	250,00	285,00	18,00	TGU
TGU5901	250,00	290,00	16,00	TGU
TGA5902	250,00	290,00	16,50	TGA
TGU5902	250,00	290,00	16,50	TGU
TGA5902	250,00	290,00	16,50	TGA
TGU5905	250,00	290,00	18,00	TGU
TGU5908	250,00	300,00	20,00	TGU
TGU5909	254,00	279,40	19,05	TGU
TGU5910	254,00	285,75	15,87	TGU
TGU5918	254,00	292,10	15,87	TGU
TGA5920	254,00	292,10	16,00	TGA
TGU5922A	255,00	290,00	16,00	TGU

Code	B	A	H	type
TGU5742A	255,00	295,00	16,00	TGU
TGA5923	255,00	299,00	20,00	TGA
TGU5923	255,00	299,00	20,00	TGU
TGU5936	260,00	290,00	16,00	TGU
TGA5940	260,00	300,00	16,00	TGA
TGU5941	260,00	300,00	18,00	TGU
TGU5941BP	260,00	300,00	18,00	TGU-BP
TGUP5941A	260,00	300,00	20,00	TGUP
TGU5941A	260,00	300,00	20,00	TGU
TGU5942	260,00	304,00	20,00	TGU
TGU5950	260,35	311,15	19,05	TGU
TGU5955	265,00	295,00	15,00	TGU
TGU5958	265,00	309,00	20,00	TGU
TGUP5960	266,70	304,80	19,05	TGUP
TGA5960	266,70	311,15	19,05	TGU
TGU5975	270,00	310,00	15,00	TGU
TGU5978	270,00	310,00	16,00	TGU
TGA5981	270,00	310,00	18,00	TGA
TGU5982	270,00	314,00	20,00	TGU
TGA5982	270,00	314,00	20,00	TGA
TGU5983	270,00	314,00	26,00	TGU
TGA5986	275,00	315,00	18,00	TGA
TGU5988	275,00	315,00	20,00	TGU
TGR5987	275,00	319,50	19,00	TGR
TGU6000	279,40	309,40	15,00	TGU
TGU6015	280,00	310,00	15,00	TGU
TGU6019	280,00	315,00	15,00	TGU
TGU6021	280,00	320,00	16,00	TGU
TGA6023	280,00	320,00	18,00	TGA
TGU6023	280,00	320,00	18,00	TGU
TGU6024	280,00	320,00	20,00	TGU
TGU6024B	280,00	320,00	24,00	TGU
TGU6025	280,00	324,00	20,00	TGU
TGA6025	280,00	324,00	20,00	TGA
TGU6030	280,00	350,00	16,00	TGU
TGU6035	285,00	310,00	15,00	TGU
TGA6039	285,00	325,00	18,00	TGA
TGA6044	285,00	329,00	20,00	TGA
TGU6040	285,75	317,50	15,87	TGU
TGU6049	286,00	336,55	15,00	TGU
TGU6052	289,00	327,00	19,00	TGU
TGU6055	290,00	315,40	12,70	TGU

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

TEXTILE RUBBER OIL SEALS

Technical description at page 18

Code	B	A	H	type
TGU6058	290,00	320,00	15,00	TGU
TGU6060	290,00	330,00	20,00	TGU
TGU6061	290,00	330,00	20,30	TGU
TGU6062	290,00	334,00	20,00	TGU
TGA6062	290,00	334,00	20,30	TGA
TGU6070	292,00	330,00	15,87	TGU
TGA6072C	292,10	350,00	16,00	TGA
TGU6101	300,00	340,00	16,00	TGUP
TGU6090	300,00	340,00	16,50	TGU
TGA6101W	300,00	340,00	16,50	TGA
TGU6100	300,00	340,00	18,00	TGU
TGA6101X	300,00	340,00	18,00	TGA
TGU6102	300,00	340,00	20,00	TGU
TGA6102	300,00	340,00	20,00	TGA
TGU6102H	300,00	340,00	22,00	TGU
TGU6103	300,00	344,00	20,00	TGU
TGA6103	300,00	344,00	20,00	TGA
TGU6103BP	300,00	344,00	20,00	TGU-BP
TGU6125	304,00	348,00	20,00	TGU
TGU6127B	305,00	345,00	16,00	TGU
TGU6130	308,00	352,00	20,00	TGU
TGU6134	310,00	345,00	18,00	TGU
TGA6130	310,00	353,00	20,00	TGA
TGU6140	310,00	354,00	20,00	TGU
TGA6140	310,00	354,00	20,00	TGA
TGU6141	310,00	354,00	20,50	TGU
TGA6142	310,00	355,00	20,00	TGA
TGU6143	310,00	360,00	22,00	TGU
TGU6145	311,00	345,00	18,30	TGU
TGA6150	311,15	361,95	20,62	TGA
TGU6150	311,15	361,95	20,62	TGU
TGU6155	314,00	355,00	20,00	TGU
TGA6165	315,00	360,00	20,00	TGA
TGU6066	315,00	365,00	20,00	TGU
TGU6169	316,00	360,00	20,00	TGU
TGU6172	317,10	355,60	16,00	TGU
TGU6173	317,50	355,60	19,05	TGU
TGU6173	317,50	355,60	19,05	TGU
TGU6175	317,60	355,60	17,45	TGU
TGU6179	320,00	350,00	15,00	TGU
TGA6179	320,00	350,00	15,00	TGA
TGU6181	320,00	350,00	15,40	TGU

Code	B	A	H	type
TGR6180	320,00	355,00	16,00	TGR
TGA6181D	320,00	360,00	17,70	TGA
TGU6182	320,00	360,00	18,00	TGU
TGU6183	320,00	360,00	20,00	TGU
TGR6000	320,00	364,00	18,00	TGR
TGU6184	320,00	364,00	20,00	TGU
TGU6195	323,75	374,65	25,40	TGU
TGU6192	323,85	361,95	17,45	TGU
TGA6197	325,00	365,00	16,00	TGA
TGU6211	328,00	372,00	20,20	TGU
TGU6215	330,00	370,00	14,00	TGU-BP
TGU6215	330,00	370,00	14,00	TGU
TGU6218	330,00	370,00	18,00	TGU
TGA6219	330,00	370,00	20,00	TGA
TGU6219	330,00	370,00	20,00	TGU
TGU6222	330,00	374,00	20,00	TGU
TGU6222	330,00	374,00	20,00	TGUP
TGR6222	330,00	374,00	20,00	TGR
TGA6222	330,00	374,00	20,00	TGA
TGU6223	330,00	380,80	20,62	TGU
TGUP6227	330,20	361,95	25,40	TGUP
TGU6230	330,20	368,30	17,45	TGU
TGU6236	331,00	371,00	16,00	TGU
TGU6241	335,00	373,00	19,00	TGU
TGU6243BP	335,00	379,00	20,00	TGU-BP
TGA6250	340,00	372,00	16,00	TGA
TGU6255	340,00	380,00	16,00	TGU
TGU6257	340,00	380,00	18,00	TGU
TGU6261	340,00	380,00	20,00	TGU
TGU6261L	340,00	380,00	20,60	TGU
TGU6262	340,00	384,00	20,00	TGU
TGA6262	340,00	384,00	20,00	TGA
TGU6271	342,90	381,00	19,05	TGU
TGUP6275	342,90	393,70	25,40	TGUP
TGA6281	345,00	389,00	20,00	TGA
TGU6283BP	346,00	390,00	18,00	TGU-BP
TGU6284	348,00	380,00	16,00	TGU
TGA6284P	350,00	380,00	16,00	TGA
TGU6285	350,00	380,00	17,70	TGU
TGA6301	350,00	390,00	18,00	TGA
TGU6304	350,00	390,00	20,00	TGU
TGA6308	350,00	394,00	20,00	TGA

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

TEXTILE RUBBER OIL SEALS

Technical description at page 18

Code	B	A	H	type
TGU6308	350,00	394,00	20,00	TGU
TGA6310	350,00	394,00	22,00	TGA
TGU6311	351,00	391,00	16,00	TGU
TGA6314	355,00	394,00	20,00	TGA
TGU6316V	355,00	395,00	20,00	TGU
TGR6318	360,00	390,00	18,00	TGR
TGA6320AR	360,00	400,00	19,50	TGA
TGU6320B	360,00	400,00	20,00	TGU
TGU6320BP	360,00	404,00	17,45	TGU-BP
TGA6330	360,00	404,00	20,00	TGA
TGU6330	360,00	404,00	20,00	TGU
TGU6340	360,00	410,00	20,00	TGU
TGU6340BP	360,00	410,00	20,00	TGU-BP
TGU6343	362,00	400,00	20,00	TGU
TGU6346	362,00	406,00	19,80	TGU
TGU6346	362,00	406,00	19,80	TGU
TGU6347	362,00	406,00	22,00	TGU
TGU6349	362,00	412,75	20,62	TGU
TGU6349	363,00	418,00	20,00	TGU
TGA6349ZM	365,00	409,00	15,00	TGA
TGU6350A	365,00	409,00	20,00	TGU
TGA6350	365,00	409,40	19,05	TGA
TGU6350	365,00	409,40	19,05	TGU
TGA6360	366,00	410,00	20,00	TGA
TGU6370	368,30	412,75	15,87	TGU
TGA6373	368,30	419,10	20,62	TGA
TGA6375	368,30	419,10	29,25	TGA
TGUP6375	370,00	410,00	15,00	TGUP
TGA6378	370,00	410,00	18,00	TGA
TGU6380	370,00	410,00	20,00	TGU
TGU6385	370,00	414,00	20,00	TGU
TGA6385	370,00	414,00	20,00	TGA
TGA6396	374,65	419,10	22,22	TGA
TGA6415	380,00	419,00	24,00	TGA
TGU6420	380,00	420,00	20,00	TGU
TGU6420	380,00	420,00	20,00	TGUP
TGUP6422	380,00	420,00	22,00	TGUP
TGA6423	380,00	424,00	20,00	TGA
TGU6425	380,00	430,80	20,62	TGU
TGU6430	380,00	457,20	20,00	TGU
TGU6434	384,00	414,00	15,00	TGU
TGA6435	385,00	425,00	18,30	TGA

Code	B	A	H	type
TGA6445	387,00	431,00	22,50	TGA
TGU6445	387,00	431,00	22,50	TGU
TGU6450	387,00	438,00	25,40	TGU
TGA6458	387,35	438,15	15,87	TGA
TGU6460	387,35	438,15	22,22	TGU
TGA6465	387,35	438,15	25,40	TGA
TGU6467	390,00	420,00	16,00	TGU
TGA6470	390,00	430,00	18,00	TGA
TGU6475	390,00	430,00	20,00	TGU
TGA6477	390,00	434,00	20,00	TGA
TGU6485	395,00	439,00	20,00	TGU
TGU6486	395,00	439,00	20,50	TGU
TGU6498	400,00	440,00	14,00	TGU
TGA6500	400,00	440,00	18,00	TGA
TGU6505	400,00	440,00	20,00	TGU
TGUP6505	400,00	440,00	20,00	TGUP
TGT6515	400,00	440,00	22,00	TGR
TGA6515	400,00	440,00	22,00	TGA
TGA6520	400,00	444,00	20,00	TGA
TGU6520	400,00	444,00	20,00	TGU
TGU6527	400,00	450,00	18,10	TGU
TGA6528	400,00	450,00	20,00	TGA
TGA6530	400,00	450,00	22,00	TGA
TGU6650A	400,00	450,00	22,00	TGU
TGU6530	400,00	450,00	22,00	TGU
TGU6550	406,20	444,50	17,45	TGU
TGU6560	406,40	457,20	19,05	TGU
TGU6565	406,40	457,20	20,62	TGU
TGU6567	406,40	457,20	21,20	TGU
TGUP6574	406,40	457,20	22,22	TGUP
TGU6575	406,40	457,20	23,00	TGU
TGA6577	406,40	457,20	23,81	TGA
TGU6577	406,40	457,20	23,81	TGU
TGU6577	406,40	457,20	23,81	TGU
TGU6579	410,00	450,00	20,00	TGU
TGU6590	412,15	450,85	17,45	TGU
TGA6590	412,75	450,85	17,45	TGA
TGU6600	419,10	450,85	19,05	TGU
TGA6611	419,10	457,20	19,05	TGA
TGU6610	420,00	460,00	20,00	TGU
TGU6620	420,00	470,00	22,00	TGU
TGA6620	420,00	470,00	22,00	TGA

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

TEXTILE RUBBER OIL SEALS

Technical description at page 18

Code	B	A	H	type
TGU6625	420,00	470,00	25,00	TGU
TGA6631A	425,00	475,00	22,00	TGA
TGU6632	430,00	474,00	20,00	TGU
TGA6634	430,00	480,00	21,50	TGU
TGU6635	430,00	480,00	22,00	TGU
TGR6635	430,00	480,00	22,00	TGR
TGA6635	430,00	480,00	22,00	TGA
TGU6640	430,00	480,00	25,00	TGU
TGA6641	430,00	480,00	27,50	TGA
TGU6645	431,80	482,60	20,62	TGU
TGU6650	435,00	485,00	22,00	TGU
TGA6650	435,00	485,00	22,00	TGA
TGA6651	435,00	485,00	22,60	TGA
TGU6655	438,00	476,00	24,00	TGU
TGU6656	438,10	476,20	19,05	TGU
TGA6656	440,00	469,00	12,50	TGA
TGU6657	440,00	480,00	20,00	TGU
TGU6660	440,00	480,00	26,00	TGU
TGU6663	440,00	484,30	19,05	TGU
TGUP6665	440,00	490,00	20,00	TGUP
TGU6665	440,00	490,00	20,00	TGU
TGA6665B	440,00	490,00	21,50	TGU
TGU6666	440,00	490,00	22,00	TGU
TGU6666BP	440,00	490,00	22,00	TGU-BP
TGA6666	440,00	490,00	22,00	TGA
TGUP6666	440,00	490,00	22,00	TGUP
TGU6675	440,00	490,00	25,00	TGU
TGA66690	440,00	490,00	28,00	TGA
TGU6678	445,00	485,00	18,00	TGU
TGA6678	446,00	486,00	16,00	TGA
TGU6680	446,00	486,00	16,50	TGU
TGA6683	450,00	480,00	20,00	TGA
TGU6685	450,00	490,00	18,00	TGU
TGA6687	450,00	494,00	20,00	TGA
TGA6690	450,00	500,00	20,00	TGA
TGU6690	450,00	500,00	20,00	TGU
TGU6700	450,00	500,00	22,00	TGU
TGA6700	450,00	500,00	22,00	TGA
TGU6700	450,00	500,00	22,00	TGUP
TGU6710	450,00	500,00	25,00	TGU
TGU6714	454,00	504,00	21,00	TGU
TGA6715A	454,00	504,80	21,00	TGA

Code	B	A	H	type
TGU6715BP	454,02	504,20	20,62	TGU-BP
TGA6716	455,00	505,00	22,00	TGA
TGUP6720	460,00	500,00	16,00	TGUP
TGU6719	460,00	510,00	21,50	TGU
TGR6720	460,00	510,00	22,00	TGR
TGU6720	460,00	510,00	22,00	TGU
TGA6720	460,00	510,00	22,00	TGA
TGU6725	460,00	510,00	25,00	TGU
TGU6734	461,50	540,00	31,00	TGU
TGU6734C	468,00	532,00	20,00	TGU
TGA6734	469,90	520,70	22,22	TGA
TGA6734D	470,00	510,00	18,00	TGA
TGU6740	470,00	520,00	25,00	TGU
TGU6748	480,00	520,00	18,00	TGU
TGU6750	480,00	520,00	20,00	TGU
TGA6760	480,00	530,00	22,00	TGA
TGU6760BP	480,00	530,00	22,00	TGU-BP
TGU6760	480,00	530,00	22,00	TGU
TGU6760BP	480,00	530,00	22,00	TGA-BP
TGU6765	480,00	530,00	25,00	TGU
TGA6765	480,00	530,00	25,00	TGA
TGU6770	480,00	550,00	25,00	TGU
TGU6776	485,00	535,00	22,00	TGU
TGA6776R	490,00	530,00	20,00	TGA
TGU6780	495,00	545,00	22,00	TGU
TGU6785	500,00	540,00	10,00	TGU
TGU6800	500,00	540,00	20,00	TGU
TGU6800BP	500,00	540,00	20,00	TGU-BP
TGA6800	500,00	540,00	20,00	TGA
TGU6807	500,00	540,00	22,00	TGUP
TGA6805	500,00	544,00	20,00	TGA
TGU6806	500,00	550,00	20,00	TGU
TGU6808	500,00	550,00	22,00	TGU
TGA6808	500,00	550,00	22,00	TGA
TGU6820	500,00	564,00	25,00	TGU
TGU6843BP	510,00	560,00	22,00	TGU-BP
TGA6844	510,00	560,00	22,50	TGA
TGU6845BP	515,00	555,00	20,00	TGU-BP
TGA6845	515,00	555,00	20,00	TGA
TGA6850	515,00	565,00	22,00	TGA
TGU6865	520,00	560,00	18,00	TGU
TGU6870	520,00	560,00	20,00	TGU

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

TEXTILE RUBBER OIL SEALS

Technical description at page 18

Code	B	A	H	type
TGA6872	520,00	564,00	20,00	TGA
TGU6873	520,00	570,00	22,00	TGU
TGA6873	520,00	570,00	22,00	TGA
TGU6890	520,70	571,50	25,40	TGU
TGU6895	525,00	575,00	22,00	TGU
TGR6903	530,00	580,00	20,00	TGR
TGU6905	530,00	580,00	22,00	TGU
TGA6905	530,00	580,00	22,00	TGA
TGU6910	530,00	580,00	22,30	TGU
TGA6918	530,00	580,00	24,50	TGA
TGU6920	530,00	580,00	25,00	TGU
TGU6925	530,00	620,00	22,00 / 32,00	TGU
TGR6930	533,40	584,20	22,22	TGR
TGU6930	533,40	584,20	22,22	TGU
TGU6940	535,00	585,00	22,00	TGU
TGU6952	540,00	584,00	20,00	TGU
TGA6960	540,00	590,00	22,00	TGA
TGU6960	540,00	590,00	22,00	TGU
TGA6961	540,00	590,00	22,60	TGA
TGA6962	540,00	590,00	25,00	TGA
TGA6964	540,00	590,00	27,50	TGA
TGU6970	540,00	590,00	30,00	TGU
TGA6975	545,00	596,90	19,05	TGA
TGA6980	550,00	600,00	22,00	TGA
TGU6980	550,00	600,00	22,30	TGU
TGA6987	555,00	605,00	22,00	TGA
TGU6990	558,80	596,92	19,05	TGU
TGU7000	558,80	609,60	22,22	TGU
TGA7005	560,00	603,00	20,00	TGA
TGU7006	560,00	604,00	20,00	TGU
TGA7006	560,00	604,00	20,00	TGA
TGU7010	560,00	610,00	20,00	TGU
TGU7015	560,00	610,00	22,30	TGU
TGU7020	560,00	610,00	25,00	TGU
TGA7023	565,00	615,00	22,00	TGA
TGU7023	565,00	615,00	22,00	TGU
TGU7025	570,00	616,00	19,00	TGU
TGA7028	570,00	620,00	22,00	TGA
TGU7028	570,00	620,00	22,00	TGU
TGA7029/1	570,00	620,00	22,60	TGA/1
TGU7030	570,00	620,00	25,00	TGU
TGA7037	574,00	610,00	16,00	TGA

Code	B	A	H	type
TGU7040	575,00	625,00	22,00	TGU
TGU7050BP	580,00	630,00	22,00	TGU-BP
TGU7050	580,00	630,00	22,00	TGU
TGA7050	580,00	630,00	22,00	TGA
TGU7065	586,00	646,00	22,00	TGU
TGA7080	590,00	640,00	22,00	TGA
TGU7100BP	590,50	641,35	20,62	TGU-BP
TGU7100	590,50	641,35	20,62	TGU
TGA7106	600,00	640,00	18,00	TGA
TGA7108	600,00	640,00	20,00	TGA
TGU7110BP	600,00	644,00	20,00	TGU-BP
TGU7120	600,00	650,00	22,00	TGU
TGA7123	606,81	644,91	22,22	TGA
TGU7128L	610,00	650,00	22,00	TGU
TGU7130	610,00	674,00	25,00	TGU
TGA7130	614,00	658,00	20,00	TGA
TGA7136	615,00	665,00	20,50	TGA
TGA7138	615,95	666,75	22,00	TGA
TGU7145BP	618,00	682,00	25,00	TGU-BP
TGU7147	619,10	671,50	19,05	TGU
TGA7150	620,00	670,00	22,00	TGA
TGU7150	620,00	670,00	22,00	TGU
TGU7165	620,00	684,00	25,00	TGU
TGA7165	620,00	684,00	25,00	TGA
TGU7166	625,00	689,00	25,00	TGU
TGU7171	630,00	690,00	30,00	TGU
TGU7172	630,00	694,00	25,00	TGU
TGA7172	630,00	694,00	25,00	TGA
TGU7180	635,00	705,00	30,00	TGU
TGA7185	640,00	680,00	20,00	TGA
TGU7190BP	640,00	704,00	25,00	TGU-BP
TGU7200	650,00	690,00	18,00	TGU
TGU7204	650,00	690,00	20,00	TGU
TGA7210	650,00	700,00	22,00	TGA
TGR7210	650,00	700,00	22,00	TGR
TGA7213	650,00	714,00	25,00	TGA
TGA7214	657,22	711,20	22,22	TGA
TGA7215	660,00	700,00	18,00	TGA
TGU7219	660,00	700,00	20,00	TGU
TGUP7220	660,00	704,00	20,00	TGUP
TGU7230	660,00	724,00	25,00	TGU
TGU7233BP	660,30	711,20	25,40	TGU-BP

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

TEXTILE RUBBER OIL SEALS

Technical description at page 18

Code	B	A	H	type
TGA7358	665,00	715,00	22,00	TGA
TGU7234	665,00	729,00	25,00	TGU
TGA7237	670,00	714,00	22,00	TGA
TGU7240	670,00	734,00	25,00	TGU
TGA7240	670,00	734,00	25,00	TGA
TGA7252	676,00	740,00	28,00	TGA
TGU7254	680,00	730,00	20,00	TGU
TGU7280	685,00	749,00	25,00	TGU
TGU7283	690,00	740,00	22,00	TGU
TGU7284	690,00	740,00	25,00	TGU
TGA7295	700,00	750,00	25,00	TGA
TGU7295BP	700,00	750,00	25,00	TGU-BP
TGU7300	700,00	760,00	30,00	TGU
TGA7310	700,00	764,00	25,00	TGA
TGU7310	700,00	764,00	25,00	TGU
TGA7327	710,00	760,00	22,00	TGA
TGU7330	710,00	770,00	30,00	TGU
TGU7340	710,00	774,00	25,00	TGU
TGA7340	710,00	774,00	25,00	TGA
TGA7359L	720,00	768,00	25,00	TGA
TGA7360	720,00	780,00	25,00	TGA
TGU7361	720,00	784,00	25,00	TGU
TGA7362	724,00	775,00	22,00	TGA
TGR7368	730,00	780,00	20,00	TGR
TGU7369	730,00	780,00	22,00	TGU
TGA7370	730,00	794,00	25,00	TGA
TGU7370	730,00	794,00	25,00	TGU
TGA7370	730,00	794,00	25,00	TGA
TGU7390	735,00	799,00	25,00	TGU
TGR7390	735,00	799,00	25,00	TGR
TGU7400	736,00	800,00	25,00	TGU
TGA7418	740,00	780,00	16,50	TGA
TGU7420	740,00	785,00	18,00	TGU
TGU7440	744,00	808,00	25,00	TGU
TGU7455	750,00	810,00	25,00	TGU
TGU7460	750,00	810,00	30,00	TGU
TGA7480	750,00	814,00	25,00	TGA
TGU7480	750,00	814,00	25,00	TGU
TGU7480ZBP	750,00	814,00	25,40	TGU-BP
TGA7481	750,00	814,00	28,00	TGA
TGU7483	750,00	840,00	25,00	TGU
TGU7485BP	751,00	814,00	25,40	TGU-BP

Code	B	A	H	type
TGA7493	760,00	804,00	20,00	TGA
TGU7500	760,00	820,00	30,00	TGU
TGU7506BP	760,00	824,00	25,00	TGU-BP
TGA7515BP	762,00	819,15	22,22	TGA-BP
TGU7520	762,00	825,50	25,40	TGU
TGU7520PB	762,00	825,50	25,40	TGU-BP
TGU7523	770,00	834,00	25,00	TGU
TGU7525	773,70	825,50	23,01	TGU
TGU7540TE	774,70	825,50	23,01	TGU-TE
TGA7541	775,00	825,00	25,00	TGA
TGA7542	775,00	839,00	25,00	TGA
TGR7450	780,00	830,00	20,00	TGR
TGA7546	780,00	830,00	22,00	TGA
TGA7550	780,00	844,00	25,00	TGU
TGU7550-1	780,00	844,00	25,00	TGU/1
TGU7550	780,00	844,00	25,00	TGU
TGU7570	787,40	838,20	23,00	TGU
TGA7573	790,00	834,00	25,00	TGA
TGU7574AATE	790,00	840,00	22,00	TGU-TE
TGU7575	790,00	850,00	30,00	TGU
TGA7570	790,00	854,00	25,00	TGA
TGU7580	793,75	844,55	19,05	TGU
TGU7600	800,00	860,00	30,00	TGU
TGR7500	800,00	864,00	21,60	TGR
TGA7630	800,00	864,00	25,00	TGA
TGU7635	800,00	865,00	25,00	TGU
TGU7650	810,00	860,00	25,00	TGU
TGU7667	810,00	874,00	22,00	TGU
TGA7670	810,00	874,00	25,00	TGA
TGU7670-1	810,00	874,00	25,00	TGU/1
TGA7677	820,00	870,00	25,00	TGA
TGU7679	820,00	884,00	25,00	TGU
TGA7679	820,00	884,00	25,00	TGA
TGU7679D	820,00	884,00	28,00	TGU
TGU7700	825,50	876,30	22,22	TGU
TGU7710	825,50	876,30	25,40	TGU
TGU7720	830,00	894,00	25,00	TGU
TGA7720	830,00	894,00	25,00	TGA
TGR7725	830,00	894,00	28,00	TGR
TGU7730	838,20	889,00	23,00	TGU
TGA7740	840,00	880,00	18,00	TGA
TGU7750	840,00	904,00	25,00	TGU

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

TEXTILE RUBBER OIL SEALS

Technical description at page 18

Code	B	A	H	type
TGU7750BP	840,00	904,00	25,00	TGU-BP
TGU7752BP	840,20	890,25	22,22	TGU-BP
TGUP7775	850,00	890,00	20,00	TGUP
TGU7770	850,00	900,00	22,00	TGU
TGU7777	850,00	904,00	25,00	TGU
TGUP7790	850,00	910,00	30,00	TGUP
TGU7790	850,00	910,00	30,00	TGU
TGU7802	850,00	914,00	25,00	TGU
TGA7802	850,00	914,00	25,00	TGA
TGA7804	860,00	920,00	22,00	TGA
TGU7806BP	860,00	924,00	25,00	TGU-BP
TGA7806	860,00	924,00	25,00	TGA
TGU7806	860,00	925,00	25,00	TGU
TGU7807	860,00	950,00	32,00	TGU
TGU7809	870,00	934,00	25,00	TGU
TGU7810	873,12	936,62	31,75	TGU
TGA7812	880,00	944,00	25,00	TGA
TGA7825	880,00	944,00	25,40	TGA
TGU7820TE	884,00	948,00	25,00	TGU-TE
TGA7822	890,00	930,00	18,00	TGA
TGA7824	890,00	954,00	25,00	TGA
TGA7825	900,00	960,00	30,00	TGA
TGU7825	900,00	960,00	30,00	TGU
TGU7850	900,00	964,00	32,00	TGU
TGA7860	901,70	952,50	22,22	TGA
TGA7880	910,00	974,00	25,00	TGA
TGU7880	910,00	974,00	25,00	TGU
TGU7881	910,00	974,00	25,40	TGU
TGA7887	914,40	977,90	22,22	TGA
TGU7890	920,00	984,00	25,00	TGU
TGU7895	927,10	990,60	31,75	TGU
TGR7898	930,00	980,00	22,00	TGR
TGA7898	930,00	994,00	25,00	TGA
TGU7900	933,40	984,23	22,22	TGU
	936,00	1.003,00	25,40	TGR
TGUP7927	940,00	1.000,00	25,00	TGUP
TGU7940	950,00	990,00	18,00	TGU
TGU7945	950,00	990,00	20,00	TGU
TGU7950	950,00	1.000,00	25,00	TGU
TGU7897	950,00	1.000,00	25,00	TGU
TGU7970	950,00	1.010,00	30,00	TGU
TGU7972BP	950,00	1.014,00	25,00	TGU-BP

Code	B	A	H	type
TGA7972	950,00	1.014,00	25,00	TGA
TGU7975	960,00	1.024,00	25,00	TGU
TGUP7992	965,20	1.016,00	22,22	TGUP
TGU7992	965,20	1.016,00	22,22	TGU
TGA8009	970,00	1.020,00	22,00	TGA
TGU8010	970,00	1.020,00	25,00	TGU
TGA8040	970,00	1.030,00	21,50	TGA
TGA8052	970,00	1.030,00	22,00	TGA
TGA8050	970,00	1.034,00	25,00	TGA
TGU8050	970,00	1.034,00	25,00	TGU
TGA8100	985,00	1.045,00	25,00	TGA
TGU8180	1.000,00	1.064,00	25,00	TGU
TGU8180BP	1.000,00	1.064,00	25,00	TGU-BP
TGU8200	1.014,50	1.078,20	25,40	TGU
TGU8200BP	1.014,50	1.078,20	25,40	TGU-BP
TGU8210	1.016,00	1.043,10	13,70	TGU
TGA8215	1.020,00	1.084,00	25,00	TGA
TGU8215	1.020,00	1.084,00	25,00	TGU
TGUP8225	1.040,00	1.100,00	25,00	TGUP
TGU8225	1.040,00	1.100,00	25,00	TGU
TGU8240	1.060,00	1.124,00	25,00	TGU
TGU8270BP	1.105,00	1.175,00	25,00	TGU-BP
TGU8285TE	1.110,00	1.160,00	25,00	TGU-TE
TGU8300	1.110,00	1.174,00	25,00	TGU
TGA8350	1.155,70	1.193,80	20,62	TGA
TGR9005	1.155,70	1.193,80	23,02	TGR
TGA9050	1.220,00	1.284,00	25,00	TGA
TGA9070	1.250,00	1.314,00	25,60	TGA
TGR9120	1.300,00	1.364,00	25,60	TGR
TGA9150	1.400,00	1.464,00	20,00	TGA
TGU9400	1.540,00	1.590,00	22,00	TGU
TGA9500	1.610,00	1.670,00	20,00	TGA

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'TGF'

Technical description at page 18









Code	B		A		H	type
TGF5590	175,00	x	205,00	x	15,00	TGF
TGF5650	190,00	x	220,00	x	19,00	TGF
TGF5551	215,00	x	248,00	x	15,00	TGF
TGF5818	230,00	x	260,00	x	15,00	TGF
TGF5830	235,00	x	270,00	x	16,00	TGF
TGF5855	240,00	x	270,00	x	15,00	TGF
TGF5862	240,00	x	280,00	x	16,00	TGF
TGF5880	245,00	x	275,00	x	16,00	TGF
TGFP5890	250,00	x	280,00	x	15,00	TGFP
TGF5918	254,00	x	292,10	x	15,87	TGF
TGF5920	260,00	x	290,00	x	16,00	TGF
TGF5923	260,00	x	290,00	x	19,00	TGF
TGF5930	260,00	x	310,00	x	16,00	TGF
TGFP5940	266,70	x	304,80	x	19,05	TGFP
TGF5940	275,00	x	310,00	x	15,00	TGF
TGF5950	279,40	x	317,50	x	15,87	TGF
TGF6024	280,00	x	320,00	x	20,00	TGF
TGF6060	290,00	x	330,00	x	18,00	TGF
TGF6062	290,00	x	334,00	x	20,00	TGF
TGF6062BP	290,00	x	334,00	x	20,00	TGF-BP
TGF6105	300,00	x	344,00	x	20,00	TGF
TGF6169	316,00	x	360,00	x	20,00	TGF
TGF6200	325,00	x	365,00	x	16,00	TGF
TGFP6227	330,20	x	361,95	x	25,40	TGFP
TGF6255	340,00	x	380,00	x	18,00	TGF
TGF6261	340,00	x	380,00	x	20,00	TGF
TGF6325	360,00	x	400,00	x	20,00	TGF
TGF6440	385,00	x	430,00	x	25,00	TGF
TGF6475	390,00	x	430,00	x	20,00	TGF
TGF6505	400,00	x	440,00	x	20,00	TGF
TGF6578	410,00	x	450,00	x	20,00	TGF

Code	B		A		H	type
TGF6635	430,00	x	480,00	x	22,00	TGF
TGF6665	440,00	x	490,00	x	20,00	TGF
TGFB6670	440,00	x	490,00	x	22,00	TGF-B
TGF6675	440,00	x	490,00	x	25,00	TGF
TGFBP6678	445,00	x	485,00	x	20,00	TGF-BP
TGF6710	450,00	x	500,00	x	25,00	TGF
TGF6739	480,00	x	520,00	x	20,00	TGF
TGF6740	480,00	x	530,00	x	22,00	TGF
TGFP6740	480,00	x	530,00	x	22,00	TGFP
TGF6750	482,60	x	520,70	x	19,05	TGF
TGFB6760	485,00	x	535,00	x	22,00	TGF-B
TGF6850	520,70	x	571,50	x	22,22	TGF
TGFB6900	525,00	x	575,00	x	22,00	TGF-B
TGF6972	546,10	x	596,10	x	22,22	TGF
TGFB6990	560,00	x	610,00	x	22,00	TGF-B
TGF7060	584,20	x	622,30	x	19,05	TGF
TGFB7200	650,00	x	700,00	x	20,00	TGF-B
TGFP7250	670,00	x	730,00	x	25,00	TGFP
TGF7270	685,00	x	730,00	x	25,00	TGF
TGF6417	685,00	x	764,00	x	35,00	TGF
TGF7288	690,00	x	764,00	x	35,00	TGF
TGF7330	698,50	x	749,30	x	25,40	TGF
TGF7340	710,00	x	774,00	x	25,00	TGF
TGF7410	750,00	x	810,00	x	25,00	TGF
TGFB7420	750,00	x	814,00	x	25,00	TGF-B
TGFB7500	800,00	x	864,00	x	25,00	TGF-B
TGF7690	825,50	x	874,50	x	22,22	TGF
TGF7691	850,00	x	901,70	x	25,00	TGF
TGF7807	860,00	x	950,00	x	32,00	TGF
TGF7808	865,00	x	950,00	x	35,00	TGF
TGF8000	900,00	x	960,00	x	27,00	TGF
TGFP7927	940,00	x	1.000,00	x	25,00	TGFP
TGFBP8300BP	1.222,00	x	1.272,00	x	20,00	TGF-BP
TGF8500	1.301,70	x	1.353,35	x	22,22	TGF

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

TEXTILE RUBBER OIL SEALS TYPE 'TGU-GM'

Technical description at page 20

TGU-GM



Code	*B*		*A*		*H*	*type*
TGU5731GM	209,55	x	260,35	x	20,62	TGU-GM
TGU5795GM	222,25	x	260,35	x	17,45	TGU-GM
TGU5959GM	266,70	x	298,45	x	15,87	TGU-GM
TGU6080GM	298,45	x	330,20	x	19,05	TGU-GM
TGU6484GM	395,00	x	430,00	x	18,00	TGU-GM
TGU7015GM	560,00	x	610,00	x	22,30	TGU-GM
TGU7024GM	565,15	x	615,95	x	22,22	TGU-GM
TGU7178GM	635,00	x	685,80	x	22,22	TGU-GM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'GM'

Ordered according to size

Technical description at page 21

GM



code	B		A		H	type
1204	50,80	x	76,20	x	9,53	GM
1206	50,80	x	76,20	x	12,70	GM
1480	57,15	x	79,38	x	9,53	GM
1482	57,15	x	79,38	x	12,70	GM
1492	57,15	x	82,55	x	9,53	GM
1494	57,15	x	82,55	x	12,70	GM
8276	59,54	x	81,76	x	15,88	GM
1657	60,33	x	85,09	x	9,53	GM
3207	61,75	x	86,36	x	12,70	GM
1736	61,90	x	84,12	x	9,53	GM
1735	61,93	x	82,55	x	9,53	GM
9691	63,50	x	85,73	x	9,53	GM
1819	63,50	x	88,90	x	9,53	GM
1821	63,50	x	88,90	x	12,70	GM
0710	65,00	x	84,99	x	10,01	GM
9162	65,00	x	89,99	x	9,53	GM
2617	65,07	x	87,35	x	9,53	GM
1894	65,07	x	95,28	x	9,53	GM
1939	66,68	x	88,90	x	9,53	GM
1958	66,68	x	92,08	x	9,53	GM
1844	66,68	x	92,08	x	12,70	GM
9510	68,25	x	93,65	x	9,53	GM
2057	69,85	x	95,25	x	9,53	GM
6471	69,85	x	95,25	x	12,70	GM
2044	69,85	x	95,28	x	9,53	GM
2030	69,85	x	101,60	x	12,70	GM
4765	69,98	x	89,99	x	9,53	GM
0128	72,57	x	97,97	x	9,53	GM
2118	73,03	x	95,25	x	9,53	GM
2121	73,03	x	98,43	x	9,53	GM
5127	73,03	x	104,78	x	12,70	GM
8488	74,60	x	99,21	x	12,29	GM
7596	74,60	x	100,00	x	9,53	GM
2140	74,60	x	100,00	x	12,70	GM
6351	74,60	x	100,00	x	12,70	GM
2146	74,63	x	95,25	x	9,53	GM
2946	74,63	x	103,23	x	12,70	GM

code	B		A		H	type
2966	75,01	x	100,00	x	9,53	GM
2105	75,01	x	107,01	x	12,50	GM
2331	75,01	x	107,01	x	12,70	GM
4442	75,62	x	100,56	x	12,70	GM
2173	76,20	x	98,43	x	12,70	GM
2171	76,20	x	98,45	x	9,53	GM
5023	76,20	x	101,60	x	9,53	GM
2565	76,20	x	101,60	x	10,31	GM
4557	76,20	x	101,60	x	12,70	GM
2174	76,20	x	101,68	x	9,53	GM
2176	76,20	x	101,68	x	12,70	GM
6868	76,20	x	104,78	x	9,53	GM
2177	76,20	x	104,78	x	12,70	GM
4804	76,20	x	107,95	x	12,70	GM
9724	76,20	x	107,95	x	15,88	GM
9649	76,20	x	111,13	x	9,53	GM
2183	76,20	x	111,13	x	12,70	GM
2186	76,20	x	114,30	x	12,70	GM
2200	77,80	x	103,20	x	12,70	GM
7144	78,00	x	103,40	x	12,70	GM
4954	78,00	x	116,10	x	12,70	GM
5209	79,38	x	101,60	x	12,70	GM
3172	79,38	x	101,80	x	9,53	GM
2225	79,38	x	104,78	x	12,70	GM
2228	79,38	x	107,92	x	12,70	GM
6862	79,38	x	107,95	x	9,53	GM
5025	79,38	x	107,95	x	12,70	GM
7682	79,38	x	107,95	x	15,88	GM
2231	79,38	x	111,13	x	12,70	GM
2234	79,38	x	114,30	x	12,70	GM
1033	80,01	x	100,00	x	10,01	GM
7426	80,01	x	110,01	x	11,99	GM
1998	80,01	x	110,01	x	12,70	GM
9704	80,44	x	105,84	x	12,70	GM
7656	80,95	x	106,35	x	9,53	GM
4948	80,95	x	106,35	x	12,70	GM
2252	80,95	x	111,13	x	12,70	GM
0521	80,95	x	112,70	x	9,53	GM
2255	80,98	x	114,30	x	12,70	GM
8586	81,43	x	107,95	x	12,70	GM
9830	81,74	x	113,49	x	12,70	GM
1986	81,99	x	104,19	x	9,53	GM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'GM'

Ordered according to size

Technical description at page 21

code	B		A		H	type
1590	81,99	x	114,00	x	12,70	GM
5426	82,55	x	104,78	x	12,70	GM
1586	82,55	x	107,32	x	9,53	GM
8233	82,55	x	107,92	x	9,53	GM
2270	82,55	x	107,92	x	12,70	GM
6356	82,55	x	107,95	x	9,53	GM
7374	82,55	x	107,95	x	12,70	GM
2272	82,55	x	107,95	x	15,88	GM
2273	82,55	x	111,13	x	12,70	GM
2276	82,55	x	114,30	x	12,70	GM
1778	82,55	x	115,39	x	12,70	GM
2279	82,55	x	117,48	x	12,70	GM
2282	82,55	x	120,65	x	12,70	GM
5682	83,31	x	108,71	x	9,53	GM
7591	84,12	x	109,52	x	9,53	GM
7841	84,12	x	109,52	x	12,70	GM
2300	84,15	x	114,30	x	12,70	GM
8693	84,91	x	110,31	x	9,53	GM
6752	84,91	x	110,31	x	12,70	GM
2214	84,99	x	110,01	x	11,99	GM
2137	84,99	x	110,01	x	12,50	GM
5650	84,99	x	110,01	x	12,70	GM
7394	84,99	x	119,99	x	11,99	GM
7642	85,73	x	107,95	x	12,70	GM
9056	85,73	x	111,13	x	9,53	GM
2321	85,73	x	111,13	x	12,70	GM
9614	85,73	x	114,30	x	9,53	GM
2324	85,73	x	114,30	x	12,70	GM
9954	85,73	x	117,48	x	9,53	GM
2327	85,73	x	117,48	x	12,70	GM
2330	85,73	x	120,65	x	12,70	GM
2333	85,73	x	123,83	x	12,70	GM
7075	87,30	x	112,70	x	9,53	GM
6355	87,30	x	112,70	x	12,70	GM
2348	87,30	x	117,48	x	12,70	GM
6357	87,30	x	119,05	x	12,70	GM
9944	87,30	x	125,40	x	12,70	GM
4710	87,30	x	127,00	x	12,70	GM
2965	87,33	x	113,28	x	12,70	GM
0823	87,33	x	115,87	x	9,53	GM
1772	87,99	x	110,01	x	12,70	GM
1768	88,01	x	120,12	x	12,70	GM

code	B		A		H	type
9015	88,11	x	114,30	x	12,70	GM
7468	88,11	x	114,30	x	15,88	GM
4686	88,27	x	114,30	x	9,53	GM
2364	88,90	x	111,13	x	9,53	GM
6285	88,90	x	111,13	x	12,70	GM
1444	88,90	x	113,67	x	12,70	GM
6358	88,90	x	114,30	x	9,53	GM
2366	88,90	x	114,30	x	12,70	GM
5122	88,90	x	117,48	x	9,53	GM
7578	88,90	x	120,65	x	9,53	GM
2372	88,90	x	120,65	x	12,70	GM
1034	88,90	x	122,22	x	12,70	GM
4745	88,90	x	126,97	x	9,53	GM
7253	88,90	x	127,00	x	12,70	GM
5100	89,97	x	115,37	x	9,53	GM
8803	89,99	x	114,99	x	12,47	GM
4846	89,99	x	114,99	x	12,70	GM
9963	89,99	x	115,01	x	11,99	GM
7839	89,99	x	119,99	x	11,99	GM
8429	89,99	x	119,99	x	12,70	GM
1988	90,47	x	115,87	x	9,53	GM
2396	90,47	x	120,65	x	12,70	GM
5933	90,47	x	122,22	x	12,70	GM
5051	90,50	x	115,90	x	12,70	GM
5313	92,08	x	114,30	x	12,70	GM
1515	92,08	x	117,07	x	12,50	GM
6359	92,08	x	117,48	x	9,53	GM
2417	92,08	x	117,48	x	12,70	GM
0692	92,08	x	120,65	x	9,53	GM
2420	92,08	x	120,65	x	12,70	GM
4864	92,08	x	123,83	x	9,53	GM
2423	92,08	x	123,83	x	12,70	GM
2426	92,08	x	126,97	x	12,70	GM
2415	92,08	x	127,00	x	12,70	GM
2429	92,08	x	130,18	x	12,70	GM
1901	93,50	x	118,90	x	12,70	GM
2095	93,50	x	127,00	x	12,70	GM
8639	93,65	x	119,05	x	9,53	GM
9104	93,65	x	119,05	x	12,70	GM
2444	93,65	x	123,83	x	12,70	GM
8159	93,65	x	125,40	x	12,70	GM
2447	93,65	x	126,97	x	12,70	GM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'GM'

Ordered according to size

Technical description at page 21

code	B		A		H	type
5097	93,68	x	127,00	x	12,70	GM
9547	94,28	x	119,68	x	12,70	GM
4742	94,46	x	129,39	x	12,70	GM
1041	94,49	x	119,89	x	12,70	GM
9190	95,00	x	119,99	x	11,99	GM
1110	95,00	x	120,40	x	9,53	GM
6896	95,00	x	120,40	x	12,70	GM
1010	95,00	x	124,99	x	11,99	GM
7464	95,00	x	126,75	x	12,70	GM
6250	95,02	x	133,10	x	12,70	GM
9174	95,25	x	117,48	x	9,53	GM
1713	95,25	x	120,19	x	10,29	GM
7389	95,25	x	120,65	x	9,53	GM
2462	95,25	x	120,65	x	12,70	GM
6619	95,25	x	123,83	x	9,53	GM
2465	95,25	x	123,83	x	12,70	GM
2468	95,25	x	126,97	x	12,70	GM
9089	95,25	x	127,00	x	9,53	GM
5079	95,25	x	127,00	x	12,70	GM
2016	95,25	x	128,57	x	9,53	GM
2471	95,25	x	130,18	x	12,70	GM
2474	95,25	x	133,35	x	12,70	GM
6464	96,82	x	122,22	x	12,70	GM
2486	96,82	x	126,97	x	12,70	GM
9817	96,82	x	134,92	x	12,70	GM
2495	96,82	x	136,53	x	12,70	GM
7746	98,43	x	120,65	x	9,53	GM
2501	98,43	x	123,83	x	12,70	GM
9298	98,43	x	127,00	x	9,53	GM
4772	98,43	x	127,00	x	12,70	GM
4426	98,43	x	128,57	x	9,53	GM
2507	98,43	x	130,18	x	12,70	GM
2510	98,43	x	133,35	x	12,70	GM
2513	98,43	x	136,53	x	12,70	GM
2259	98,98	x	123,85	x	12,70	GM
1317	99,06	x	132,08	x	12,70	GM
2294	99,47	x	132,94	x	12,70	GM
9487	99,62	x	125,02	x	12,70	GM
4747	99,90	x	125,30	x	12,70	GM
9284	100,00	x	119,99	x	12,70	GM
7036	100,00	x	122,22	x	9,53	GM
8483	100,00	x	124,61	x	12,29	GM

code	B		A		H	type
1875	100,00	x	124,99	x	12,50	GM
3248	100,00	x	124,99	x	12,70	GM
6709	100,00	x	125,40	x	9,53	GM
4817	100,00	x	125,40	x	12,70	GM
9646	100,00	x	128,57	x	9,53	GM
6111	100,00	x	128,57	x	12,70	GM
1979	100,00	x	130,00	x	11,99	GM
7979	100,00	x	130,00	x	12,70	GM
5444	100,00	x	131,75	x	9,53	GM
4776	100,00	x	131,75	x	12,70	GM
2525	100,00	x	133,35	x	12,70	GM
6205	100,00	x	134,92	x	12,70	GM
7416	100,00	x	138,10	x	12,70	GM
0811	100,03	x	124,99	x	10,01	GM
3229	100,03	x	130,00	x	9,53	GM
1239	100,33	x	125,73	x	12,70	GM
2554	101,60	x	123,83	x	12,70	GM
2537	101,60	x	126,97	x	12,70	GM
6360	101,60	x	127,00	x	9,53	GM
4651	101,60	x	127,00	x	12,70	GM
9741	101,60	x	127,79	x	9,53	GM
9824	101,60	x	127,79	x	12,70	GM
8957	101,60	x	130,18	x	9,53	GM
2540	101,60	x	130,18	x	12,70	GM
9648	101,60	x	130,33	x	9,53	GM
2543	101,60	x	133,35	x	12,70	GM
6409	101,60	x	133,73	x	12,70	GM
2546	101,60	x	136,53	x	12,70	GM
2549	101,60	x	139,70	x	12,70	GM
2573	103,17	x	133,35	x	12,70	GM
7123	103,20	x	128,57	x	12,70	GM
6616	103,20	x	134,92	x	12,70	GM
6870	104,78	x	127,00	x	12,70	GM
6625	104,78	x	130,18	x	9,53	GM
2600	104,78	x	130,18	x	12,70	GM
9060	104,78	x	133,35	x	9,53	GM
9877	104,78	x	133,35	x	10,34	GM
2603	104,78	x	133,35	x	12,70	GM
2606	104,78	x	136,53	x	12,70	GM
2608	104,78	x	136,53	x	15,88	GM
2609	104,78	x	139,70	x	12,70	GM
2612	104,78	x	142,88	x	12,70	GM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'GM'

Ordered according to size

Technical description at page 21

code	B		A		H	type
4847	104,98	x	129,79	x	11,99	GM
8768	104,98	x	130,00	x	11,99	GM
2000	105,00	x	130,00	x	12,70	GM
6052	105,00	x	130,00	x	13,00	GM
5763	105,00	x	135,00	x	12,70	GM
0866	105,00	x	140,00	x	11,99	GM
9950	105,56	x	137,31	x	12,70	GM
4758	106,35	x	131,75	x	9,53	GM
2355	106,35	x	134,92	x	12,70	GM
2633	106,35	x	136,53	x	12,70	GM
6783	106,35	x	138,10	x	12,70	GM
5190	106,35	x	144,45	x	9,53	GM
2642	106,35	x	146,05	x	12,70	GM
2641	106,38	x	131,78	x	12,70	GM
2636	106,38	x	139,70	x	12,70	GM
2578	107,95	x	128,57	x	9,53	GM
7590	107,95	x	133,35	x	9,53	GM
2657	107,95	x	133,35	x	12,70	GM
6361	107,95	x	136,53	x	10,31	GM
2660	107,95	x	136,53	x	12,70	GM
2663	107,95	x	139,70	x	12,70	GM
2666	107,95	x	142,88	x	12,70	GM
2669	107,95	x	146,05	x	12,70	GM
0992	109,09	x	134,49	x	9,53	GM
3012	109,45	x	135,84	x	9,53	GM
5075	109,47	x	134,62	x	12,07	GM
7595	109,50	x	135,41	x	12,70	GM
6851	109,52	x	131,75	x	9,53	GM
9862	109,52	x	134,92	x	9,53	GM
9143	109,52	x	134,92	x	12,70	GM
0736	109,52	x	138,10	x	12,70	GM
2689	109,52	x	139,70	x	15,88	GM
2690	109,52	x	142,88	x	12,70	GM
2687	109,55	x	139,70	x	12,70	GM
9761	109,75	x	131,95	x	12,70	GM
6957	109,93	x	132,16	x	9,53	GM
2626	110,01	x	135,00	x	12,70	GM
0977	110,01	x	135,41	x	12,70	GM
7396	110,01	x	140,00	x	11,99	GM
9567	110,01	x	140,00	x	12,70	GM
6820	110,01	x	148,11	x	12,70	GM
6992	110,01	x	149,99	x	15,88	GM

code	B		A		H	type
5716	110,31	x	135,69	x	9,53	GM
3159	111,13	x	133,35	x	9,53	GM
9204	111,13	x	136,53	x	9,53	GM
2708	111,13	x	136,53	x	12,70	GM
2711	111,13	x	139,70	x	12,70	GM
2714	111,13	x	142,88	x	12,70	GM
2717	111,13	x	146,05	x	12,70	GM
2719	111,13	x	146,05	x	15,88	GM
6919	111,13	x	149,23	x	9,53	GM
2720	111,13	x	149,23	x	12,70	GM
4705	112,70	x	138,10	x	9,53	GM
6362	112,70	x	138,10	x	12,70	GM
4820	112,70	x	141,27	x	12,70	GM
6410	112,70	x	144,45	x	12,70	GM
8444	112,70	x	144,45	x	15,88	GM
2738	112,70	x	146,05	x	12,70	GM
7821	112,70	x	147,62	x	12,70	GM
9085	112,70	x	150,80	x	12,70	GM
9600	112,70	x	152,40	x	15,09	GM
2735	112,73	x	142,88	x	12,70	GM
2744	112,73	x	152,40	x	12,70	GM
0408	113,00	x	138,99	x	9,53	GM
9672	113,03	x	144,58	x	12,70	GM
5003	113,67	x	139,70	x	12,70	GM
6015	114,30	x	136,53	x	12,70	GM
6363	114,30	x	139,70	x	9,53	GM
2753	114,30	x	139,70	x	12,70	GM
6587	114,30	x	140,00	x	9,53	GM
7205	114,30	x	142,88	x	9,53	GM
2756	114,30	x	142,88	x	12,70	GM
1277	114,30	x	144,45	x	12,70	GM
1625	114,30	x	144,48	x	15,88	GM
4771	114,30	x	146,05	x	9,53	GM
2763	114,30	x	146,05	x	9,53	GM
2759	114,30	x	146,05	x	12,70	GM
2762	114,30	x	149,23	x	12,70	GM
9132	114,30	x	152,40	x	9,53	GM
2765	114,30	x	152,40	x	12,70	GM
7271	115,01	x	140,00	x	11,99	GM
6748	115,09	x	140,49	x	12,70	GM
9842	115,87	x	138,10	x	9,53	GM
4939	115,87	x	141,27	x	9,53	GM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'GM'

Ordered according to size

Technical description at page 21

code	B		A		H	type
4796	115,87	x	144,45	x	12,70	GM
8455	115,87	x	147,62	x	12,70	GM
0688	115,87	x	153,97	x	12,70	GM
4459	115,90	x	138,10	x	12,70	GM
2780	115,90	x	146,05	x	12,70	GM
6544	117,48	x	142,88	x	9,53	GM
2798	117,48	x	142,88	x	12,70	GM
2801	117,48	x	146,05	x	12,70	GM
2804	117,48	x	149,23	x	12,70	GM
2807	117,48	x	152,40	x	12,70	GM
2810	117,48	x	155,58	x	12,70	GM
6084	118,26	x	153,19	x	12,70	GM
6525	119,05	x	144,45	x	12,70	GM
6364	119,05	x	147,62	x	12,70	GM
2822	119,05	x	149,23	x	12,70	GM
5058	119,05	x	150,80	x	12,70	GM
2634	119,99	x	144,98	x	12,70	GM
5118	119,99	x	149,99	x	12,70	GM
7376	119,99	x	150,11	x	11,99	GM
1303	119,99	x	154,97	x	12,70	GM
7836	119,99	x	159,99	x	11,99	GM
7587	120,24	x	151,99	x	12,70	GM
5443	120,65	x	142,88	x	12,70	GM
5495	120,65	x	142,88	x	15,88	GM
6213	120,65	x	146,05	x	9,53	GM
2837	120,65	x	146,05	x	12,70	GM
2840	120,65	x	149,23	x	12,70	GM
9839	120,65	x	150,80	x	12,70	GM
7795	120,65	x	152,40	x	9,53	GM
2843	120,65	x	152,40	x	12,70	GM
2846	120,65	x	155,58	x	12,70	GM
2849	120,65	x	158,75	x	12,70	GM
4934	120,65	x	158,75	x	19,05	GM
4759	122,22	x	146,05	x	12,70	GM
8402	122,22	x	147,62	x	9,53	GM
6491	122,22	x	147,62	x	12,70	GM
7857	122,22	x	150,80	x	9,53	GM
2858	122,22	x	152,40	x	12,70	GM
2861	122,22	x	155,58	x	12,70	GM
1248	122,25	x	152,58	x	9,53	GM
4536	122,25	x	160,35	x	12,70	GM
1007	123,60	x	149,23	x	12,70	GM

code	B		A		H	type
5166	123,83	x	149,23	x	9,53	GM
2870	123,83	x	149,23	x	12,70	GM
2873	123,83	x	152,40	x	12,70	GM
2875	123,83	x	152,40	x	15,88	GM
3143	123,83	x	153,97	x	12,70	GM
2876	123,83	x	155,58	x	12,70	GM
2878	123,83	x	155,58	x	15,88	GM
2879	123,83	x	158,75	x	12,70	GM
2882	123,83	x	161,93	x	12,70	GM
2024	124,71	x	150,11	x	12,70	GM
2887	124,99	x	150,01	x	11,99	GM
1259	124,99	x	150,01	x	15,01	GM
2293	124,99	x	159,99	x	13,00	GM
5459	125,02	x	150,42	x	12,70	GM
5377	125,02	x	154,00	x	12,37	GM
6754	125,40	x	150,80	x	9,53	GM
6561	125,40	x	150,80	x	12,70	GM
9791	125,40	x	153,97	x	12,70	GM
5138	125,40	x	157,15	x	12,70	GM
7867	125,40	x	163,50	x	12,70	GM
6178	125,40	x	163,50	x	19,05	GM
2977	125,43	x	146,05	x	12,70	GM
2897	125,43	x	155,58	x	12,70	GM
2900	125,43	x	158,75	x	12,70	GM
9268	126,59	x	158,34	x	12,70	GM
2518	126,67	x	152,40	x	12,70	GM
9702	127,00	x	149,23	x	9,53	GM
2974	127,00	x	149,23	x	12,70	GM
6365	127,00	x	152,40	x	9,53	GM
2915	127,00	x	152,40	x	12,70	GM
2918	127,00	x	155,58	x	12,70	GM
2921	127,00	x	158,75	x	12,70	GM
2923	127,00	x	158,75	x	15,88	GM
2924	127,00	x	161,93	x	12,70	GM
2926	127,00	x	161,93	x	15,88	GM
9483	127,00	x	161,93	x	19,05	GM
6453	127,00	x	165,10	x	9,53	GM
2927	127,00	x	165,10	x	12,70	GM
6939	127,00	x	165,10	x	19,05	GM
0419	128,52	x	150,72	x	9,53	GM
6485	128,57	x	153,97	x	12,70	GM
1229	129,39	x	167,28	x	12,29	GM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'GM'

Ordered according to size

Technical description at page 21

code	B		A		H	type
0581	129,49	x	167,59	x	12,70	GM
5490	129,92	x	155,32	x	12,70	GM
0926	129,92	x	155,40	x	9,53	GM
5797	130,00	x	152,20	x	9,53	GM
0815	130,00	x	152,22	x	12,70	GM
5388	130,00	x	155,40	x	12,70	GM
5367	130,00	x	158,98	x	11,99	GM
1002	130,00	x	159,00	x	12,40	GM
4656	130,00	x	159,99	x	11,99	GM
7221	130,00	x	159,99	x	12,98	GM
2988	130,00	x	159,99	x	15,01	GM
0956	130,00	x	168,00	x	16,00	GM
2274	130,18	x	152,40	x	12,70	GM
5189	130,18	x	155,58	x	9,53	GM
2990	130,18	x	155,58	x	12,70	GM
2993	130,18	x	158,75	x	12,70	GM
2996	130,18	x	161,93	x	12,70	GM
2998	130,18	x	161,93	x	15,88	GM
2999	130,18	x	165,10	x	12,70	GM
3001	130,18	x	165,10	x	15,88	GM
9541	130,18	x	168,28	x	12,29	GM
8137	130,18	x	168,28	x	19,05	GM
1779	131,09	x	164,47	x	12,70	GM
4660	131,75	x	157,15	x	12,70	GM
8215	131,75	x	163,50	x	12,70	GM
6136	131,75	x	163,50	x	15,88	GM
3032	131,75	x	165,10	x	12,70	GM
3029	131,78	x	161,93	x	12,70	GM
5516	132,16	x	160,32	x	12,70	GM
6579	132,72	x	158,12	x	12,70	GM
3163	132,72	x	165,43	x	15,88	GM
3059	133,35	x	158,75	x	12,70	GM
8657	133,35	x	158,75	x	19,05	GM
3062	133,35	x	161,93	x	12,70	GM
5697	133,35	x	163,50	x	9,53	GM
5696	133,35	x	163,50	x	12,70	GM
3065	133,35	x	165,10	x	12,70	GM
3067	133,35	x	165,10	x	15,88	GM
4733	133,35	x	166,67	x	19,05	GM
3068	133,35	x	168,28	x	12,70	GM
3071	133,35	x	171,45	x	12,70	GM
3073	133,35	x	171,45	x	15,88	GM

code	B		A		H	type
6366	133,35	x	171,45	x	19,05	GM
5717	134,11	x	159,51	x	12,70	GM
3090	134,67	x	160,07	x	12,70	GM
2022	134,75	x	160,15	x	12,70	GM
7132	134,92	x	160,32	x	12,70	GM
3095	134,92	x	165,10	x	12,70	GM
5092	134,92	x	166,67	x	15,88	GM
4786	134,92	x	167,08	x	12,70	GM
3098	134,92	x	168,28	x	12,70	GM
4425	134,92	x	169,85	x	15,88	GM
5931	134,92	x	173,02	x	12,70	GM
5511	135,00	x	159,99	x	12,70	GM
5378	135,00	x	163,98	x	12,37	GM
9175	135,00	x	170,00	x	11,99	GM
2572	135,00	x	170,00	x	12,70	GM
3118	135,00	x	170,00	x	15,01	GM
6622	136,53	x	161,93	x	9,53	GM
3122	136,53	x	161,93	x	12,70	GM
3125	136,53	x	165,10	x	12,70	GM
3127	136,53	x	165,10	x	15,88	GM
4451	136,53	x	165,10	x	19,05	GM
3128	136,53	x	168,28	x	12,70	GM
3130	136,53	x	168,28	x	15,88	GM
3131	136,53	x	171,45	x	12,70	GM
3134	136,53	x	174,63	x	12,70	GM
7124	136,53	x	174,63	x	19,05	GM
1089	137,54	x	173,10	x	12,70	GM
4841	137,67	x	168,28	x	12,70	GM
4750	138,10	x	163,50	x	12,70	GM
6367	138,10	x	169,85	x	15,88	GM
3155	138,10	x	171,45	x	12,70	GM
3157	138,10	x	171,45	x	15,88	GM
8575	138,10	x	176,20	x	15,88	GM
3152	138,13	x	168,28	x	12,70	GM
1777	138,13	x	171,45	x	19,05	GM
3176	139,70	x	165,10	x	12,70	GM
3212	139,70	x	168,28	x	10,31	GM
3179	139,70	x	168,28	x	12,70	GM
4420	139,70	x	169,85	x	15,88	GM
3182	139,70	x	171,45	x	12,70	GM
3184	139,70	x	171,45	x	15,88	GM
6574	139,70	x	171,45	x	19,05	GM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'GM'

Ordered according to size

Technical description at page 21

code	B		A		H	type
4461	139,70	x	171,60	x	12,70	GM
6540	139,70	x	171,83	x	12,70	GM
3185	139,70	x	174,63	x	12,70	GM
3188	139,70	x	177,80	x	12,70	GM
3190	139,70	x	177,80	x	15,88	GM
5010	139,70	x	177,80	x	19,05	GM
4831	139,98	x	165,38	x	12,70	GM
5861	139,98	x	169,98	x	15,88	GM
1718	139,98	x	170,00	x	11,99	GM
4489	140,00	x	162,23	x	9,53	GM
2019	140,00	x	165,00	x	12,50	GM
9158	140,00	x	169,98	x	12,70	GM
7267	140,00	x	170,00	x	15,01	GM
3148	140,00	x	180,01	x	15,88	GM
0674	140,08	x	165,02	x	12,70	GM
0500	140,28	x	165,10	x	12,70	GM
9760	141,27	x	166,67	x	12,70	GM
6150	141,27	x	171,45	x	12,70	GM
3228	142,88	x	168,28	x	12,70	GM
3231	142,88	x	171,45	x	12,70	GM
3233	142,88	x	171,45	x	15,88	GM
3234	142,88	x	174,63	x	12,70	GM
3236	142,88	x	174,63	x	15,88	GM
4762	142,88	x	177,80	x	19,05	GM
3240	142,88	x	180,98	x	12,70	GM
6368	142,88	x	180,98	x	19,05	GM
7362	144,45	x	176,20	x	12,70	GM
9914	144,45	x	176,20	x	15,88	GM
7444	144,45	x	177,80	x	15,88	GM
9663	144,45	x	182,55	x	12,70	GM
3197	144,98	x	179,98	x	16,00	GM
4415	145,01	x	180,01	x	15,01	GM
3275	146,05	x	171,45	x	12,70	GM
3278	146,05	x	174,63	x	12,70	GM
3280	146,05	x	174,63	x	15,88	GM
6728	146,05	x	176,20	x	12,70	GM
6924	146,05	x	177,80	x	9,53	GM
3281	146,05	x	177,80	x	12,70	GM
3283	146,05	x	177,80	x	15,88	GM
3284	146,05	x	180,98	x	12,70	GM
3287	146,05	x	184,15	x	12,70	GM
9017	146,05	x	184,15	x	19,05	GM

code	B		A		H	type
3293	146,05	x	190,50	x	12,70	GM
5636	146,81	x	178,56	x	15,88	GM
7507	147,32	x	172,72	x	12,70	GM
9197	147,62	x	173,02	x	12,70	GM
7275	147,62	x	176,20	x	12,70	GM
3303	149,23	x	171,45	x	15,88	GM
3316	149,23	x	174,63	x	12,70	GM
3319	149,23	x	177,80	x	12,70	GM
3324	149,23	x	180,98	x	15,88	GM
3325	149,23	x	184,15	x	12,70	GM
3328	149,23	x	187,33	x	12,70	GM
3330	149,23	x	187,33	x	15,88	GM
9142	149,23	x	187,33	x	19,05	GM
3171	149,78	x	181,53	x	15,88	GM
1111	149,99	x	180,01	x	13,00	GM
2341	149,99	x	180,01	x	16,00	GM
9751	150,01	x	175,41	x	12,70	GM
3327	150,01	x	180,01	x	15,01	GM
7117	150,01	x	188,21	x	15,88	GM
2233	150,01	x	189,99	x	15,01	GM
7298	150,80	x	176,20	x	12,70	GM
7647	150,80	x	182,55	x	12,70	GM
7481	150,80	x	182,55	x	15,88	GM
7214	150,80	x	188,90	x	19,05	GM
9031	150,80	x	195,25	x	15,88	GM
3343	150,83	x	184,15	x	15,88	GM
0530	152,40	x	177,80	x	9,53	GM
3355	152,40	x	177,80	x	12,70	GM
3357	152,40	x	177,80	x	15,88	GM
3360	152,40	x	180,98	x	15,88	GM
1689	152,40	x	182,55	x	19,05	GM
4726	152,40	x	182,96	x	19,05	GM
3361	152,40	x	184,15	x	12,70	GM
3363	152,40	x	184,15	x	15,88	GM
3364	152,40	x	187,33	x	12,70	GM
1172	152,40	x	190,50	x	9,53	GM
3367	152,40	x	190,50	x	12,70	GM
3369	152,40	x	190,50	x	15,88	GM
3370	152,40	x	190,50	x	19,05	GM
0803	152,45	x	177,85	x	12,70	GM
2560	153,97	x	179,37	x	9,53	GM
9099	153,97	x	185,72	x	15,88	GM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'GM'

Ordered according to size

Technical description at page 21

code	B		A		H	type
5661	153,97	x	187,33	x	12,70	GM
5119	153,97	x	192,07	x	19,05	GM
7726	154,00	x	179,37	x	12,70	GM
1269	154,99	x	180,01	x	12,70	GM
6982	154,99	x	180,39	x	12,70	GM
7634	155,17	x	180,19	x	12,50	GM
9232	155,58	x	177,80	x	12,70	GM
3375	155,58	x	180,98	x	12,70	GM
3378	155,58	x	184,15	x	12,70	GM
3380	155,58	x	184,15	x	15,88	GM
3381	155,58	x	187,33	x	12,70	GM
3383	155,58	x	187,33	x	15,88	GM
6602	155,58	x	193,68	x	15,88	GM
4729	155,58	x	193,68	x	19,05	GM
7789	157,15	x	182,55	x	12,70	GM
7719	157,15	x	188,90	x	12,70	GM
8654	157,15	x	188,90	x	15,88	GM
7472	157,18	x	190,50	x	15,88	GM
1004	158,01	x	184,15	x	12,70	GM
7816	158,22	x	189,99	x	12,98	GM
0527	158,75	x	184,15	x	9,53	GM
3388	158,75	x	184,15	x	12,70	GM
3390	158,75	x	184,15	x	15,88	GM
3391	158,75	x	187,33	x	12,70	GM
1457	158,75	x	187,33	x	15,88	GM
3394	158,75	x	190,50	x	12,70	GM
3396	158,75	x	190,50	x	15,88	GM
3398	158,75	x	193,68	x	12,70	GM
3402	158,75	x	196,85	x	12,70	GM
3404	158,75	x	196,85	x	15,88	GM
3405	158,75	x	196,85	x	19,05	GM
6922	159,54	x	184,94	x	9,53	GM
9630	159,54	x	185,39	x	9,53	GM
5637	159,54	x	191,26	x	15,88	GM
1391	159,97	x	190,50	x	9,53	GM
3269	159,99	x	184,76	x	19,05	GM
9789	159,99	x	185,39	x	12,70	GM
4634	159,99	x	189,99	x	12,70	GM
7276	159,99	x	189,99	x	15,01	GM
3913	159,99	x	189,99	x	15,98	GM
6867	159,99	x	191,74	x	15,88	GM
1717	159,99	x	200,00	x	11,99	GM

code	B		A		H	type
8194	160,32	x	185,72	x	12,70	GM
7597	160,32	x	185,72	x	15,88	GM
2269	161,93	x	184,15	x	12,70	GM
9939	161,93	x	187,33	x	9,53	GM
3406	161,93	x	187,33	x	12,70	GM
3409	161,93	x	190,50	x	12,70	GM
3419	161,93	x	190,50	x	15,88	GM
3413	161,93	x	193,68	x	12,70	GM
3415	161,93	x	193,68	x	15,88	GM
5195	161,93	x	195,25	x	15,88	GM
3417	161,93	x	196,85	x	12,70	GM
4694	161,93	x	196,85	x	15,88	GM
3421	161,93	x	200,03	x	12,70	GM
3423	161,93	x	200,03	x	15,88	GM
3424	161,93	x	200,03	x	19,05	GM
7321	163,50	x	188,90	x	12,70	GM
7924	163,50	x	195,25	x	15,88	GM
9823	163,50	x	201,60	x	15,88	GM
9021	163,50	x	201,60	x	19,05	GM
4445	163,53	x	195,78	x	15,88	GM
3425	163,53	x	196,85	x	19,05	GM
0795	164,97	x	191,14	x	12,70	GM
1970	165,00	x	200,00	x	15,01	GM
3168	165,10	x	187,33	x	12,70	GM
1832	165,10	x	190,50	x	9,53	GM
4560	165,10	x	190,50	x	12,70	GM
3426	165,10	x	190,50	x	15,88	GM
3428	165,10	x	193,68	x	15,88	GM
7771	165,10	x	195,25	x	15,88	GM
6817	165,10	x	196,85	x	12,70	GM
3430	165,10	x	196,85	x	15,88	GM
3431	165,10	x	196,85	x	19,05	GM
8171	165,10	x	200,00	x	11,99	GM
3432	165,10	x	200,03	x	15,88	GM
9217	165,10	x	200,03	x	19,05	GM
6370	165,10	x	203,20	x	12,70	GM
3434	165,10	x	203,20	x	15,88	GM
3435	165,10	x	203,20	x	19,05	GM
6371	166,67	x	192,07	x	12,70	GM
6897	168,28	x	193,68	x	12,70	GM
3436	168,28	x	193,68	x	15,88	GM
3438	168,28	x	196,85	x	15,88	GM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'GM'

Ordered according to size

Technical description at page 21

code	B		A		H	type
3440	168,28	x	200,03	x	15,88	GM
8567	168,28	x	203,20	x	12,70	GM
3442	168,28	x	203,20	x	15,88	GM
5139	168,28	x	206,38	x	12,70	GM
3444	168,28	x	206,38	x	15,88	GM
3445	168,28	x	206,38	x	19,05	GM
5691	168,28	x	212,73	x	12,70	GM
6229	169,85	x	195,25	x	12,70	GM
5032	169,85	x	201,60	x	12,70	GM
9828	169,85	x	203,38	x	15,88	GM
7882	169,88	x	201,60	x	15,88	GM
6818	169,93	x	201,68	x	15,88	GM
8445	169,98	x	208,08	x	19,05	GM
0637	170,00	x	195,00	x	12,50	GM
2826	170,00	x	200,00	x	11,99	GM
5356	170,00	x	200,00	x	12,50	GM
7268	170,00	x	200,00	x	15,01	GM
8699	170,00	x	201,75	x	15,88	GM
6372	171,45	x	196,85	x	12,70	GM
3456	171,45	x	196,85	x	15,88	GM
3459	171,45	x	200,03	x	9,53	GM
6890	171,45	x	200,03	x	12,70	GM
3458	171,45	x	200,03	x	15,88	GM
3460	171,45	x	203,20	x	15,88	GM
3462	171,45	x	206,38	x	15,88	GM
9404	171,45	x	209,55	x	12,70	GM
3464	171,45	x	209,55	x	15,88	GM
3465	171,45	x	209,55	x	19,05	GM
3241	171,45	x	215,90	x	12,70	GM
7063	172,24	x	203,99	x	15,88	GM
4900	173,02	x	211,12	x	19,05	GM
1127	174,63	x	200,03	x	9,53	GM
8433	174,63	x	200,03	x	12,70	GM
6951	174,63	x	203,20	x	12,70	GM
3476	174,63	x	203,20	x	15,88	GM
7274	174,63	x	206,38	x	12,70	GM
3478	174,63	x	206,38	x	15,88	GM
3480	174,63	x	209,55	x	15,88	GM
3481	174,63	x	209,55	x	19,05	GM
3482	174,63	x	212,73	x	15,88	GM
3483	174,63	x	212,73	x	19,05	GM
1709	174,98	x	200,00	x	11,99	GM

code	B		A		H	type
3251	174,98	x	200,00	x	12,70	GM
4624	174,98	x	200,00	x	15,01	GM
1869	174,98	x	200,38	x	12,70	GM
2457	175,01	x	205,00	x	15,01	GM
1388	175,01	x	215,01	x	15,88	GM
6597	175,41	x	207,16	x	15,88	GM
6373	176,20	x	201,60	x	12,70	GM
6258	176,20	x	204,77	x	12,70	GM
3490	176,20	x	206,38	x	19,05	GM
7378	176,20	x	214,30	x	12,70	GM
4479	176,20	x	215,90	x	15,88	GM
4477	176,23	x	206,38	x	15,88	GM
4730	176,53	x	206,38	x	19,05	GM
1017	177,80	x	200,03	x	9,53	GM
3257	177,80	x	203,20	x	9,53	GM
6374	177,80	x	203,20	x	12,70	GM
3492	177,80	x	203,20	x	15,88	GM
3494	177,80	x	206,38	x	15,88	GM
3495	177,80	x	206,38	x	19,05	GM
3094	177,80	x	207,95	x	15,88	GM
4924	177,80	x	209,55	x	12,70	GM
3496	177,80	x	209,55	x	15,88	GM
3497	177,80	x	209,55	x	19,05	GM
6163	177,80	x	212,73	x	12,70	GM
3498	177,80	x	212,73	x	15,88	GM
3499	177,80	x	212,73	x	19,05	GM
6375	177,80	x	215,90	x	12,70	GM
3500	177,80	x	215,90	x	15,88	GM
3501	177,80	x	215,90	x	19,05	GM
2064	178,05	x	216,15	x	12,70	GM
3109	179,30	x	209,52	x	15,88	GM
7674	179,37	x	204,77	x	12,70	GM
9262	179,37	x	204,77	x	15,88	GM
9244	179,37	x	217,47	x	12,70	GM
9805	179,37	x	217,47	x	19,05	GM
5629	179,78	x	217,47	x	12,70	GM
6841	179,78	x	217,88	x	15,88	GM
4826	179,98	x	205,38	x	12,70	GM
5336	179,98	x	209,98	x	12,50	GM
7807	179,98	x	209,98	x	15,01	GM
9858	179,98	x	218,08	x	19,05	GM
1433	180,01	x	202,21	x	11,99	GM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'GM'

Ordered according to size

Technical description at page 21

code	B		A		H	type
1616	180,01	x	205,00	x	13,00	GM
2828	180,01	x	210,01	x	11,99	GM
9994	180,01	x	219,99	x	15,88	GM
0856	180,09	x	211,68	x	12,70	GM
4561	180,98	x	206,38	x	12,70	GM
3506	180,98	x	206,38	x	15,88	GM
7740	180,98	x	209,55	x	12,70	GM
3508	180,98	x	209,55	x	15,88	GM
3510	180,98	x	212,73	x	15,88	GM
3512	180,98	x	215,90	x	15,88	GM
3515	180,98	x	219,08	x	19,05	GM
7812	182,55	x	207,95	x	12,70	GM
1734	182,55	x	214,30	x	12,70	GM
4886	182,55	x	217,47	x	15,88	GM
7811	182,55	x	220,62	x	15,88	GM
3521	182,58	x	214,30	x	15,88	GM
9956	183,06	x	208,92	x	12,70	GM
6861	184,15	x	209,55	x	9,53	GM
6376	184,15	x	209,55	x	12,70	GM
3518	184,15	x	209,55	x	15,88	GM
6556	184,15	x	214,30	x	14,99	GM
6377	184,15	x	215,90	x	12,70	GM
3522	184,15	x	215,90	x	15,88	GM
3523	184,15	x	215,90	x	19,05	GM
3524	184,15	x	219,08	x	15,88	GM
3525	184,15	x	219,08	x	19,05	GM
6251	184,15	x	222,25	x	12,70	GM
3526	184,15	x	222,25	x	15,88	GM
3527	184,15	x	222,25	x	19,05	GM
2065	184,30	x	222,40	x	12,70	GM
0801	184,99	x	210,01	x	12,70	GM
2081	184,99	x	210,39	x	12,70	GM
4921	187,33	x	212,73	x	12,70	GM
3528	187,33	x	212,73	x	15,88	GM
1308	187,33	x	215,90	x	12,70	GM
3530	187,33	x	215,90	x	15,88	GM
3532	187,33	x	219,08	x	15,88	GM
3533	187,33	x	219,08	x	19,05	GM
3536	187,33	x	225,43	x	15,88	GM
3537	187,33	x	225,43	x	19,05	GM
7847	188,90	x	214,30	x	12,70	GM
9846	188,90	x	220,65	x	15,88	GM

code	B		A		H	type
9792	188,90	x	227,00	x	19,05	GM
2581	189,99	x	215,01	x	12,70	GM
2679	189,99	x	215,39	x	12,70	GM
0504	189,99	x	219,99	x	11,99	GM
5333	189,99	x	219,99	x	12,50	GM
8049	189,99	x	219,99	x	15,01	GM
1379	189,99	x	219,99	x	16,00	GM
2866	189,99	x	220,40	x	12,70	GM
1690	189,99	x	221,72	x	15,88	GM
3911	189,99	x	224,99	x	15,98	GM
1316	189,99	x	228,09	x	19,05	GM
1214	189,99	x	230,00	x	16,00	GM
8252	190,50	x	212,73	x	12,70	GM
6378	190,50	x	215,90	x	12,70	GM
3544	190,50	x	215,90	x	15,88	GM
3546	190,50	x	219,08	x	15,88	GM
7180	190,50	x	222,25	x	12,70	GM
3548	190,50	x	222,25	x	15,88	GM
4889	190,50	x	225,43	x	12,70	GM
6773	190,50	x	228,60	x	12,70	GM
3552	190,50	x	228,60	x	15,88	GM
3553	190,50	x	228,60	x	19,05	GM
9065	190,98	x	229,08	x	19,05	GM
5638	191,26	x	223,01	x	15,88	GM
5241	192,07	x	230,17	x	19,05	GM
5578	192,07	x	230,25	x	19,05	GM
9895	193,55	x	231,65	x	19,05	GM
2106	193,68	x	215,90	x	12,70	GM
7367	193,68	x	219,08	x	12,70	GM
3558	193,68	x	219,08	x	15,88	GM
3562	193,68	x	225,43	x	15,88	GM
3564	193,68	x	228,60	x	15,88	GM
3566	193,68	x	231,78	x	15,88	GM
3567	193,68	x	231,78	x	19,05	GM
7320	194,74	x	230,00	x	15,01	GM
9340	195,25	x	233,35	x	19,05	GM
6379	196,85	x	222,25	x	12,70	GM
3570	196,85	x	222,25	x	15,88	GM
3573	196,85	x	225,43	x	19,05	GM
7744	196,85	x	227,03	x	15,88	GM
6759	196,85	x	228,60	x	12,70	GM
3574	196,85	x	228,60	x	15,88	GM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'GM'

Ordered according to size

Technical description at page 21

code	B		A		H	type
2391	196,85	x	228,60	x	19,05	GM
3576	196,85	x	231,78	x	15,88	GM
3578	196,85	x	234,95	x	15,88	GM
3579	196,85	x	234,95	x	19,05	GM
4833	197,10	x	225,43	x	12,70	GM
1152	198,12	x	223,52	x	12,70	GM
8578	198,42	x	223,82	x	12,70	GM
1288	198,42	x	228,60	x	15,88	GM
9861	198,42	x	230,17	x	15,88	GM
6016	198,42	x	236,52	x	19,05	GM
4990	199,49	x	224,89	x	12,70	GM
1949	200,00	x	224,99	x	15,01	GM
5337	200,00	x	230,00	x	12,50	GM
7388	200,00	x	230,00	x	15,01	GM
2500	200,00	x	238,10	x	19,10	GM
8420	200,00	x	239,98	x	15,98	GM
6973	200,00	x	250,83	x	15,88	GM
5605	200,03	x	225,43	x	9,53	GM
6492	200,03	x	225,43	x	12,70	GM
3580	200,03	x	225,43	x	15,88	GM
6844	200,03	x	228,60	x	12,70	GM
6000	200,03	x	230,02	x	9,53	GM
7108	200,03	x	231,78	x	9,53	GM
6647	200,03	x	231,78	x	12,70	GM
3584	200,03	x	231,78	x	15,88	GM
3587	200,03	x	234,95	x	19,05	GM
3588	200,03	x	238,13	x	15,88	GM
3589	200,03	x	238,13	x	19,05	GM
7661	201,60	x	227,00	x	12,70	GM
3590	201,60	x	231,78	x	15,88	GM
9955	201,60	x	233,35	x	15,88	GM
2575	201,60	x	234,95	x	15,88	GM
7133	201,60	x	239,70	x	19,05	GM
5685	202,18	x	240,28	x	15,88	GM
3930	202,46	x	228,60	x	9,53	GM
3966	202,82	x	228,60	x	9,53	GM
6380	203,20	x	228,60	x	12,70	GM
3592	203,20	x	228,60	x	15,88	GM
7577	203,20	x	231,78	x	12,70	GM
3594	203,20	x	231,78	x	15,88	GM
3595	203,20	x	231,78	x	19,05	GM
6510	203,20	x	234,95	x	12,70	GM
3596	203,20	x	234,95	x	15,88	GM
3597	203,20	x	234,95	x	19,05	GM
3598	203,20	x	238,13	x	15,88	GM
7758	203,20	x	241,30	x	12,70	GM
3600	203,20	x	241,30	x	15,88	GM
3601	203,20	x	241,30	x	19,05	GM
4810	204,77	x	236,52	x	12,70	GM
9874	204,77	x	236,52	x	15,88	GM
5009	204,77	x	242,87	x	19,05	GM
8175	206,38	x	231,78	x	12,70	GM
3298	206,38	x	234,95	x	15,88	GM
3928	206,38	x	244,48	x	19,05	GM
8418	207,95	x	233,35	x	12,70	GM
8234	207,95	x	236,52	x	12,70	GM
9473	207,95	x	246,05	x	12,70	GM
6382	209,55	x	234,95	x	12,70	GM
3604	209,55	x	234,95	x	15,88	GM
8451	209,55	x	241,30	x	12,70	GM
3606	209,55	x	241,30	x	15,88	GM
3818	209,55	x	241,30	x	19,05	GM
6247	209,55	x	247,65	x	12,70	GM
6684	209,55	x	247,65	x	15,88	GM
7157	209,55	x	247,65	x	19,05	GM
8265	209,80	x	232,21	x	9,53	GM
5338	209,98	x	239,98	x	14,99	GM
2833	210,01	x	240,00	x	11,99	GM
9889	211,12	x	242,87	x	15,88	GM
5161	211,15	x	236,55	x	12,70	GM
9548	212,73	x	238,13	x	12,70	GM
7344	212,73	x	241,30	x	15,88	GM
1721	212,73	x	241,30	x	19,05	GM
8776	212,73	x	244,48	x	12,70	GM
4893	212,73	x	244,48	x	15,88	GM
3007	212,73	x	247,65	x	15,88	GM
3608	212,73	x	247,65	x	19,05	GM
8452	212,73	x	250,83	x	12,70	GM
4799	212,73	x	250,83	x	15,88	GM
3934	212,73	x	250,83	x	19,05	GM
9267	212,73	x	263,53	x	19,05	GM
1699	212,75	x	242,95	x	19,05	GM
5308	213,21	x	238,61	x	12,70	GM
5163	213,51	x	238,91	x	12,70	GM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'GM'

Ordered according to size

Technical description at page 21

code	B		A		H	type
7834	214,30	x	246,05	x	15,88	GM
1463	214,30	x	252,40	x	12,70	GM
1592	214,30	x	252,40	x	19,05	GM
0999	214,33	x	242,90	x	12,70	GM
5402	214,99	x	239,98	x	12,70	GM
5358	214,99	x	244,98	x	14,99	GM
1953	214,99	x	245,01	x	12,50	GM
0961	215,01	x	248,01	x	14,99	GM
2597	215,01	x	250,01	x	15,01	GM
0746	215,01	x	250,06	x	16,38	GM
8623	215,11	x	253,19	x	12,70	GM
8189	215,11	x	253,19	x	19,05	GM
5461	215,14	x	241,30	x	12,70	GM
2976	215,16	x	250,19	x	16,00	GM
8583	215,90	x	238,13	x	12,70	GM
6383	215,90	x	241,30	x	12,70	GM
3935	215,90	x	241,30	x	15,88	GM
4922	215,90	x	247,65	x	12,70	GM
6384	215,90	x	247,65	x	15,88	GM
9207	215,90	x	247,65	x	19,05	GM
8709	215,90	x	250,83	x	19,05	GM
8665	215,90	x	254,00	x	12,70	GM
4502	215,90	x	254,00	x	15,88	GM
3937	215,90	x	254,00	x	19,05	GM
3117	215,90	x	255,57	x	19,05	GM
4727	215,90	x	260,35	x	19,05	GM
8560	215,90	x	266,70	x	12,70	GM
5916	215,90	x	266,70	x	15,88	GM
7101	215,90	x	266,70	x	19,05	GM
3938	215,90	x	266,70	x	20,62	GM
5684	216,66	x	248,41	x	15,88	GM
0570	217,42	x	249,17	x	15,88	GM
9022	217,47	x	255,57	x	19,05	GM
1095	219,08	x	249,22	x	15,88	GM
9210	219,08	x	250,83	x	12,70	GM
6570	219,08	x	250,83	x	15,88	GM
3940	219,08	x	257,18	x	19,05	GM
3611	219,08	x	269,88	x	19,05	GM
9203	219,08	x	269,88	x	20,62	GM
5598	219,99	x	245,39	x	12,70	GM
4757	219,99	x	249,99	x	13,00	GM
5357	219,99	x	249,99	x	14,99	GM

code	B		A		H	type
3942	219,99	x	249,99	x	16,00	GM
2829	219,99	x	250,01	x	11,99	GM
9242	219,99	x	251,74	x	12,70	GM
9243	219,99	x	251,74	x	15,88	GM
0891	219,99	x	259,99	x	15,01	GM
8606	219,99	x	259,99	x	16,00	GM
1392	219,99	x	259,99	x	19,99	GM
7804	220,65	x	252,40	x	15,88	GM
6210	220,65	x	252,43	x	19,05	GM
9146	220,68	x	246,05	x	12,70	GM
4413	220,68	x	252,43	x	12,70	GM
6827	222,25	x	247,65	x	12,70	GM
1694	222,25	x	248,01	x	9,53	GM
5890	222,25	x	250,83	x	15,88	GM
5480	222,25	x	250,83	x	19,05	GM
4981	222,25	x	254,00	x	13,08	GM
6386	222,25	x	254,00	x	15,88	GM
6845	222,25	x	260,35	x	12,70	GM
8142	222,25	x	260,35	x	15,88	GM
3947	222,25	x	260,35	x	19,05	GM
3949	222,25	x	266,70	x	19,05	GM
1082	222,25	x	266,70	x	20,62	GM
0960	222,25	x	273,05	x	15,88	GM
3951	222,25	x	273,05	x	19,05	GM
3952	222,25	x	273,05	x	20,62	GM
5525	223,01	x	273,81	x	19,05	GM
6943	223,82	x	249,22	x	12,70	GM
6334	223,82	x	261,92	x	12,70	GM
7617	223,82	x	261,92	x	19,05	GM
8481	224,99	x	249,99	x	12,50	GM
4992	224,99	x	250,39	x	12,70	GM
2247	224,99	x	265,00	x	16,00	GM
5910	225,02	x	263,12	x	19,05	GM
6813	225,43	x	250,83	x	12,70	GM
5153	225,43	x	257,18	x	15,88	GM
3832	225,43	x	257,18	x	15,88	GM
2244	225,43	x	260,35	x	19,05	GM
8177	225,43	x	263,53	x	12,70	GM
7336	225,43	x	263,53	x	19,05	GM
5559	225,43	x	269,88	x	20,62	GM
6646	225,43	x	276,23	x	19,05	GM
3953	225,43	x	276,23	x	20,62	GM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'GM'

Ordered according to size

Technical description at page 21

code	B		A		H	type
9151	227,00	x	252,40	x	12,70	GM
6273	227,00	x	253,19	x	12,70	GM
6190	227,00	x	258,75	x	15,88	GM
1235	227,00	x	266,70	x	19,05	GM
6387	228,60	x	254,00	x	12,70	GM
4503	228,60	x	254,00	x	15,88	GM
0579	228,60	x	254,81	x	12,70	GM
0985	228,60	x	257,18	x	12,70	GM
4504	228,60	x	257,18	x	15,88	GM
3616	228,60	x	257,18	x	19,05	GM
4505	228,60	x	260,35	x	15,88	GM
4506	228,60	x	263,53	x	15,88	GM
5952	228,60	x	266,70	x	12,70	GM
4507	228,60	x	266,70	x	15,88	GM
3619	228,60	x	266,70	x	19,05	GM
3621	228,60	x	273,05	x	19,05	GM
9948	228,60	x	279,40	x	15,88	GM
3623	228,60	x	279,40	x	19,05	GM
3955	228,60	x	279,40	x	20,62	GM
5403	230,00	x	254,99	x	12,70	GM
2485	230,00	x	258,57	x	12,55	GM
1109	230,00	x	258,57	x	15,88	GM
5334	230,00	x	259,84	x	14,99	GM
5784	230,00	x	268,00	x	19,05	GM
4885	230,00	x	270,00	x	16,00	GM
4865	230,00	x	280,01	x	16,00	GM
5575	230,17	x	255,57	x	9,53	GM
7322	230,17	x	255,57	x	12,70	GM
9553	230,17	x	268,27	x	19,05	GM
6092	230,17	x	280,97	x	19,05	GM
3195	231,78	x	257,18	x	9,53	GM
6756	231,78	x	257,18	x	12,70	GM
4803	231,78	x	263,53	x	15,88	GM
1876	231,78	x	266,70	x	15,88	GM
3958	231,78	x	269,88	x	19,05	GM
5745	231,78	x	282,58	x	19,05	GM
5126	232,56	x	270,66	x	19,05	GM
9295	233,35	x	271,45	x	19,05	GM
7640	234,95	x	257,18	x	9,53	GM
6676	234,95	x	260,35	x	12,70	GM
4509	234,95	x	260,35	x	15,88	GM
3255	234,95	x	263,53	x	15,88	GM

code	B		A		H	type
4724	234,95	x	266,70	x	12,70	GM
4511	234,95	x	266,70	x	15,88	GM
7831	234,95	x	269,88	x	19,05	GM
8179	234,95	x	273,05	x	12,70	GM
6595	234,95	x	273,05	x	15,88	GM
3632	234,95	x	273,05	x	19,05	GM
3965	234,95	x	279,40	x	19,05	GM
9172	234,95	x	285,75	x	15,88	GM
3967	234,95	x	285,75	x	19,05	GM
9875	234,95	x	285,75	x	20,62	GM
0981	238,13	x	263,53	x	12,70	GM
9544	238,13	x	269,88	x	12,70	GM
6648	238,13	x	269,88	x	15,88	GM
3971	238,13	x	276,23	x	19,05	GM
4610	238,13	x	288,93	x	20,62	GM
0476	238,99	x	277,09	x	15,88	GM
8753	239,70	x	265,10	x	12,70	GM
3636	239,70	x	269,88	x	19,05	GM
8447	239,70	x	271,45	x	15,88	GM
0528	239,70	x	273,05	x	15,88	GM
9916	239,70	x	277,80	x	19,05	GM
9941	239,90	x	270,08	x	12,70	GM
7637	239,98	x	265,00	x	12,50	GM
6991	239,98	x	265,38	x	12,70	GM
5359	239,98	x	269,98	x	14,99	GM
5852	239,98	x	278,08	x	19,05	GM
1097	239,98	x	279,98	x	12,70	GM
7891	239,98	x	279,98	x	15,98	GM
9435	239,98	x	280,01	x	19,99	GM
3132	239,98	x	289,99	x	16,00	GM
3973	240,00	x	280,01	x	19,00	GM
6388	241,30	x	266,70	x	12,70	GM
3638	241,30	x	266,70	x	15,88	GM
6669	241,30	x	269,88	x	12,70	GM
8783	241,30	x	273,05	x	12,70	GM
3640	241,30	x	273,05	x	15,88	GM
3105	241,30	x	276,23	x	19,05	GM
8388	241,30	x	279,40	x	12,70	GM
3642	241,30	x	279,40	x	15,88	GM
3979	241,30	x	279,40	x	19,05	GM
3981	241,30	x	285,75	x	19,05	GM
1910	241,30	x	292,10	x	12,70	GM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'GM'

Ordered according to size

Technical description at page 21

code	B		A		H	type
3646	241,30	x	292,10	x	15,88	GM
3983	241,30	x	292,10	x	19,05	GM
3984	241,30	x	292,10	x	20,62	GM
9888	242,87	x	274,62	x	15,88	GM
8846	242,87	x	280,97	x	15,88	GM
4823	242,90	x	268,30	x	12,70	GM
7835	244,48	x	266,70	x	12,70	GM
7889	244,48	x	269,88	x	12,70	GM
6664	244,48	x	276,23	x	12,70	GM
8313	244,48	x	276,23	x	15,88	GM
4512	244,48	x	276,23	x	19,05	GM
2343	244,48	x	279,40	x	19,05	GM
6682	244,48	x	282,58	x	12,70	GM
9300	244,48	x	282,58	x	15,88	GM
9260	244,48	x	282,58	x	19,05	GM
6389	244,48	x	295,28	x	19,05	GM
9594	244,48	x	295,28	x	20,62	GM
7764	244,91	x	270,31	x	12,70	GM
2256	245,01	x	283,01	x	20,62	GM
9253	246,05	x	284,15	x	19,05	GM
4989	246,99	x	272,39	x	12,70	GM
1072	247,65	x	269,88	x	12,70	GM
6067	247,65	x	273,05	x	12,70	GM
4513	247,65	x	273,05	x	15,88	GM
6390	247,65	x	279,40	x	12,70	GM
4515	247,65	x	279,40	x	15,88	GM
3652	247,65	x	279,40	x	19,05	GM
4516	247,65	x	282,58	x	15,88	GM
4517	247,65	x	285,75	x	15,88	GM
3654	247,65	x	285,75	x	19,05	GM
9947	247,65	x	298,45	x	15,88	GM
3989	247,65	x	298,45	x	19,05	GM
9317	248,26	x	280,01	x	12,70	GM
5339	249,99	x	279,98	x	14,99	GM
4497	249,99	x	289,99	x	14,99	GM
1314	249,99	x	300,79	x	19,05	GM
1099	250,01	x	284,99	x	16,00	GM
1703	250,01	x	288,09	x	19,00	GM
8607	250,01	x	289,99	x	16,00	GM
9969	250,04	x	275,44	x	12,70	GM
9676	250,04	x	279,91	x	12,70	GM
6533	250,04	x	288,11	x	20,62	GM

code	B		A		H	type
4482	250,42	x	275,82	x	12,70	GM
9995	250,65	x	288,75	x	19,05	GM
7621	250,83	x	276,23	x	12,70	GM
1441	250,83	x	288,93	x	15,88	GM
3990	250,83	x	288,93	x	19,05	GM
5082	250,83	x	301,63	x	19,05	GM
5901	252,40	x	277,80	x	12,70	GM
9272	252,40	x	284,15	x	15,88	GM
9145	252,40	x	290,50	x	19,05	GM
9057	252,40	x	292,10	x	19,05	GM
5472	252,40	x	303,20	x	19,05	GM
4618	252,43	x	303,23	x	15,88	GM
8140	252,98	x	275,18	x	9,53	GM
1030	254,00	x	276,23	x	9,53	GM
2068	254,00	x	279,40	x	9,53	GM
6391	254,00	x	279,40	x	12,70	GM
4923	254,00	x	285,75	x	12,70	GM
6808	254,00	x	285,75	x	15,88	GM
2352	254,00	x	288,93	x	12,70	GM
9957	254,00	x	292,10	x	9,53	GM
4950	254,00	x	292,10	x	15,88	GM
3672	254,00	x	292,10	x	19,05	GM
3994	254,00	x	298,45	x	19,05	GM
3995	254,00	x	304,80	x	15,88	GM
3996	254,00	x	304,80	x	19,05	GM
3997	254,00	x	304,80	x	20,62	GM
6219	257,18	x	288,93	x	15,88	GM
1908	257,18	x	292,10	x	15,88	GM
7147	257,18	x	292,10	x	19,05	GM
1461	257,18	x	295,28	x	12,70	GM
4000	257,18	x	295,28	x	19,05	GM
0695	258,01	x	289,99	x	16,00	GM
6216	258,75	x	284,18	x	12,70	GM
7588	258,75	x	290,50	x	15,88	GM
0821	259,82	x	297,92	x	19,05	GM
5351	259,99	x	289,99	x	14,99	GM
5957	259,99	x	291,74	x	15,88	GM
5665	259,99	x	297,99	x	19,05	GM
5186	259,99	x	298,09	x	19,05	GM
7010	259,99	x	300,00	x	16,00	GM
4805	259,99	x	303,99	x	19,99	GM
0872	259,99	x	310,01	x	16,00	GM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'GM'

Ordered according to size

Technical description at page 21

code	B		A		H	type
2314	259,99	x	311,00	x	19,00	GM
9476	260,35	x	285,75	x	12,70	GM
9384	260,35	x	285,75	x	15,88	GM
3198	260,35	x	292,10	x	12,70	GM
6698	260,35	x	292,10	x	15,88	GM
5523	260,35	x	298,45	x	15,88	GM
4005	260,35	x	298,45	x	19,05	GM
4007	260,35	x	304,80	x	19,05	GM
3676	260,35	x	311,15	x	19,05	GM
4009	260,35	x	311,15	x	20,62	GM
1037	261,62	x	293,37	x	15,88	GM
2458	263,07	x	292,10	x	15,88	GM
9133	263,53	x	295,28	x	15,88	GM
1146	263,53	x	295,48	x	20,62	GM
6882	263,53	x	301,63	x	12,70	GM
7288	265,00	x	296,75	x	15,88	GM
9776	265,10	x	303,20	x	19,05	GM
3150	265,13	x	296,88	x	20,62	GM
4812	265,13	x	304,80	x	19,05	GM
6568	265,20	x	290,60	x	9,53	GM
2376	266,70	x	292,10	x	9,53	GM
6781	266,70	x	292,10	x	12,70	GM
8334	266,70	x	298,45	x	12,70	GM
5934	266,70	x	298,45	x	15,88	GM
8565	266,70	x	298,45	x	19,05	GM
6683	266,70	x	304,80	x	12,70	GM
4495	266,70	x	304,80	x	15,88	GM
4012	266,70	x	304,80	x	19,05	GM
4014	266,70	x	311,15	x	19,05	GM
1971	266,70	x	317,50	x	12,70	GM
4016	266,70	x	317,50	x	19,05	GM
4017	266,70	x	317,50	x	20,62	GM
5639	267,46	x	305,56	x	15,88	GM
4963	268,27	x	319,07	x	19,05	GM
5067	269,88	x	295,28	x	15,88	GM
7432	269,88	x	301,63	x	15,88	GM
6935	269,88	x	304,80	x	19,05	GM
4018	269,88	x	307,98	x	19,05	GM
4020	269,88	x	314,33	x	19,05	GM
6704	269,88	x	320,68	x	19,05	GM
6428	269,88	x	320,68	x	20,62	GM
7709	269,98	x	295,38	x	10,39	GM

code	B		A		H	type
5350	269,98	x	300,00	x	14,99	GM
5881	269,98	x	307,82	x	19,05	GM
8655	270,00	x	310,01	x	16,00	GM
1027	270,00	x	313,99	x	19,99	GM
4854	271,45	x	322,25	x	19,05	GM
4994	272,49	x	297,89	x	12,70	GM
7598	273,05	x	298,45	x	12,70	GM
4520	273,05	x	304,80	x	15,88	GM
4522	273,05	x	311,15	x	15,88	GM
4024	273,05	x	311,15	x	19,05	GM
4030	273,05	x	323,85	x	19,05	GM
4031	273,05	x	323,85	x	20,62	GM
5808	275,01	x	300,41	x	14,99	GM
2350	275,01	x	310,01	x	15,01	GM
4032	276,23	x	314,33	x	19,05	GM
9542	276,23	x	320,68	x	19,05	GM
1982	276,23	x	327,03	x	12,70	GM
6416	276,23	x	327,03	x	20,62	GM
9932	277,80	x	309,55	x	15,88	GM
6087	277,80	x	315,90	x	15,88	GM
8874	277,80	x	317,50	x	15,88	GM
9974	277,80	x	317,50	x	15,88	GM
6504	277,80	x	328,60	x	19,05	GM
1246	278,99	x	308,99	x	15,01	GM
8761	279,40	x	304,80	x	9,53	GM
9693	279,40	x	304,80	x	12,70	GM
3691	279,40	x	304,80	x	15,88	GM
3692	279,40	x	311,15	x	15,88	GM
4450	279,40	x	314,33	x	19,05	GM
7606	279,40	x	317,50	x	9,53	GM
7716	279,40	x	317,50	x	12,70	GM
3693	279,40	x	317,50	x	15,88	GM
6394	279,40	x	317,50	x	19,05	GM
4867	279,40	x	323,85	x	19,05	GM
1905	279,40	x	330,20	x	12,70	GM
6395	279,40	x	330,20	x	19,05	GM
4036	279,40	x	330,20	x	20,62	GM
6964	279,98	x	305,38	x	12,70	GM
5958	279,98	x	305,38	x	15,88	GM
2582	280,01	x	310,01	x	16,00	GM
0890	280,01	x	310,01	x	19,99	GM
7391	280,01	x	319,99	x	19,99	GM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'GM'

Ordered according to size

Technical description at page 21

code	B		A		H	type
7878	280,14	x	305,54	x	9,53	GM
1465	280,19	x	305,59	x	12,70	GM
5724	280,19	x	305,59	x	15,88	GM
3695	280,97	x	311,15	x	19,05	GM
3261	281,00	x	312,75	x	15,88	GM
5395	282,58	x	317,50	x	19,05	GM
4049	282,58	x	333,38	x	20,62	GM
0678	283,21	x	318,16	x	12,70	GM
6238	284,15	x	309,58	x	12,70	GM
5712	284,96	x	329,01	x	19,99	GM
1262	284,99	x	315,01	x	19,99	GM
9829	285,75	x	311,15	x	15,88	GM
6672	285,75	x	317,50	x	15,88	GM
7832	285,75	x	323,85	x	15,88	GM
4046	285,75	x	323,85	x	19,05	GM
0420	285,75	x	336,55	x	15,88	GM
4047	285,75	x	336,55	x	20,62	GM
9942	287,91	x	318,01	x	12,70	GM
5014	288,14	x	319,86	x	15,88	GM
7437	288,67	x	320,68	x	15,88	GM
6549	288,93	x	314,33	x	12,70	GM
5397	288,93	x	320,68	x	15,88	GM
4050	288,93	x	327,03	x	19,05	GM
1031	289,99	x	330,00	x	19,99	GM
5882	289,99	x	340,79	x	19,05	GM
0932	289,99	x	340,79	x	20,62	GM
5719	290,12	x	328,19	x	19,05	GM
5851	291,36	x	342,16	x	19,05	GM
7639	292,10	x	314,33	x	9,53	GM
8962	292,10	x	317,50	x	9,53	GM
9094	292,10	x	317,50	x	12,70	GM
5642	292,10	x	320,68	x	15,88	GM
6621	292,10	x	323,85	x	12,70	GM
7263	292,10	x	323,85	x	15,88	GM
5012	292,10	x	327,03	x	19,05	GM
7219	292,10	x	330,20	x	12,70	GM
6687	292,10	x	330,20	x	15,88	GM
4058	292,10	x	330,20	x	19,05	GM
4060	292,10	x	336,55	x	19,05	GM
1035	292,10	x	336,55	x	20,62	GM
4062	292,10	x	342,90	x	19,05	GM
4063	292,10	x	342,90	x	20,62	GM

code	B		A		H	type
8559	293,67	x	331,77	x	19,05	GM
5307	294,01	x	319,41	x	12,70	GM
5878	295,00	x	333,10	x	19,05	GM
7053	295,28	x	320,68	x	12,70	GM
8287	295,28	x	333,38	x	19,05	GM
5298	295,28	x	346,08	x	20,62	GM
5776	296,85	x	334,95	x	15,88	GM
6840	296,85	x	336,55	x	15,88	GM
7874	297,99	x	320,19	x	9,53	GM
3239	298,45	x	330,20	x	20,65	GM
9980	298,45	x	336,55	x	15,88	GM
4065	298,45	x	336,55	x	19,05	GM
6826	298,45	x	342,90	x	19,05	GM
9976	298,45	x	342,90	x	20,62	GM
9726	298,45	x	349,25	x	15,88	GM
9721	298,45	x	349,25	x	15,88	GM
6836	298,45	x	349,25	x	19,05	GM
8315	298,45	x	349,25	x	20,62	GM
9793	299,92	x	338,02	x	19,05	GM
5835	300,00	x	325,40	x	12,70	GM
5352	300,00	x	330,00	x	14,99	GM
6932	300,00	x	338,10	x	19,05	GM
0947	300,00	x	339,98	x	20,62	GM
7893	300,00	x	340,00	x	16,00	GM
4655	300,00	x	340,00	x	19,99	GM
4602	300,00	x	343,99	x	19,99	GM
4881	300,00	x	349,99	x	19,05	GM
9491	300,02	x	338,12	x	19,05	GM
0697	300,05	x	350,85	x	20,65	GM
6705	301,63	x	327,03	x	12,70	GM
6328	301,63	x	339,73	x	19,05	GM
9749	301,63	x	352,43	x	19,05	GM
6719	302,41	x	334,16	x	15,88	GM
7105	303,20	x	354,03	x	20,62	GM
4604	303,23	x	341,33	x	15,88	GM
1310	304,80	x	327,03	x	9,53	GM
8804	304,80	x	330,20	x	12,70	GM
1925	304,80	x	330,20	x	15,88	GM
7306	304,80	x	336,55	x	15,88	GM
0954	304,80	x	336,55	x	19,05	GM
4067	304,80	x	342,90	x	19,05	GM
4911	304,80	x	349,25	x	19,05	GM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'GM'

Ordered according to size

Technical description at page 21

code	B		A		H	type
3853	304,80	x	355,60	x	15,88	GM
4071	304,80	x	355,60	x	19,05	GM
4072	304,80	x	355,60	x	20,62	GM
7250	306,37	x	344,47	x	19,05	GM
4441	306,40	x	346,08	x	19,05	GM
1781	307,98	x	333,38	x	12,70	GM
2395	307,98	x	339,73	x	19,05	GM
7570	307,98	x	346,08	x	19,05	GM
6484	307,98	x	358,78	x	19,05	GM
6253	309,55	x	347,68	x	15,88	GM
5340	309,98	x	339,98	x	14,99	GM
5536	310,01	x	335,00	x	12,70	GM
7735	310,01	x	335,41	x	12,70	GM
2454	310,01	x	354,00	x	19,99	GM
6441	310,08	x	348,06	x	19,05	GM
0599	311,15	x	342,90	x	19,05	GM
4074	311,15	x	349,25	x	19,05	GM
4895	311,15	x	351,05	x	19,05	GM
2472	311,15	x	355,60	x	15,88	GM
6829	311,15	x	361,95	x	19,05	GM
4075	311,15	x	361,95	x	20,62	GM
0677	312,88	x	347,83	x	12,70	GM
9301	314,33	x	352,43	x	15,88	GM
4077	314,33	x	352,43	x	19,05	GM
9928	314,45	x	365,25	x	20,62	GM
5953	315,11	x	353,21	x	19,05	GM
9396	315,90	x	355,60	x	19,05	GM
1176	315,93	x	366,73	x	20,62	GM
1984	317,50	x	339,73	x	12,70	GM
5114	317,50	x	342,90	x	12,70	GM
3712	317,50	x	342,90	x	15,88	GM
8229	317,50	x	349,25	x	15,88	GM
8998	317,50	x	353,21	x	19,05	GM
4496	317,50	x	355,60	x	15,88	GM
4080	317,50	x	355,60	x	19,05	GM
4591	317,50	x	355,60	x	20,62	GM
1691	317,50	x	357,17	x	15,88	GM
8589	317,50	x	357,17	x	19,05	GM
4082	317,50	x	368,30	x	19,05	GM
4083	317,50	x	368,30	x	20,62	GM
6815	319,07	x	357,17	x	19,05	GM
5576	319,99	x	345,01	x	12,70	GM

code	B		A		H	type
5667	319,99	x	358,01	x	19,05	GM
1712	319,99	x	359,99	x	19,00	GM
1103	319,99	x	359,99	x	19,99	GM
2911	319,99	x	363,98	x	19,99	GM
7135	320,68	x	352,43	x	15,88	GM
4480	320,68	x	355,60	x	19,05	GM
4086	320,68	x	358,78	x	19,05	GM
7279	320,68	x	371,48	x	19,05	GM
5669	322,25	x	373,05	x	20,62	GM
7600	323,85	x	349,25	x	12,70	GM
3224	323,85	x	355,60	x	12,70	GM
4788	323,85	x	355,60	x	19,05	GM
4088	323,85	x	361,95	x	15,88	GM
5942	323,85	x	361,95	x	19,05	GM
2185	323,85	x	361,95	x	20,62	GM
2319	323,85	x	367,84	x	19,99	GM
5917	323,85	x	368,30	x	19,05	GM
6396	323,85	x	374,65	x	19,05	GM
2497	323,85	x	374,65	x	20,62	GM
8261	324,99	x	347,19	x	9,53	GM
3209	324,99	x	365,00	x	16,00	GM
1016	325,42	x	376,22	x	19,05	GM
1960	327,03	x	352,43	x	12,70	GM
1619	327,03	x	355,60	x	19,05	GM
5939	327,03	x	365,13	x	19,05	GM
8115	327,03	x	377,83	x	19,05	GM
8511	327,81	x	378,61	x	19,05	GM
5341	328,22	x	359,99	x	14,99	GM
0203	328,63	x	361,95	x	15,88	GM
0590	330,00	x	359,99	x	10,01	GM
3170	330,00	x	373,99	x	19,00	GM
4630	330,00	x	373,99	x	19,99	GM
8576	330,20	x	355,60	x	12,70	GM
4770	330,20	x	361,95	x	15,88	GM
1698	330,20	x	365,13	x	9,53	GM
7805	330,20	x	368,30	x	15,88	GM
4094	330,20	x	368,30	x	19,05	GM
0818	330,20	x	368,30	x	20,62	GM
9255	330,20	x	374,65	x	12,70	GM
7547	330,20	x	374,65	x	19,05	GM
9598	330,20	x	381,00	x	15,88	GM
4098	330,20	x	381,00	x	19,05	GM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'GM'

Ordered according to size

Technical description at page 21

code	B		A		H	type
4099	330,20	x	381,00	x	20,62	GM
0994	331,98	x	370,08	x	19,05	GM
9258	333,38	x	371,48	x	19,05	GM
9949	333,38	x	377,83	x	15,88	GM
7602	333,38	x	384,18	x	19,05	GM
5783	333,38	x	384,18	x	20,62	GM
8332	334,95	x	360,35	x	12,70	GM
0489	336,55	x	361,95	x	12,70	GM
6263	336,55	x	374,65	x	15,88	GM
4102	336,55	x	374,65	x	19,05	GM
6264	336,55	x	387,35	x	19,05	GM
4779	336,55	x	387,35	x	20,62	GM
7969	338,12	x	388,92	x	20,62	GM
9331	339,73	x	365,13	x	12,70	GM
0944	339,73	x	371,48	x	12,70	GM
7323	339,73	x	377,83	x	19,05	GM
9256	339,73	x	390,53	x	20,62	GM
4596	339,93	x	378,03	x	19,05	GM
5664	340,00	x	378,00	x	19,05	GM
2245	340,00	x	384,00	x	19,99	GM
5984	342,11	x	367,49	x	12,70	GM
0986	342,90	x	368,30	x	12,70	GM
8620	342,90	x	381,00	x	15,88	GM
4122	342,90	x	381,00	x	19,05	GM
4127	342,90	x	393,70	x	19,05	GM
4128	342,90	x	393,70	x	20,62	GM
4666	343,00	x	393,80	x	20,62	GM
5659	344,47	x	382,57	x	19,05	GM
5640	344,93	x	370,33	x	12,70	GM
7019	346,00	x	384,10	x	19,05	GM
5383	346,08	x	371,48	x	12,70	GM
5825	346,08	x	377,83	x	19,05	GM
9921	346,08	x	396,88	x	20,62	GM
7175	349,25	x	374,65	x	12,70	GM
0453	349,25	x	381,00	x	19,05	GM
2980	349,25	x	387,35	x	12,70	GM
4530	349,25	x	387,35	x	19,05	GM
4532	349,25	x	400,05	x	19,05	GM
4129	349,25	x	400,05	x	20,62	GM
5477	349,99	x	388,01	x	12,70	GM
9316	349,99	x	388,09	x	19,05	GM
8656	349,99	x	389,99	x	16,00	GM

code	B		A		H	type
0591	350,01	x	380,01	x	10,01	GM
2109	350,01	x	394,00	x	12,70	GM
7379	352,43	x	390,53	x	19,05	GM
4137	352,43	x	403,23	x	20,62	GM
9783	354,00	x	392,10	x	19,05	GM
6518	355,09	x	393,70	x	19,05	GM
6560	355,60	x	381,00	x	12,70	GM
8850	355,60	x	387,35	x	19,05	GM
6303	355,60	x	393,70	x	15,88	GM
4132	355,60	x	393,70	x	19,05	GM
4133	355,60	x	395,30	x	19,05	GM
6324	355,60	x	400,05	x	12,70	GM
4134	355,60	x	400,05	x	19,05	GM
9763	355,60	x	406,40	x	15,88	GM
6877	355,60	x	406,40	x	19,05	GM
4135	355,60	x	406,40	x	20,62	GM
9287	355,93	x	394,03	x	19,05	GM
1883	356,31	x	391,87	x	19,05	GM
1865	356,64	x	394,74	x	15,88	GM
6778	357,20	x	407,97	x	20,62	GM
9512	358,14	x	396,24	x	19,05	GM
9687	358,78	x	396,88	x	19,05	GM
1287	359,16	x	397,26	x	15,88	GM
5815	359,82	x	400,05	x	15,88	GM
5846	359,99	x	398,09	x	19,05	GM
9182	359,99	x	400,00	x	19,00	GM
0241	360,10	x	393,70	x	19,05	GM
4138	360,43	x	398,53	x	15,88	GM
7898	361,04	x	411,84	x	20,62	GM
5062	361,95	x	400,05	x	19,05	GM
4691	361,95	x	406,40	x	20,62	GM
5117	361,95	x	412,75	x	19,05	GM
4140	361,95	x	412,75	x	20,62	GM
3250	365,00	x	403,00	x	19,00	GM
5946	365,13	x	403,23	x	19,05	GM
5134	365,13	x	415,93	x	19,05	GM
2700	365,61	x	391,01	x	12,70	GM
0785	366,73	x	404,83	x	15,88	GM
1632	367,89	x	390,37	x	12,70	GM
8741	368,30	x	393,70	x	12,70	GM
4699	368,30	x	400,05	x	15,88	GM
1018	368,30	x	400,05	x	19,05	GM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'GM'

Ordered according to size

Technical description at page 21

code	B		A		H	type
7149	368,30	x	406,40	x	15,88	GM
4143	368,30	x	406,40	x	19,05	GM
5455	368,30	x	412,75	x	15,88	GM
9116	368,30	x	419,10	x	15,88	GM
3728	368,30	x	419,10	x	19,05	GM
4145	368,30	x	419,10	x	20,62	GM
5845	370,00	x	395,00	x	12,70	GM
1968	370,00	x	419,99	x	19,99	GM
9732	371,48	x	409,58	x	19,05	GM
6283	373,05	x	411,15	x	15,88	GM
9494	373,05	x	411,15	x	19,05	GM
4756	373,05	x	423,85	x	20,62	GM
2067	374,65	x	409,58	x	19,05	GM
9959	374,65	x	412,75	x	9,53	GM
8119	374,65	x	412,75	x	15,88	GM
4148	374,65	x	412,75	x	19,05	GM
4149	374,65	x	419,10	x	19,05	GM
1617	374,65	x	419,10	x	20,62	GM
9254	374,65	x	425,45	x	19,05	GM
9591	374,65	x	425,45	x	20,62	GM
6994	374,90	x	415,01	x	16,00	GM
3262	376,17	x	398,40	x	9,53	GM
8281	377,83	x	415,93	x	19,05	GM
1454	377,83	x	428,63	x	9,53	GM
9163	377,83	x	428,63	x	12,70	GM
8271	377,83	x	428,63	x	20,62	GM
9896	379,40	x	417,50	x	19,05	GM
5801	379,98	x	418,08	x	19,05	GM
2328	380,01	x	419,99	x	15,88	GM
0614	380,01	x	419,99	x	19,99	GM
4601	380,01	x	424,00	x	19,99	GM
5508	381,00	x	406,40	x	12,70	GM
1175	381,00	x	412,75	x	15,88	GM
0662	381,00	x	412,75	x	20,62	GM
4152	381,00	x	419,10	x	19,05	GM
4153	381,00	x	425,45	x	19,05	GM
8123	381,00	x	425,45	x	20,62	GM
4949	381,00	x	431,80	x	12,70	GM
9181	381,00	x	431,80	x	15,88	GM
4155	381,00	x	431,80	x	19,05	GM
4156	381,00	x	431,80	x	20,62	GM
9279	384,18	x	409,58	x	9,53	GM
6883	384,18	x	434,98	x	15,88	GM
9906	384,18	x	434,98	x	19,05	GM
6531	384,96	x	435,76	x	20,62	GM
1688	385,09	x	428,88	x	20,62	GM
7814	385,75	x	436,55	x	19,05	GM
0889	385,85	x	411,25	x	12,70	GM
1918	387,35	x	412,75	x	12,70	GM
7801	387,35	x	425,45	x	19,05	GM
6618	387,35	x	438,15	x	15,88	GM
7539	387,35	x	438,15	x	19,05	GM
4476	387,35	x	438,15	x	20,62	GM
7708	388,92	x	439,72	x	20,62	GM
9796	389,89	x	427,99	x	19,05	GM
5290	389,99	x	430,00	x	19,05	GM
1767	389,99	x	433,98	x	19,99	GM
0450	390,53	x	425,45	x	19,05	GM
7239	390,53	x	428,63	x	19,05	GM
1013	390,53	x	434,98	x	20,62	GM
4159	390,53	x	441,33	x	20,62	GM
1449	392,13	x	430,23	x	19,05	GM
4625	393,70	x	419,10	x	12,70	GM
4162	393,70	x	431,80	x	19,05	GM
6562	393,70	x	438,15	x	19,05	GM
7431	393,70	x	444,50	x	19,05	GM
4163	393,70	x	444,50	x	20,62	GM
2206	394,00	x	419,99	x	12,70	GM
7592	395,35	x	420,75	x	12,70	GM
6455	396,88	x	434,98	x	19,05	GM
5666	400,00	x	438,00	x	19,05	GM
4629	400,00	x	443,99	x	19,99	GM
2069	400,00	x	450,01	x	19,99	GM
2275	400,00	x	450,01	x	20,62	GM
8713	400,00	x	450,80	x	19,05	GM
6873	400,05	x	425,45	x	12,70	GM
7091	400,05	x	428,63	x	15,88	GM
1992	400,05	x	430,48	x	19,05	GM
9595	400,05	x	438,15	x	19,05	GM
7442	400,05	x	444,50	x	19,05	GM
5865	400,05	x	444,50	x	20,62	GM
6769	400,05	x	450,85	x	20,62	GM
6353	400,94	x	451,74	x	20,62	GM
4664	403,23	x	441,33	x	19,05	GM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'GM'

Ordered according to size

Technical description at page 21

code	B		A		H	type
4176	403,23	x	454,03	x	20,62	GM
1439	404,80	x	442,90	x	19,05	GM
7425	404,80	x	455,60	x	19,05	GM
9077	406,40	x	431,80	x	12,70	GM
4178	406,40	x	444,50	x	19,05	GM
6821	406,40	x	450,85	x	19,05	GM
5116	406,40	x	457,20	x	19,05	GM
4180	406,40	x	457,20	x	20,62	GM
5599	407,97	x	433,37	x	12,70	GM
5867	409,58	x	434,98	x	12,70	GM
6878	409,58	x	460,38	x	19,05	GM
5819	409,58	x	460,38	x	20,62	GM
5803	409,98	x	460,78	x	20,62	GM
2491	411,15	x	442,90	x	19,05	GM
9484	411,15	x	461,95	x	20,62	GM
9286	412,12	x	450,22	x	19,05	GM
5039	412,75	x	438,15	x	12,70	GM
4182	412,75	x	450,85	x	19,05	GM
4184	412,75	x	457,20	x	19,05	GM
9285	412,75	x	457,20	x	20,62	GM
6657	412,75	x	463,55	x	19,05	GM
6397	412,75	x	463,55	x	20,62	GM
1280	413,99	x	464,01	x	20,62	GM
9296	415,29	x	440,69	x	12,70	GM
6984	415,93	x	441,33	x	12,70	GM
5178	415,93	x	454,03	x	19,05	GM
9757	415,93	x	466,73	x	20,62	GM
5747	419,10	x	444,50	x	12,70	GM
3868	419,10	x	450,85	x	19,05	GM
4185	419,10	x	457,20	x	19,05	GM
6697	419,10	x	469,90	x	19,05	GM
4186	419,10	x	469,90	x	20,62	GM
5725	419,89	x	457,99	x	19,05	GM
7127	419,99	x	458,09	x	19,05	GM
8504	419,99	x	459,99	x	19,99	GM
4521	419,99	x	470,00	x	19,05	GM
5827	422,28	x	447,68	x	12,70	GM
8981	422,28	x	460,38	x	19,05	GM
6601	422,28	x	473,08	x	20,62	GM
9529	425,02	x	474,98	x	20,02	GM
3223	425,45	x	457,20	x	19,05	GM
8295	425,45	x	463,55	x	19,05	GM

code	B		A		H	type
6398	425,45	x	476,25	x	19,05	GM
9752	425,45	x	476,25	x	20,62	GM
9303	428,63	x	479,43	x	20,62	GM
6933	430,00	x	455,40	x	12,70	GM
5850	430,00	x	468,10	x	19,05	GM
4510	430,00	x	470,00	x	19,99	GM
5029	430,00	x	479,98	x	19,99	GM
1976	431,80	x	457,20	x	12,70	GM
3247	431,80	x	463,55	x	12,70	GM
8780	431,80	x	463,55	x	15,88	GM
1923	431,80	x	463,55	x	19,05	GM
4189	431,80	x	469,90	x	19,05	GM
5168	431,80	x	482,60	x	19,05	GM
4190	431,80	x	482,60	x	20,62	GM
9273	434,98	x	460,38	x	12,70	GM
6626	434,98	x	473,08	x	19,05	GM
5983	434,98	x	485,78	x	20,62	GM
4588	436,63	x	487,43	x	20,62	GM
1125	438,15	x	469,90	x	15,88	GM
4663	438,15	x	476,25	x	15,88	GM
6967	438,15	x	476,25	x	19,05	GM
5877	438,15	x	488,95	x	19,05	GM
8191	438,15	x	488,95	x	20,62	GM
4374	439,75	x	465,15	x	12,70	GM
6812	439,98	x	478,08	x	19,05	GM
4393	440,00	x	480,01	x	19,99	GM
0620	440,00	x	490,80	x	19,05	GM
9315	440,23	x	478,33	x	19,05	GM
4351	440,94	x	491,74	x	20,62	GM
9338	441,33	x	479,43	x	19,05	GM
2499	441,96	x	492,76	x	20,62	GM
7043	442,11	x	467,51	x	12,70	GM
9261	444,50	x	469,90	x	12,70	GM
2021	444,50	x	476,25	x	12,70	GM
4403	444,50	x	482,60	x	15,88	GM
4195	444,50	x	482,60	x	19,05	GM
4589	444,50	x	482,60	x	20,62	GM
8476	444,50	x	488,95	x	15,88	GM
4196	444,50	x	488,95	x	19,05	GM
7625	444,50	x	495,30	x	19,05	GM
9601	444,50	x	495,30	x	20,62	GM
7589	445,14	x	470,54	x	12,70	GM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'GM'

Ordered according to size

Technical description at page 21

code	B		A		H	type
5534	446,07	x	484,17	x	19,05	GM
5172	447,68	x	469,90	x	9,53	GM
1158	447,68	x	492,13	x	19,05	GM
1179	449,99	x	500,00	x	20,62	GM
9479	449,99	x	500,79	x	20,62	GM
0510	450,01	x	480,01	x	12,70	GM
5594	450,06	x	488,16	x	19,05	GM
9581	450,85	x	476,25	x	12,70	GM
4523	450,85	x	482,60	x	19,05	GM
6615	450,85	x	488,95	x	19,05	GM
4200	450,85	x	501,65	x	20,62	GM
4667	451,99	x	502,79	x	20,62	GM
4815	454,03	x	479,43	x	12,70	GM
4204	454,03	x	504,83	x	20,62	GM
5613	454,66	x	492,76	x	19,05	GM
0716	455,63	x	490,55	x	20,62	GM
7487	457,20	x	482,60	x	12,70	GM
3741	457,20	x	495,30	x	19,05	GM
2741	457,20	x	495,30	x	19,05	GM
8691	457,20	x	495,30	x	20,62	GM
7413	457,20	x	501,65	x	20,62	GM
4209	457,20	x	508,00	x	19,05	GM
6399	457,20	x	508,00	x	20,62	GM
5432	457,99	x	508,79	x	20,62	GM
5769	458,77	x	509,57	x	20,62	GM
0518	459,99	x	504,01	x	19,99	GM
1237	459,99	x	509,98	x	19,99	GM
5431	459,99	x	510,79	x	20,62	GM
5680	460,38	x	498,48	x	19,05	GM
4211	463,55	x	501,65	x	19,05	GM
7618	463,55	x	514,35	x	20,62	GM
6132	466,73	x	504,83	x	19,05	GM
6740	466,73	x	517,53	x	20,62	GM
2697	468,60	x	494,00	x	12,70	GM
5820	469,90	x	495,30	x	12,70	GM
7700	469,90	x	504,83	x	19,05	GM
9881	469,90	x	508,00	x	19,05	GM
7059	469,90	x	520,70	x	19,05	GM
6408	469,90	x	520,70	x	20,62	GM
5506	471,47	x	496,87	x	12,70	GM
6305	473,08	x	504,83	x	19,05	GM
5130	473,08	x	523,88	x	20,62	GM

code	B		A		H	type
9979	476,25	x	501,65	x	12,70	GM
2337	476,25	x	514,35	x	12,70	GM
4217	476,25	x	514,35	x	19,05	GM
9477	476,25	x	514,35	x	20,62	GM
9940	476,25	x	527,05	x	20,62	GM
9492	477,98	x	528,78	x	20,62	GM
9742	479,43	x	530,23	x	20,62	GM
8299	480,01	x	530,00	x	19,99	GM
0639	480,01	x	530,02	x	20,62	GM
5099	481,00	x	531,80	x	20,62	GM
5158	482,60	x	508,00	x	12,70	GM
4218	482,60	x	520,70	x	19,05	GM
4741	482,60	x	533,40	x	12,70	GM
9115	482,60	x	533,40	x	19,05	GM
6508	482,60	x	533,40	x	20,62	GM
5271	485,78	x	511,18	x	12,70	GM
8719	485,78	x	536,58	x	20,62	GM
9349	487,35	x	538,15	x	20,62	GM
9943	487,38	x	531,83	x	15,88	GM
4493	487,38	x	531,83	x	15,88	GM
4617	488,95	x	527,05	x	19,05	GM
4225	488,95	x	533,40	x	20,62	GM
6079	488,95	x	539,75	x	20,62	GM
1298	489,99	x	540,00	x	19,99	GM
4535	492,13	x	517,53	x	12,70	GM
9734	492,13	x	542,93	x	20,62	GM
5262	495,30	x	520,70	x	12,70	GM
3779	495,30	x	533,40	x	19,05	GM
5699	495,30	x	539,75	x	20,65	GM
4739	495,30	x	546,10	x	12,70	GM
1376	495,30	x	546,10	x	15,88	GM
8446	495,30	x	546,10	x	20,62	GM
6791	497,99	x	548,01	x	20,62	GM
1780	498,48	x	536,58	x	12,70	GM
1773	498,48	x	542,93	x	19,05	GM
4678	498,48	x	549,28	x	20,62	GM
1991	499,72	x	550,52	x	20,62	GM
8634	500,00	x	550,80	x	20,62	GM
5904	500,05	x	538,15	x	19,05	GM
1866	500,05	x	550,49	x	20,62	GM
2439	500,08	x	550,88	x	20,62	GM
4525	501,65	x	527,05	x	12,70	GM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'GM'

Ordered according to size

Technical description at page 21

code	B		A		H	type
1038	501,65	x	539,75	x	19,05	GM
6426	501,65	x	552,45	x	20,62	GM
5291	504,83	x	555,63	x	20,62	GM
5849	504,98	x	555,78	x	20,62	GM
8848	506,40	x	538,15	x	15,88	GM
8421	508,00	x	533,40	x	12,70	GM
2505	508,00	x	539,75	x	15,88	GM
3057	508,00	x	546,10	x	15,88	GM
4235	508,00	x	546,10	x	19,05	GM
4230	508,00	x	552,45	x	20,62	GM
7212	508,00	x	558,80	x	19,05	GM
6400	508,00	x	558,80	x	20,62	GM
9801	509,57	x	560,37	x	20,62	GM
5802	509,98	x	560,78	x	20,62	GM
1181	510,82	x	561,62	x	20,62	GM
6718	511,18	x	561,98	x	19,05	GM
6710	511,18	x	561,98	x	20,62	GM
7195	512,75	x	563,55	x	20,62	GM
7822	513,99	x	564,79	x	20,62	GM
9478	514,35	x	539,75	x	12,70	GM
4239	514,35	x	552,45	x	19,05	GM
4926	514,35	x	565,15	x	20,62	GM
9987	519,63	x	545,03	x	9,53	GM
5654	519,91	x	558,01	x	19,05	GM
0935	519,94	x	570,74	x	20,62	GM
6830	519,99	x	558,09	x	19,05	GM
9985	520,12	x	545,52	x	9,53	GM
9983	520,57	x	545,97	x	9,53	GM
8869	520,70	x	546,10	x	12,70	GM
4619	520,70	x	558,80	x	19,05	GM
5055	520,70	x	571,50	x	20,62	GM
5708	521,11	x	571,91	x	20,62	GM
9893	523,88	x	574,68	x	20,62	GM
0839	527,05	x	565,15	x	19,05	GM
7148	527,05	x	577,85	x	20,62	GM
9392	529,01	x	579,81	x	20,62	GM
1911	530,00	x	580,01	x	19,99	GM
9744	530,00	x	580,80	x	20,62	GM
9276	530,23	x	581,03	x	20,62	GM
3088	531,85	x	582,65	x	20,62	GM
4940	533,40	x	558,80	x	12,70	GM
5259	533,40	x	571,50	x	19,05	GM

code	B		A		H	type
5312	533,40	x	577,85	x	19,05	GM
6535	533,40	x	584,20	x	20,62	GM
3760	536,58	x	561,98	x	12,70	GM
8946	539,75	x	565,15	x	12,70	GM
0483	539,75	x	574,98	x	14,99	GM
5795	539,75	x	577,85	x	19,05	GM
2058	539,75	x	590,55	x	19,05	GM
9391	539,75	x	590,55	x	20,62	GM
9639	540,00	x	589,99	x	20,62	GM
9312	540,00	x	590,80	x	20,62	GM
5302	542,93	x	593,73	x	20,62	GM
6542	544,50	x	595,30	x	20,62	GM
5668	544,98	x	595,78	x	20,62	GM
6807	546,10	x	577,85	x	19,05	GM
6853	546,10	x	584,20	x	15,88	GM
5768	546,10	x	584,20	x	19,05	GM
5550	546,10	x	590,55	x	20,62	GM
9907	546,10	x	596,90	x	19,05	GM
7407	546,10	x	596,90	x	20,62	GM
5936	549,28	x	600,08	x	20,62	GM
5258	549,99	x	588,09	x	19,05	GM
5428	550,85	x	588,95	x	19,05	GM
9864	550,95	x	601,75	x	20,62	GM
4621	552,45	x	590,55	x	19,05	GM
6972	552,45	x	603,25	x	20,62	GM
0429	554,00	x	594,00	x	19,99	GM
8658	555,63	x	606,43	x	20,62	GM
0606	556,01	x	605,99	x	20,62	GM
7131	558,80	x	584,20	x	12,70	GM
0676	558,80	x	587,38	x	12,70	GM
6291	558,80	x	603,25	x	20,62	GM
6401	558,80	x	609,60	x	20,62	GM
6191	560,37	x	611,17	x	20,62	GM
5254	561,98	x	612,78	x	20,62	GM
8512	565,15	x	615,95	x	20,62	GM
4863	566,93	x	617,73	x	20,62	GM
1305	571,50	x	593,73	x	9,53	GM
1224	571,50	x	596,90	x	12,70	GM
7489	571,50	x	622,30	x	20,62	GM
4279	571,50	x	622,30	x	22,23	GM
0506	574,68	x	612,78	x	12,70	GM
7356	574,68	x	625,48	x	20,62	GM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'GM'

Ordered according to size

Technical description at page 21

code	B		A		H	type
5532	575,89	x	613,99	x	19,05	GM
8526	577,85	x	628,65	x	20,62	GM
7098	579,42	x	617,52	x	19,05	GM
6809	579,42	x	630,22	x	20,62	GM
7284	579,98	x	618,08	x	19,05	GM
9480	579,98	x	630,78	x	20,62	GM
1311	581,03	x	603,25	x	9,53	GM
9847	581,03	x	631,83	x	20,62	GM
9173	582,60	x	633,40	x	20,62	GM
3220	583,13	x	633,93	x	20,62	GM
6202	584,20	x	609,60	x	12,70	GM
7593	584,20	x	615,95	x	19,05	GM
7838	584,20	x	635,00	x	20,62	GM
7714	586,99	x	625,09	x	19,05	GM
8468	588,95	x	639,75	x	20,62	GM
2674	589,99	x	640,00	x	19,99	GM
7162	590,55	x	628,65	x	19,05	GM
9371	590,55	x	641,35	x	19,05	GM
6910	590,55	x	641,35	x	20,62	GM
5595	591,82	x	617,22	x	12,70	GM
7414	593,73	x	631,83	x	19,05	GM
7139	593,73	x	644,53	x	20,62	GM
0582	595,07	x	633,17	x	19,05	GM
5756	596,90	x	622,30	x	12,70	GM
6772	596,90	x	647,70	x	19,05	GM
6879	596,90	x	647,70	x	20,62	GM
0464	597,20	x	648,00	x	20,62	GM
5614	598,68	x	636,78	x	19,05	GM
5615	599,31	x	637,41	x	19,05	GM
5903	600,08	x	638,18	x	19,05	GM
6337	600,08	x	650,88	x	20,62	GM
7594	603,25	x	641,35	x	19,05	GM
5553	603,25	x	654,05	x	20,62	GM
8108	606,43	x	631,83	x	12,70	GM
1294	607,06	x	637,54	x	19,05	GM
5552	609,60	x	638,18	x	12,70	GM
4623	609,60	x	647,70	x	19,05	GM
5919	609,60	x	660,40	x	20,62	GM
1112	609,98	x	654,00	x	19,99	GM
7119	609,98	x	659,99	x	20,62	GM
5707	611,96	x	662,76	x	20,62	GM
6766	612,78	x	638,18	x	12,70	GM

code	B		A		H	type
8139	615,95	x	641,35	x	12,70	GM
7352	615,95	x	666,75	x	20,62	GM
1977	619,13	x	650,88	x	15,88	GM
0864	619,99	x	670,00	x	20,62	GM
4304	620,70	x	671,50	x	19,05	GM
6335	620,70	x	671,50	x	20,62	GM
0822	622,30	x	644,53	x	9,53	GM
5818	622,30	x	647,70	x	12,70	GM
4675	622,30	x	650,88	x	12,70	GM
7469	622,30	x	650,88	x	15,88	GM
9282	622,30	x	660,40	x	19,05	GM
6987	622,30	x	666,75	x	20,62	GM
8689	622,30	x	673,10	x	20,62	GM
0626	625,48	x	647,70	x	9,53	GM
2196	625,86	x	651,26	x	12,70	GM
9313	628,65	x	654,05	x	12,70	GM
7200	628,65	x	679,45	x	20,62	GM
5720	630,00	x	668,10	x	19,05	GM
9383	630,22	x	681,02	x	20,62	GM
4839	631,83	x	682,63	x	20,62	GM
5798	635,00	x	660,40	x	12,70	GM
1098	635,00	x	666,75	x	15,88	GM
4308	635,00	x	673,10	x	19,05	GM
9154	635,00	x	685,80	x	19,05	GM
6419	635,00	x	685,80	x	20,62	GM
9982	635,15	x	660,55	x	9,53	GM
5729	638,18	x	663,58	x	12,70	GM
5828	639,75	x	690,55	x	20,62	GM
6823	639,98	x	678,08	x	19,05	GM
7679	639,98	x	690,78	x	20,62	GM
2769	640,16	x	690,14	x	20,62	GM
5748	640,56	x	691,36	x	20,62	GM
5141	641,35	x	679,45	x	12,70	GM
7163	641,35	x	679,45	x	19,05	GM
7859	641,35	x	692,15	x	20,62	GM
7646	646,10	x	690,55	x	19,05	GM
9988	647,70	x	673,10	x	12,70	GM
4317	647,70	x	685,80	x	19,05	GM
6918	647,70	x	698,50	x	19,05	GM
9090	647,70	x	698,50	x	20,62	GM
5743	648,46	x	686,56	x	19,05	GM
5779	649,99	x	675,39	x	12,70	GM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'GM'

Ordered according to size

Technical description at page 21

code	B		A		H	type
9325	649,99	x	688,09	x	19,05	GM
9382	650,88	x	676,28	x	12,70	GM
8773	650,88	x	679,45	x	12,70	GM
1997	650,88	x	682,63	x	15,88	GM
0663	650,88	x	701,68	x	20,62	GM
4676	654,05	x	682,63	x	12,70	GM
6321	654,05	x	682,63	x	15,88	GM
9305	654,05	x	682,63	x	19,05	GM
6539	654,05	x	685,80	x	12,70	GM
5894	654,05	x	685,80	x	15,88	GM
6998	654,05	x	692,15	x	19,05	GM
9569	654,05	x	704,85	x	20,62	GM
0696	657,23	x	679,45	x	9,53	GM
4698	657,23	x	682,63	x	12,70	GM
9266	657,23	x	708,03	x	20,62	GM
4714	660,40	x	685,80	x	12,70	GM
6940	660,40	x	688,98	x	12,70	GM
0959	660,40	x	692,15	x	15,88	GM
0455	660,40	x	698,50	x	19,05	GM
7710	660,40	x	711,20	x	19,05	GM
6483	660,40	x	711,20	x	20,62	GM
7699	663,58	x	714,38	x	20,62	GM
3141	665,99	x	691,39	x	12,70	GM
9759	666,75	x	717,55	x	20,62	GM
5017	669,93	x	720,73	x	20,62	GM
2248	670,00	x	708,00	x	19,00	GM
6886	671,50	x	722,30	x	20,62	GM
4533	673,10	x	711,20	x	19,05	GM
6332	673,10	x	723,90	x	20,62	GM
9626	677,85	x	728,65	x	20,62	GM
9647	679,45	x	730,25	x	20,62	GM
5799	679,98	x	705,38	x	12,70	GM
5278	680,24	x	731,04	x	20,62	GM
6819	681,10	x	731,90	x	20,62	GM
1312	682,63	x	704,85	x	9,53	GM
0755	682,63	x	714,38	x	12,70	GM
5102	682,63	x	733,43	x	20,62	GM
1169	684,99	x	710,01	x	12,70	GM
8043	685,80	x	711,20	x	12,70	GM
5050	685,80	x	723,90	x	15,88	GM
7340	685,80	x	736,60	x	20,62	GM
8103	692,15	x	742,95	x	20,62	GM

code	B		A		H	type
9375	695,33	x	746,13	x	20,62	GM
4315	698,50	x	736,60	x	19,05	GM
2313	698,50	x	749,30	x	19,05	GM
7251	698,50	x	749,30	x	20,62	GM
4481	700,00	x	738,00	x	19,00	GM
7881	700,07	x	750,87	x	20,62	GM
9420	704,85	x	733,43	x	14,27	GM
8190	704,85	x	755,65	x	20,62	GM
9690	708,03	x	758,83	x	20,62	GM
5860	709,98	x	760,78	x	20,62	GM
5895	710,41	x	761,21	x	20,62	GM
9890	711,00	x	739,62	x	12,70	GM
5504	711,20	x	739,78	x	12,70	GM
4343	711,20	x	749,30	x	19,05	GM
6786	711,20	x	762,00	x	20,62	GM
9603	711,20	x	762,00	x	20,88	GM
6068	714,38	x	742,95	x	12,70	GM
0896	717,55	x	749,30	x	15,88	GM
9575	717,55	x	768,35	x	20,62	GM
0786	719,99	x	770,00	x	24,99	GM
7900	720,73	x	749,30	x	12,70	GM
5266	723,90	x	749,30	x	12,70	GM
7655	723,90	x	774,70	x	20,62	GM
4346	723,90	x	774,70	x	22,23	GM
2158	727,08	x	777,88	x	20,62	GM
5863	730,25	x	755,65	x	12,70	GM
6803	730,25	x	781,05	x	20,62	GM
5612	733,43	x	755,65	x	12,70	GM
9797	733,43	x	784,23	x	20,62	GM
9852	736,60	x	765,18	x	12,70	GM
4347	736,60	x	774,70	x	19,05	GM
7331	736,60	x	787,40	x	20,62	GM
7107	740,00	x	790,80	x	20,62	GM
5263	742,95	x	768,35	x	12,70	GM
6577	742,95	x	793,75	x	20,62	GM
7039	746,13	x	796,93	x	20,62	GM
4526	749,30	x	774,70	x	12,70	GM
6403	749,30	x	800,10	x	20,62	GM
5780	749,99	x	775,39	x	12,70	GM
9225	749,99	x	790,58	x	19,05	GM
3165	749,99	x	800,00	x	19,99	GM
6583	750,87	x	801,67	x	20,62	GM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'GM'

Ordered according to size

Technical description at page 21

code	B		A		H	type
5281	752,48	x	803,28	x	20,62	GM
5821	754,05	x	804,85	x	20,62	GM
4857	758,83	x	809,63	x	20,62	GM
7325	759,61	x	785,01	x	12,70	GM
6907	759,61	x	810,41	x	20,62	GM
4897	759,92	x	798,02	x	19,05	GM
1974	761,19	x	811,99	x	20,62	GM
9339	762,00	x	787,40	x	12,70	GM
6404	762,00	x	790,58	x	12,70	GM
8980	762,00	x	793,75	x	12,70	GM
4356	762,00	x	800,10	x	19,05	GM
6849	762,00	x	812,80	x	20,62	GM
3796	762,00	x	812,80	x	25,40	GM
0779	763,65	x	789,05	x	12,70	GM
5514	765,18	x	790,58	x	12,70	GM
7773	768,35	x	819,15	x	20,62	GM
1985	769,95	x	808,05	x	19,05	GM
6297	771,53	x	822,33	x	20,62	GM
7161	774,70	x	825,50	x	19,05	GM
8934	774,70	x	825,50	x	20,62	GM
0501	774,70	x	825,50	x	25,40	GM
5647	776,27	x	827,07	x	20,62	GM
6677	781,05	x	806,45	x	12,70	GM
7866	782,32	x	807,72	x	12,70	GM
5611	787,40	x	812,80	x	12,70	GM
9853	787,40	x	815,98	x	12,70	GM
5739	787,40	x	825,50	x	19,05	GM
7412	787,40	x	838,20	x	20,62	GM
5033	793,75	x	844,55	x	19,05	GM
7658	797,71	x	838,00	x	19,05	GM
9493	800,10	x	825,50	x	12,70	GM
9736	800,10	x	838,20	x	19,05	GM
7644	800,10	x	850,90	x	20,62	GM
7206	806,45	x	831,85	x	12,70	GM
9156	806,45	x	857,25	x	19,05	GM
7355	806,45	x	857,25	x	20,62	GM
5847	810,01	x	860,81	x	20,62	GM
0884	812,80	x	838,20	x	12,70	GM
6609	812,80	x	841,38	x	12,70	GM
7441	812,80	x	863,60	x	20,62	GM
8549	815,98	x	854,08	x	15,88	GM
5435	815,98	x	866,78	x	20,62	GM

code	B		A		H	type
9348	817,55	x	868,35	x	20,62	GM
8550	819,15	x	854,08	x	15,88	GM
9205	819,15	x	869,95	x	20,62	GM
9212	822,33	x	854,08	x	12,70	GM
5361	822,33	x	854,08	x	15,88	GM
9968	822,33	x	873,13	x	25,40	GM
6405	825,50	x	854,08	x	12,70	GM
7387	825,50	x	876,30	x	20,62	GM
3813	825,50	x	876,30	x	25,40	GM
1695	830,25	x	862,00	x	12,70	GM
8122	830,25	x	881,05	x	20,62	GM
6805	831,85	x	882,65	x	20,62	GM
6863	837,84	x	863,24	x	12,70	GM
5159	838,20	x	863,60	x	12,70	GM
6947	838,20	x	866,78	x	12,70	GM
5698	838,20	x	876,30	x	15,88	GM
4381	838,20	x	876,30	x	19,05	GM
3083	838,20	x	889,00	x	19,05	GM
7244	838,20	x	889,00	x	20,62	GM
6944	844,55	x	895,35	x	20,62	GM
6107	850,90	x	901,70	x	20,62	GM
6143	857,25	x	908,05	x	20,62	GM
5730	863,60	x	889,00	x	12,70	GM
5602	863,60	x	901,70	x	19,05	GM
7138	863,60	x	914,40	x	20,62	GM
5830	870,00	x	920,80	x	20,62	GM
6908	876,30	x	914,40	x	19,05	GM
6420	876,30	x	927,10	x	20,62	GM
3830	876,30	x	927,10	x	25,40	GM
5519	889,00	x	914,40	x	12,70	GM
5765	889,00	x	927,10	x	15,88	GM
5425	889,00	x	927,10	x	19,05	GM
5935	889,00	x	939,80	x	20,62	GM
9335	898,53	x	949,33	x	20,62	GM
5824	900,00	x	938,10	x	19,05	GM
4872	900,00	x	950,01	x	19,99	GM
8200	900,10	x	950,90	x	20,62	GM
9645	901,70	x	952,50	x	20,62	GM
7695	901,70	x	952,50	x	25,40	GM
5658	908,05	x	958,85	x	20,62	GM
5885	914,40	x	939,80	x	12,70	GM
5714	914,40	x	952,50	x	19,05	GM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'GM'

Ordered according to size

Technical description at page 21

code	B		A		H	type
5662	914,40	x	965,20	x	19,05	GM
6406	914,40	x	965,20	x	20,62	GM
5013	915,19	x	965,99	x	20,62	GM
8172	926,08	x	976,88	x	20,62	GM
8684	927,10	x	971,55	x	20,62	GM
7813	927,10	x	977,90	x	20,62	GM
9219	930,28	x	981,08	x	20,62	GM
6822	933,45	x	984,25	x	20,62	GM
9314	939,80	x	965,20	x	12,70	GM
9324	939,80	x	990,60	x	20,62	GM
4435	939,80	x	990,60	x	25,40	GM
5202	946,15	x	996,95	x	20,62	GM
5709	949,33	x	1.000,13	x	20,62	GM
7641	950,01	x	988,11	x	19,05	GM
9554	952,50	x	1.003,30	x	20,62	GM
4438	952,50	x	1.003,30	x	22,23	GM
5622	960,42	x	1.011,22	x	20,62	GM
7751	965,20	x	990,60	x	12,70	GM
7548	965,20	x	1.003,30	x	19,05	GM
7863	965,20	x	1.016,00	x	20,62	GM
1877	965,20	x	1.016,00	x	25,40	GM
5601	971,55	x	1.022,35	x	20,62	GM
6473	977,90	x	1.028,70	x	20,62	GM
9641	984,25	x	1.035,05	x	20,62	GM
9602	990,60	x	1.016,00	x	12,70	GM
6891	990,60	x	1.034,97	x	19,99	GM
6237	990,60	x	1.041,40	x	20,62	GM
5326	996,95	x	1.035,05	x	19,05	GM
9200	996,95	x	1.047,75	x	20,62	GM
7470	1.003,30	x	1.028,70	x	12,70	GM
5204	1.003,30	x	1.054,10	x	20,62	GM
8509	1.009,65	x	1.060,45	x	20,62	GM
5625	1.016,00	x	1.054,10	x	19,05	GM
6059	1.016,00	x	1.066,80	x	20,62	GM
4386	1.019,99	x	1.050,01	x	19,05	GM
7752	1.022,35	x	1.047,75	x	12,70	GM
7550	1.022,35	x	1.060,45	x	19,05	GM
2265	1.022,73	x	1.060,83	x	19,05	GM
9735	1.028,70	x	1.054,10	x	12,70	GM
5174	1.028,70	x	1.066,80	x	19,05	GM
5219	1.028,70	x	1.079,50	x	20,62	GM
1622	1.029,54	x	1.073,99	x	22,23	GM

code	B		A		H	type
9900	1.035,05	x	1.066,80	x	19,05	GM
5873	1.041,40	x	1.079,50	x	19,05	GM
9568	1.041,40	x	1.092,20	x	20,62	GM
1983	1.044,58	x	1.095,38	x	25,40	GM
4471	1.047,75	x	1.085,85	x	19,05	GM
9777	1.047,75	x	1.098,55	x	19,05	GM
9549	1.057,28	x	1.108,08	x	20,62	GM
5267	1.065,00	x	1.115,80	x	20,65	GM
6407	1.066,80	x	1.117,60	x	20,62	GM
9878	1.068,37	x	1.119,17	x	20,62	GM
5804	1.073,15	x	1.123,95	x	20,62	GM
9238	1.076,33	x	1.127,13	x	19,05	GM
6268	1.079,50	x	1.104,90	x	12,70	GM
7199	1.079,50	x	1.130,30	x	19,05	GM
9686	1.079,50	x	1.130,30	x	20,62	GM
9625	1.085,85	x	1.111,25	x	9,53	GM
5081	1.085,85	x	1.111,25	x	12,70	GM
4556	1.085,85	x	1.123,95	x	19,05	GM
5829	1.089,99	x	1.140,79	x	20,62	GM
1634	1.092,00	x	1.130,10	x	19,05	GM
7827	1.092,20	x	1.143,00	x	20,62	GM
9188	1.095,38	x	1.133,48	x	19,05	GM
6885	1.104,90	x	1.143,00	x	19,05	GM
5287	1.105,99	x	1.156,79	x	20,62	GM
7820	1.106,47	x	1.157,27	x	25,40	GM
5766	1.117,60	x	1.155,70	x	19,05	GM
5386	1.117,60	x	1.168,40	x	20,62	GM
2477	1.119,99	x	1.170,00	x	20,62	GM
0460	1.122,30	x	1.173,18	x	20,62	GM
9908	1.124,97	x	1.163,07	x	19,05	GM
9918	1.126,16	x	1.164,26	x	19,05	GM
5727	1.130,30	x	1.181,10	x	20,62	GM
5579	1.143,00	x	1.181,10	x	19,05	GM
1275	1.143,00	x	1.187,45	x	22,23	GM
6348	1.143,00	x	1.193,80	x	20,62	GM
6512	1.146,18	x	1.196,98	x	20,62	GM
5409	1.162,05	x	1.212,85	x	19,05	GM
5107	1.168,40	x	1.219,20	x	20,62	GM
4572	1.174,75	x	1.212,85	x	19,05	GM
5823	1.174,75	x	1.225,55	x	20,62	GM
5744	1.193,80	x	1.244,60	x	20,62	GM
5905	1.200,15	x	1.250,95	x	20,62	GM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'GM'

Ordered according to size

Technical description at page 21

code	B		A		H	type
7543	1.203,33	x	1.241,43	x	19,05	GM
8228	1.212,85	x	1.263,65	x	20,62	GM
9894	1.216,03	x	1.266,83	x	20,62	GM
9403	1.219,20	x	1.257,30	x	19,05	GM
1118	1.219,20	x	1.270,00	x	19,05	GM
6671	1.219,20	x	1.270,00	x	20,62	GM
4608	1.219,20	x	1.270,00	x	25,40	GM
7018	1.241,43	x	1.292,23	x	20,62	GM
9848	1.244,60	x	1.295,40	x	20,62	GM
9545	1.250,95	x	1.289,05	x	19,05	GM
7102	1.250,95	x	1.301,75	x	20,62	GM
0948	1.257,30	x	1.289,05	x	19,05	GM
7830	1.257,30	x	1.301,75	x	20,62	GM
6565	1.257,30	x	1.308,10	x	20,62	GM
7227	1.270,00	x	1.295,40	x	12,70	GM
5618	1.270,00	x	1.308,10	x	19,05	GM
9820	1.270,00	x	1.320,80	x	20,62	GM
8198	1.270,00	x	1.320,80	x	22,23	GM
7755	1.282,70	x	1.333,50	x	20,62	GM
5245	1.295,40	x	1.320,80	x	12,70	GM
1121	1.295,40	x	1.346,20	x	19,05	GM
6775	1.295,40	x	1.346,20	x	20,62	GM
9938	1.310,01	x	1.360,81	x	20,62	GM
5273	1.320,80	x	1.346,20	x	12,70	GM
9779	1.320,80	x	1.371,60	x	19,05	GM
4761	1.320,80	x	1.371,60	x	20,62	GM
0459	1.325,52	x	1.376,32	x	20,62	GM
5433	1.333,50	x	1.384,30	x	20,62	GM
9899	1.343,03	x	1.368,43	x	12,70	GM
8058	1.346,20	x	1.397,00	x	20,62	GM
2308	1.350,90	x	1.376,43	x	20,62	GM
5596	1.352,55	x	1.377,95	x	12,70	GM
9395	1.358,90	x	1.397,00	x	19,05	GM
7106	1.359,99	x	1.410,79	x	20,62	GM
5634	1.362,08	x	1.387,48	x	12,70	GM
9912	1.371,60	x	1.422,40	x	20,62	GM
9919	1.380,01	x	1.429,99	x	24,99	GM
5510	1.384,30	x	1.435,10	x	20,62	GM
5274	1.397,00	x	1.422,40	x	12,70	GM
9394	1.397,00	x	1.435,10	x	19,05	GM
9427	1.397,00	x	1.447,80	x	20,62	GM
5385	1.409,70	x	1.460,50	x	20,62	GM

code	B		A		H	type
1872	1.447,80	x	1.498,60	x	20,62	GM
1733	1.447,80	x	1.498,60	x	21,01	GM
5264	1.449,98	x	1.500,78	x	20,62	GM
9327	1.457,33	x	1.495,43	x	19,05	GM
4440	1.460,50	x	1.511,30	x	20,62	GM
5735	1.470,03	x	1.495,43	x	12,70	GM
6989	1.473,20	x	1.524,00	x	19,05	GM
9781	1.473,20	x	1.524,00	x	20,62	GM
5902	1.485,90	x	1.536,70	x	20,62	GM
9843	1.504,95	x	1.555,75	x	20,62	GM
6653	1.517,65	x	1.543,05	x	12,70	GM
7544	1.524,00	x	1.562,10	x	19,05	GM
9236	1.524,00	x	1.574,80	x	19,05	GM
7911	1.524,00	x	1.574,80	x	20,62	GM
5689	1.549,40	x	1.600,20	x	20,62	GM
9310	1.555,75	x	1.581,15	x	12,70	GM
2475	1.559,99	x	1.610,79	x	20,62	GM
5587	1.569,97	x	1.620,77	x	20,62	GM
4856	1.574,80	x	1.625,60	x	20,62	GM
9599	1.600,20	x	1.651,00	x	20,62	GM
7015	1.612,90	x	1.663,70	x	20,62	GM
8324	1.625,60	x	1.676,40	x	20,62	GM
5586	1.638,00	x	1.688,80	x	20,62	GM
9289	1.638,30	x	1.689,10	x	20,62	GM
6915	1.651,00	x	1.701,80	x	20,62	GM
9344	1.657,35	x	1.708,15	x	20,62	GM
9806	1.659,99	x	1.710,79	x	20,62	GM
8563	1.676,40	x	1.727,20	x	20,62	GM
5811	1.689,10	x	1.727,20	x	19,05	GM
8618	1.689,10	x	1.739,90	x	20,62	GM
7424	1.701,80	x	1.739,90	x	19,05	GM
8750	1.701,80	x	1.752,60	x	20,62	GM
9290	1.727,20	x	1.778,00	x	19,05	GM
8748	1.727,20	x	1.778,00	x	20,62	GM
2205	1.727,20	x	1.778,00	x	25,40	GM
9800	1.739,90	x	1.790,70	x	20,62	GM
9897	1.751,79	x	1.802,31	x	19,99	GM
7643	1.752,60	x	1.803,40	x	20,62	GM
3138	1.755,78	x	1.806,58	x	20,62	GM
5533	1.762,13	x	1.812,93	x	20,62	GM
9920	1.778,00	x	1.803,40	x	12,70	GM
6424	1.778,00	x	1.828,80	x	20,62	GM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'GM'

Ordered according to size

Technical description at page 21

code	B		A		H	type
5760	1.790,70	x	1.841,50	x	20,62	GM
4658	1.795,48	x	1.846,28	x	22,23	GM
9945	1.803,40	x	1.854,20	x	20,62	GM
7756	1.809,75	x	1.860,55	x	20,62	GM
2144	1.841,50	x	1.879,60	x	19,05	GM
6276	1.854,20	x	1.905,00	x	20,62	GM
8865	1.879,60	x	1.930,40	x	20,62	GM
5624	1.892,30	x	1.930,40	x	19,05	GM
0952	1.892,30	x	1.943,10	x	20,62	GM
4702	1.905,00	x	1.930,40	x	9,53	GM
1697	1.905,00	x	1.943,10	x	19,05	GM
9869	1.905,00	x	1.955,80	x	20,62	GM
3147	1.905,00	x	1.955,80	x	25,40	GM
0720	1.909,78	x	1.960,58	x	20,62	GM
7583	1.930,40	x	1.981,20	x	20,62	GM
8279	1.936,75	x	1.987,55	x	20,62	GM
6130	1.943,10	x	1.993,90	x	20,62	GM
5236	1.968,50	x	2.019,30	x	20,62	GM
5796	2.019,30	x	2.070,10	x	20,62	GM
6905	2.032,00	x	2.082,80	x	20,62	GM
5757	2.044,70	x	2.095,50	x	20,62	GM
7871	2.057,40	x	2.108,20	x	20,62	GM
4912	2.089,99	x	2.140,00	x	20,62	GM
8802	2.100,00	x	2.149,98	x	20,62	GM
5663	2.133,60	x	2.159,00	x	12,70	GM
5279	2.133,60	x	2.184,40	x	20,62	GM
5297	2.159,00	x	2.209,80	x	20,62	GM
5816	2.184,40	x	2.235,20	x	20,62	GM
7696	2.194,99	x	2.245,79	x	20,62	GM
7624	2.209,80	x	2.260,60	x	20,62	GM
4919	2.235,99	x	2.286,79	x	20,62	GM
9953	2.250,01	x	2.300,81	x	20,62	GM
9322	2.260,60	x	2.311,40	x	20,62	GM
9710	2.320,04	x	2.358,14	x	19,05	GM
9269	2.362,20	x	2.413,00	x	20,62	GM
7291	2.387,60	x	2.438,40	x	20,62	GM
5787	2.435,23	x	2.486,03	x	20,62	GM
7137	2.454,15	x	2.504,95	x	20,62	GM
5805	2.489,20	x	2.527,30	x	19,05	GM
7334	2.508,25	x	2.559,05	x	20,62	GM
7134	2.571,75	x	2.622,55	x	20,62	GM
5788	2.590,80	x	2.641,60	x	20,62	GM

code	B		A		H	type
5809	2.667,99	x	2.718,79	x	20,62	GM
9902	2.743,20	x	2.794,00	x	20,62	GM
9323	2.806,70	x	2.857,50	x	20,62	GM
6789	3.049,57	x	3.100,37	x	20,62	GM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'GM'

Ordered according to code

Technical description at page 21

GM



code	B		A		H	type
0128	72,57	x	97,97	x	9,53	GM
0203	328,63	x	361,95	x	15,88	GM
0241	360,10	x	393,70	x	19,05	GM
0408	113,00	x	138,99	x	9,53	GM
0419	128,52	x	150,72	x	9,53	GM
0420	285,75	x	336,55	x	15,88	GM
0429	554,00	x	594,00	x	19,99	GM
0450	390,53	x	425,45	x	19,05	GM
0453	349,25	x	381,00	x	19,05	GM
0455	660,40	x	698,50	x	19,05	GM
0459	1.325,52	x	1.376,32	x	20,62	GM
0460	1.122,30	x	1.173,18	x	20,62	GM
0464	597,20	x	648,00	x	20,62	GM
0476	238,99	x	277,09	x	15,88	GM
0483	539,75	x	574,98	x	14,99	GM
0489	336,55	x	361,95	x	12,70	GM
0500	140,28	x	165,10	x	12,70	GM
0501	774,70	x	825,50	x	25,40	GM
0504	189,99	x	219,99	x	11,99	GM
0506	574,68	x	612,78	x	12,70	GM
0510	450,01	x	480,01	x	12,70	GM
0518	459,99	x	504,01	x	19,99	GM
0521	80,95	x	112,70	x	9,53	GM
0527	158,75	x	184,15	x	9,53	GM
0528	239,70	x	273,05	x	15,88	GM
0530	152,40	x	177,80	x	9,53	GM
0570	217,42	x	249,17	x	15,88	GM
0579	228,60	x	254,81	x	12,70	GM
0581	129,49	x	167,59	x	12,70	GM
0582	595,07	x	633,17	x	19,05	GM
0590	330,00	x	359,99	x	10,01	GM
0591	350,01	x	380,01	x	10,01	GM
0599	311,15	x	342,90	x	19,05	GM
0606	556,01	x	605,99	x	20,62	GM
0614	380,01	x	419,99	x	19,99	GM
0620	440,00	x	490,80	x	19,05	GM
0626	625,48	x	647,70	x	9,53	GM
0637	170,00	x	195,00	x	12,50	GM
0639	480,01	x	530,02	x	20,62	GM
0662	381,00	x	412,75	x	20,62	GM
0663	650,88	x	701,68	x	20,62	GM
0674	140,08	x	165,02	x	12,70	GM
0676	558,80	x	587,38	x	12,70	GM
0677	312,88	x	347,83	x	12,70	GM
0678	283,21	x	318,16	x	12,70	GM
0688	115,87	x	153,97	x	12,70	GM
0692	92,08	x	120,65	x	9,53	GM
0695	258,01	x	289,99	x	16,00	GM
0696	657,23	x	679,45	x	9,53	GM
0697	300,05	x	350,85	x	20,65	GM
0710	65,00	x	84,99	x	10,01	GM
0716	455,63	x	490,55	x	20,62	GM
0720	1.909,78	x	1.960,58	x	20,62	GM
0736	109,52	x	138,10	x	12,70	GM
0746	215,01	x	250,06	x	16,38	GM
0755	682,63	x	714,38	x	12,70	GM
0779	763,65	x	789,05	x	12,70	GM
0785	366,73	x	404,83	x	15,88	GM
0786	719,99	x	770,00	x	24,99	GM
0795	164,97	x	191,14	x	12,70	GM
0801	184,99	x	210,01	x	12,70	GM
0803	152,45	x	177,85	x	12,70	GM
0811	100,03	x	124,99	x	10,01	GM
0815	130,00	x	152,22	x	12,70	GM
0818	330,20	x	368,30	x	20,62	GM
0821	259,82	x	297,92	x	19,05	GM
0822	622,30	x	644,53	x	9,53	GM
0823	87,33	x	115,87	x	9,53	GM
0839	527,05	x	565,15	x	19,05	GM
0856	180,09	x	211,68	x	12,70	GM
0864	619,99	x	670,00	x	20,62	GM
0866	105,00	x	140,00	x	11,99	GM
0872	259,99	x	310,01	x	16,00	GM
0884	812,80	x	838,20	x	12,70	GM
0889	385,85	x	411,25	x	12,70	GM
0890	280,01	x	310,01	x	19,99	GM
0891	219,99	x	259,99	x	15,01	GM
0896	717,55	x	749,30	x	15,88	GM
0926	129,92	x	155,40	x	9,53	GM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'GM'

Ordered according to code

Technical description at page 21

code	B		A		H	type
0932	289,99	x	340,79	x	20,62	GM
0935	519,94	x	570,74	x	20,62	GM
0944	339,73	x	371,48	x	12,70	GM
0947	300,00	x	339,98	x	20,62	GM
0948	1.257,30	x	1.289,05	x	19,05	GM
0952	1.892,30	x	1.943,10	x	20,62	GM
0954	304,80	x	336,55	x	19,05	GM
0956	130,00	x	168,00	x	16,00	GM
0959	660,40	x	692,15	x	15,88	GM
0960	222,25	x	273,05	x	15,88	GM
0961	215,01	x	248,01	x	14,99	GM
0977	110,01	x	135,41	x	12,70	GM
0981	238,13	x	263,53	x	12,70	GM
0985	228,60	x	257,18	x	12,70	GM
0986	342,90	x	368,30	x	12,70	GM
0992	109,09	x	134,49	x	9,53	GM
0994	331,98	x	370,08	x	19,05	GM
0999	214,33	x	242,90	x	12,70	GM
1002	130,00	x	159,00	x	12,40	GM
1004	158,01	x	184,15	x	12,70	GM
1007	123,60	x	149,23	x	12,70	GM
1010	95,00	x	124,99	x	11,99	GM
1013	390,53	x	434,98	x	20,62	GM
1016	325,42	x	376,22	x	19,05	GM
1017	177,80	x	200,03	x	9,53	GM
1018	368,30	x	400,05	x	19,05	GM
1027	270,00	x	313,99	x	19,99	GM
1030	254,00	x	276,23	x	9,53	GM
1031	289,99	x	330,00	x	19,99	GM
1033	80,01	x	100,00	x	10,01	GM
1034	88,90	x	122,22	x	12,70	GM
1035	292,10	x	336,55	x	20,62	GM
1037	261,62	x	293,37	x	15,88	GM
1038	501,65	x	539,75	x	19,05	GM
1041	94,49	x	119,89	x	12,70	GM
1072	247,65	x	269,88	x	12,70	GM
1082	222,25	x	266,70	x	20,62	GM
1089	137,54	x	173,10	x	12,70	GM
1095	219,08	x	249,22	x	15,88	GM
1097	239,98	x	279,98	x	12,70	GM
1098	635,00	x	666,75	x	15,88	GM
1099	250,01	x	284,99	x	16,00	GM

code	B		A		H	type
1103	319,99	x	359,99	x	19,99	GM
1109	230,00	x	258,57	x	15,88	GM
1110	95,00	x	120,40	x	9,53	GM
1111	149,99	x	180,01	x	13,00	GM
1112	609,98	x	654,00	x	19,99	GM
1118	1.219,20	x	1.270,00	x	19,05	GM
1121	1.295,40	x	1.346,20	x	19,05	GM
1125	438,15	x	469,90	x	15,88	GM
1127	174,63	x	200,03	x	9,53	GM
1146	263,53	x	295,48	x	20,62	GM
1152	198,12	x	223,52	x	12,70	GM
1158	447,68	x	492,13	x	19,05	GM
1169	684,99	x	710,01	x	12,70	GM
1172	152,40	x	190,50	x	9,53	GM
1175	381,00	x	412,75	x	15,88	GM
1176	315,93	x	366,73	x	20,62	GM
1179	449,99	x	500,00	x	20,62	GM
1181	510,82	x	561,62	x	20,62	GM
1204	50,80	x	76,20	x	9,53	GM
1206	50,80	x	76,20	x	12,70	GM
1214	189,99	x	230,00	x	16,00	GM
1224	571,50	x	596,90	x	12,70	GM
1229	129,39	x	167,28	x	12,29	GM
1235	227,00	x	266,70	x	19,05	GM
1237	459,99	x	509,98	x	19,99	GM
1239	100,33	x	125,73	x	12,70	GM
1246	278,99	x	308,99	x	15,01	GM
1248	122,25	x	152,58	x	9,53	GM
1259	124,99	x	150,01	x	15,01	GM
1262	284,99	x	315,01	x	19,99	GM
1269	154,99	x	180,01	x	12,70	GM
1275	1.143,00	x	1.187,45	x	22,23	GM
1277	114,30	x	144,45	x	12,70	GM
1280	413,99	x	464,01	x	20,62	GM
1287	359,16	x	397,26	x	15,88	GM
1288	198,42	x	228,60	x	15,88	GM
1294	607,06	x	637,54	x	19,05	GM
1298	489,99	x	540,00	x	19,99	GM
1303	119,99	x	154,97	x	12,70	GM
1305	571,50	x	593,73	x	9,53	GM
1308	187,33	x	215,90	x	12,70	GM
1310	304,80	x	327,03	x	9,53	GM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'GM'

Ordered according to code

Technical description at page 21

code	B		A		H	type
1311	581,03	x	603,25	x	9,53	GM
1312	682,63	x	704,85	x	9,53	GM
1314	249,99	x	300,79	x	19,05	GM
1316	189,99	x	228,09	x	19,05	GM
1317	99,06	x	132,08	x	12,70	GM
1376	495,30	x	546,10	x	15,88	GM
1379	189,99	x	219,99	x	16,00	GM
1388	175,01	x	215,01	x	15,88	GM
1391	159,97	x	190,50	x	9,53	GM
1392	219,99	x	259,99	x	19,99	GM
1433	180,01	x	202,21	x	11,99	GM
1439	404,80	x	442,90	x	19,05	GM
1441	250,83	x	288,93	x	15,88	GM
1444	88,90	x	113,67	x	12,70	GM
1449	392,13	x	430,23	x	19,05	GM
1454	377,83	x	428,63	x	9,53	GM
1457	158,75	x	187,33	x	15,88	GM
1461	257,18	x	295,28	x	12,70	GM
1463	214,30	x	252,40	x	12,70	GM
1465	280,19	x	305,59	x	12,70	GM
1480	57,15	x	79,38	x	9,53	GM
1482	57,15	x	79,38	x	12,70	GM
1492	57,15	x	82,55	x	9,53	GM
1494	57,15	x	82,55	x	12,70	GM
1515	92,08	x	117,07	x	12,50	GM
1586	82,55	x	107,32	x	9,53	GM
1590	81,99	x	114,00	x	12,70	GM
1592	214,30	x	252,40	x	19,05	GM
1616	180,01	x	205,00	x	13,00	GM
1617	374,65	x	419,10	x	20,62	GM
1619	327,03	x	355,60	x	19,05	GM
1622	1.029,54	x	1.073,99	x	22,23	GM
1625	114,30	x	144,48	x	15,88	GM
1632	367,89	x	390,37	x	12,70	GM
1634	1.092,00	x	1.130,10	x	19,05	GM
1657	60,33	x	85,09	x	9,53	GM
1688	385,09	x	428,88	x	20,62	GM
1689	152,40	x	182,55	x	19,05	GM
1690	189,99	x	221,72	x	15,88	GM
1691	317,50	x	357,17	x	15,88	GM
1694	222,25	x	248,01	x	9,53	GM
1695	830,25	x	862,00	x	12,70	GM

code	B		A		H	type
1697	1.905,00	x	1.943,10	x	19,05	GM
1698	330,20	x	365,13	x	9,53	GM
1699	212,75	x	242,95	x	19,05	GM
1703	250,01	x	288,09	x	19,00	GM
1709	174,98	x	200,00	x	11,99	GM
1712	319,99	x	359,99	x	19,00	GM
1713	95,25	x	120,19	x	10,29	GM
1717	159,99	x	200,00	x	11,99	GM
1718	139,98	x	170,00	x	11,99	GM
1721	212,73	x	241,30	x	19,05	GM
1733	1.447,80	x	1.498,60	x	21,01	GM
1734	182,55	x	214,30	x	12,70	GM
1735	61,93	x	82,55	x	9,53	GM
1736	61,90	x	84,12	x	9,53	GM
1767	389,99	x	433,98	x	19,99	GM
1768	88,01	x	120,12	x	12,70	GM
1772	87,99	x	110,01	x	12,70	GM
1773	498,48	x	542,93	x	19,05	GM
1777	138,13	x	171,45	x	19,05	GM
1778	82,55	x	115,39	x	12,70	GM
1779	131,09	x	164,47	x	12,70	GM
1780	498,48	x	536,58	x	12,70	GM
1781	307,98	x	333,38	x	12,70	GM
1819	63,50	x	88,90	x	9,53	GM
1821	63,50	x	88,90	x	12,70	GM
1832	165,10	x	190,50	x	9,53	GM
1844	66,68	x	92,08	x	12,70	GM
1865	356,64	x	394,74	x	15,88	GM
1866	500,05	x	550,49	x	20,62	GM
1869	174,98	x	200,38	x	12,70	GM
1872	1.447,80	x	1.498,60	x	20,62	GM
1875	100,00	x	124,99	x	12,50	GM
1876	231,78	x	266,70	x	15,88	GM
1877	965,20	x	1.016,00	x	25,40	GM
1883	356,31	x	391,87	x	19,05	GM
1894	65,07	x	95,28	x	9,53	GM
1901	93,50	x	118,90	x	12,70	GM
1905	279,40	x	330,20	x	12,70	GM
1908	257,18	x	292,10	x	15,88	GM
1910	241,30	x	292,10	x	12,70	GM
1911	530,00	x	580,01	x	19,99	GM
1918	387,35	x	412,75	x	12,70	GM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'GM'

Ordered according to code

Technical description at page 21

code	B	A	H	type
1923	431,80	463,55	19,05	GM
1925	304,80	330,20	15,88	GM
1939	66,68	88,90	9,53	GM
1949	200,00	224,99	15,01	GM
1953	214,99	245,01	12,50	GM
1958	66,68	92,08	9,53	GM
1960	327,03	352,43	12,70	GM
1968	370,00	419,99	19,99	GM
1970	165,00	200,00	15,01	GM
1971	266,70	317,50	12,70	GM
1974	761,19	811,99	20,62	GM
1976	431,80	457,20	12,70	GM
1977	619,13	650,88	15,88	GM
1979	100,00	130,00	11,99	GM
1982	276,23	327,03	12,70	GM
1983	1.044,58	1.095,38	25,40	GM
1984	317,50	339,73	12,70	GM
1985	769,95	808,05	19,05	GM
1986	81,99	104,19	9,53	GM
1988	90,47	115,87	9,53	GM
1991	499,72	550,52	20,62	GM
1992	400,05	430,48	19,05	GM
1997	650,88	682,63	15,88	GM
1998	80,01	110,01	12,70	GM
2000	105,00	130,00	12,70	GM
2016	95,25	128,57	9,53	GM
2019	140,00	165,00	12,50	GM
2021	444,50	476,25	12,70	GM
2022	134,75	160,15	12,70	GM
2024	124,71	150,11	12,70	GM
2030	69,85	101,60	12,70	GM
2044	69,85	95,28	9,53	GM
2057	69,85	95,25	9,53	GM
2058	539,75	590,55	19,05	GM
2064	178,05	216,15	12,70	GM
2065	184,30	222,40	12,70	GM
2067	374,65	409,58	19,05	GM
2068	254,00	279,40	9,53	GM
2069	400,00	450,01	19,99	GM
2081	184,99	210,39	12,70	GM
2095	93,50	127,00	12,70	GM
2105	75,01	107,01	12,50	GM

code	B	A	H	type
2106	193,68	215,90	12,70	GM
2109	350,01	394,00	12,70	GM
2118	73,03	95,25	9,53	GM
2121	73,03	98,43	9,53	GM
2137	84,99	110,01	12,50	GM
2140	74,60	100,00	12,70	GM
2144	1.841,50	1.879,60	19,05	GM
2146	74,63	95,25	9,53	GM
2158	727,08	777,88	20,62	GM
2171	76,20	98,45	9,53	GM
2173	76,20	98,43	12,70	GM
2174	76,20	101,68	9,53	GM
2176	76,20	101,68	12,70	GM
2177	76,20	104,78	12,70	GM
2183	76,20	111,13	12,70	GM
2185	323,85	361,95	20,62	GM
2186	76,20	114,30	12,70	GM
2196	625,86	651,26	12,70	GM
2200	77,80	103,20	12,70	GM
2205	1.727,20	1.778,00	25,40	GM
2206	394,00	419,99	12,70	GM
2214	84,99	110,01	11,99	GM
2225	79,38	104,78	12,70	GM
2228	79,38	107,92	12,70	GM
2231	79,38	111,13	12,70	GM
2233	150,01	189,99	15,01	GM
2234	79,38	114,30	12,70	GM
2244	225,43	260,35	19,05	GM
2245	340,00	384,00	19,99	GM
2247	224,99	265,00	16,00	GM
2248	670,00	708,00	19,00	GM
2252	80,95	111,13	12,70	GM
2255	80,98	114,30	12,70	GM
2256	245,01	283,01	20,62	GM
2259	98,98	123,85	12,70	GM
2265	1.022,73	1.060,83	19,05	GM
2269	161,93	184,15	12,70	GM
2270	82,55	107,92	12,70	GM
2272	82,55	107,95	15,88	GM
2273	82,55	111,13	12,70	GM
2274	130,18	152,40	12,70	GM
2275	400,00	450,01	20,62	GM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'GM'

Ordered according to code

Technical description at page 21

code	B		A		H	type
2276	82,55	x	114,30	x	12,70	GM
2279	82,55	x	117,48	x	12,70	GM
2282	82,55	x	120,65	x	12,70	GM
2293	124,99	x	159,99	x	13,00	GM
2294	99,47	x	132,94	x	12,70	GM
2300	84,15	x	114,30	x	12,70	GM
2308	1.350,90	x	1.376,43	x	20,62	GM
2313	698,50	x	749,30	x	19,05	GM
2314	259,99	x	311,00	x	19,00	GM
2319	323,85	x	367,84	x	19,99	GM
2321	85,73	x	111,13	x	12,70	GM
2324	85,73	x	114,30	x	12,70	GM
2327	85,73	x	117,48	x	12,70	GM
2328	380,01	x	419,99	x	15,88	GM
2330	85,73	x	120,65	x	12,70	GM
2331	75,01	x	107,01	x	12,70	GM
2333	85,73	x	123,83	x	12,70	GM
2337	476,25	x	514,35	x	12,70	GM
2341	149,99	x	180,01	x	16,00	GM
2343	244,48	x	279,40	x	19,05	GM
2348	87,30	x	117,48	x	12,70	GM
2350	275,01	x	310,01	x	15,01	GM
2352	254,00	x	288,93	x	12,70	GM
2355	106,35	x	134,92	x	12,70	GM
2364	88,90	x	111,13	x	9,53	GM
2366	88,90	x	114,30	x	12,70	GM
2372	88,90	x	120,65	x	12,70	GM
2376	266,70	x	292,10	x	9,53	GM
2391	196,85	x	228,60	x	19,05	GM
2395	307,98	x	339,73	x	19,05	GM
2396	90,47	x	120,65	x	12,70	GM
2415	92,08	x	127,00	x	12,70	GM
2417	92,08	x	117,48	x	12,70	GM
2420	92,08	x	120,65	x	12,70	GM
2423	92,08	x	123,83	x	12,70	GM
2426	92,08	x	126,97	x	12,70	GM
2429	92,08	x	130,18	x	12,70	GM
2439	500,08	x	550,88	x	20,62	GM
2444	93,65	x	123,83	x	12,70	GM
2447	93,65	x	126,97	x	12,70	GM
2454	310,01	x	354,00	x	19,99	GM
2457	175,01	x	205,00	x	15,01	GM

code	B		A		H	type
2458	263,07	x	292,10	x	15,88	GM
2462	95,25	x	120,65	x	12,70	GM
2465	95,25	x	123,83	x	12,70	GM
2468	95,25	x	126,97	x	12,70	GM
2471	95,25	x	130,18	x	12,70	GM
2472	311,15	x	355,60	x	15,88	GM
2474	95,25	x	133,35	x	12,70	GM
2475	1.559,99	x	1.610,79	x	20,62	GM
2477	1.119,99	x	1.170,00	x	20,62	GM
2485	230,00	x	258,57	x	12,55	GM
2486	96,82	x	126,97	x	12,70	GM
2491	411,15	x	442,90	x	19,05	GM
2495	96,82	x	136,53	x	12,70	GM
2497	323,85	x	374,65	x	20,62	GM
2499	441,96	x	492,76	x	20,62	GM
2500	200,00	x	238,10	x	19,10	GM
2501	98,43	x	123,83	x	12,70	GM
2505	508,00	x	539,75	x	15,88	GM
2507	98,43	x	130,18	x	12,70	GM
2510	98,43	x	133,35	x	12,70	GM
2513	98,43	x	136,53	x	12,70	GM
2518	126,67	x	152,40	x	12,70	GM
2525	100,00	x	133,35	x	12,70	GM
2537	101,60	x	126,97	x	12,70	GM
2540	101,60	x	130,18	x	12,70	GM
2543	101,60	x	133,35	x	12,70	GM
2546	101,60	x	136,53	x	12,70	GM
2549	101,60	x	139,70	x	12,70	GM
2554	101,60	x	123,83	x	12,70	GM
2560	153,97	x	179,37	x	9,53	GM
2565	76,20	x	101,60	x	10,31	GM
2572	135,00	x	170,00	x	12,70	GM
2573	103,17	x	133,35	x	12,70	GM
2575	201,60	x	234,95	x	15,88	GM
2578	107,95	x	128,57	x	9,53	GM
2581	189,99	x	215,01	x	12,70	GM
2582	280,01	x	310,01	x	16,00	GM
2597	215,01	x	250,01	x	15,01	GM
2600	104,78	x	130,18	x	12,70	GM
2603	104,78	x	133,35	x	12,70	GM
2606	104,78	x	136,53	x	12,70	GM
2608	104,78	x	136,53	x	15,88	GM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'GM'

Ordered according to code

Technical description at page 21

code	B		A		H	type
2609	104,78	x	139,70	x	12,70	GM
2612	104,78	x	142,88	x	12,70	GM
2617	65,07	x	87,35	x	9,53	GM
2626	110,01	x	135,00	x	12,70	GM
2633	106,35	x	136,53	x	12,70	GM
2634	119,99	x	144,98	x	12,70	GM
2636	106,38	x	139,70	x	12,70	GM
2641	106,38	x	131,78	x	12,70	GM
2642	106,35	x	146,05	x	12,70	GM
2657	107,95	x	133,35	x	12,70	GM
2660	107,95	x	136,53	x	12,70	GM
2663	107,95	x	139,70	x	12,70	GM
2666	107,95	x	142,88	x	12,70	GM
2669	107,95	x	146,05	x	12,70	GM
2674	589,99	x	640,00	x	19,99	GM
2679	189,99	x	215,39	x	12,70	GM
2687	109,55	x	139,70	x	12,70	GM
2689	109,52	x	139,70	x	15,88	GM
2690	109,52	x	142,88	x	12,70	GM
2697	468,60	x	494,00	x	12,70	GM
2700	365,61	x	391,01	x	12,70	GM
2708	111,13	x	136,53	x	12,70	GM
2711	111,13	x	139,70	x	12,70	GM
2714	111,13	x	142,88	x	12,70	GM
2717	111,13	x	146,05	x	12,70	GM
2719	111,13	x	146,05	x	15,88	GM
2720	111,13	x	149,23	x	12,70	GM
2735	112,73	x	142,88	x	12,70	GM
2738	112,70	x	146,05	x	12,70	GM
2741	457,20	x	495,30	x	19,05	GM
2744	112,73	x	152,40	x	12,70	GM
2753	114,30	x	139,70	x	12,70	GM
2756	114,30	x	142,88	x	12,70	GM
2759	114,30	x	146,05	x	12,70	GM
2762	114,30	x	149,23	x	12,70	GM
2763	114,30	x	146,05	x	9,53	GM
2765	114,30	x	152,40	x	12,70	GM
2769	640,16	x	690,14	x	20,62	GM
2780	115,90	x	146,05	x	12,70	GM
2798	117,48	x	142,88	x	12,70	GM
2801	117,48	x	146,05	x	12,70	GM
2804	117,48	x	149,23	x	12,70	GM

code	B		A		H	type
2807	117,48	x	152,40	x	12,70	GM
2810	117,48	x	155,58	x	12,70	GM
2822	119,05	x	149,23	x	12,70	GM
2826	170,00	x	200,00	x	11,99	GM
2828	180,01	x	210,01	x	11,99	GM
2829	219,99	x	250,01	x	11,99	GM
2833	210,01	x	240,00	x	11,99	GM
2837	120,65	x	146,05	x	12,70	GM
2840	120,65	x	149,23	x	12,70	GM
2843	120,65	x	152,40	x	12,70	GM
2846	120,65	x	155,58	x	12,70	GM
2849	120,65	x	158,75	x	12,70	GM
2858	122,22	x	152,40	x	12,70	GM
2861	122,22	x	155,58	x	12,70	GM
2866	189,99	x	220,40	x	12,70	GM
2870	123,83	x	149,23	x	12,70	GM
2873	123,83	x	152,40	x	12,70	GM
2875	123,83	x	152,40	x	15,88	GM
2876	123,83	x	155,58	x	12,70	GM
2878	123,83	x	155,58	x	15,88	GM
2879	123,83	x	158,75	x	12,70	GM
2882	123,83	x	161,93	x	12,70	GM
2887	124,99	x	150,01	x	11,99	GM
2897	125,43	x	155,58	x	12,70	GM
2900	125,43	x	158,75	x	12,70	GM
2911	319,99	x	363,98	x	19,99	GM
2915	127,00	x	152,40	x	12,70	GM
2918	127,00	x	155,58	x	12,70	GM
2921	127,00	x	158,75	x	12,70	GM
2923	127,00	x	158,75	x	15,88	GM
2924	127,00	x	161,93	x	12,70	GM
2926	127,00	x	161,93	x	15,88	GM
2927	127,00	x	165,10	x	12,70	GM
2946	74,63	x	103,23	x	12,70	GM
2965	87,33	x	113,28	x	12,70	GM
2966	75,01	x	100,00	x	9,53	GM
2974	127,00	x	149,23	x	12,70	GM
2976	215,16	x	250,19	x	16,00	GM
2977	125,43	x	146,05	x	12,70	GM
2980	349,25	x	387,35	x	12,70	GM
2988	130,00	x	159,99	x	15,01	GM
2990	130,18	x	155,58	x	12,70	GM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'GM'

Ordered according to code

Technical description at page 21

code	B	A	H	type
2993	130,18	158,75	12,70	GM
2996	130,18	161,93	12,70	GM
2998	130,18	161,93	15,88	GM
2999	130,18	165,10	12,70	GM
3001	130,18	165,10	15,88	GM
3007	212,73	247,65	15,88	GM
3012	109,45	135,84	9,53	GM
3029	131,78	161,93	12,70	GM
3032	131,75	165,10	12,70	GM
3057	508,00	546,10	15,88	GM
3059	133,35	158,75	12,70	GM
3062	133,35	161,93	12,70	GM
3065	133,35	165,10	12,70	GM
3067	133,35	165,10	15,88	GM
3068	133,35	168,28	12,70	GM
3071	133,35	171,45	12,70	GM
3073	133,35	171,45	15,88	GM
3083	838,20	889,00	19,05	GM
3088	531,85	582,65	20,62	GM
3090	134,67	160,07	12,70	GM
3094	177,80	207,95	15,88	GM
3095	134,92	165,10	12,70	GM
3098	134,92	168,28	12,70	GM
3105	241,30	276,23	19,05	GM
3109	179,30	209,52	15,88	GM
3117	215,90	255,57	19,05	GM
3118	135,00	170,00	15,01	GM
3122	136,53	161,93	12,70	GM
3125	136,53	165,10	12,70	GM
3127	136,53	165,10	15,88	GM
3128	136,53	168,28	12,70	GM
3130	136,53	168,28	15,88	GM
3131	136,53	171,45	12,70	GM
3132	239,98	289,99	16,00	GM
3134	136,53	174,63	12,70	GM
3138	1.755,78	1.806,58	20,62	GM
3141	665,99	691,39	12,70	GM
3143	123,83	153,97	12,70	GM
3147	1.905,00	1.955,80	25,40	GM
3148	140,00	180,01	15,88	GM
3150	265,13	296,88	20,62	GM
3152	138,13	168,28	12,70	GM

code	B	A	H	type
3155	138,10	171,45	12,70	GM
3157	138,10	171,45	15,88	GM
3159	111,13	133,35	9,53	GM
3163	132,72	165,43	15,88	GM
3165	749,99	800,00	19,99	GM
3168	165,10	187,33	12,70	GM
3170	330,00	373,99	19,00	GM
3171	149,78	181,53	15,88	GM
3172	79,38	101,80	9,53	GM
3176	139,70	165,10	12,70	GM
3179	139,70	168,28	12,70	GM
3182	139,70	171,45	12,70	GM
3184	139,70	171,45	15,88	GM
3185	139,70	174,63	12,70	GM
3188	139,70	177,80	12,70	GM
3190	139,70	177,80	15,88	GM
3195	231,78	257,18	9,53	GM
3197	144,98	179,98	16,00	GM
3198	260,35	292,10	12,70	GM
3207	61,75	86,36	12,70	GM
3209	324,99	365,00	16,00	GM
3212	139,70	168,28	10,31	GM
3220	583,13	633,93	20,62	GM
3223	425,45	457,20	19,05	GM
3224	323,85	355,60	12,70	GM
3228	142,88	168,28	12,70	GM
3229	100,03	130,00	9,53	GM
3231	142,88	171,45	12,70	GM
3233	142,88	171,45	15,88	GM
3234	142,88	174,63	12,70	GM
3236	142,88	174,63	15,88	GM
3239	298,45	330,20	20,65	GM
3240	142,88	180,98	12,70	GM
3241	171,45	215,90	12,70	GM
3247	431,80	463,55	12,70	GM
3248	100,00	124,99	12,70	GM
3250	365,00	403,00	19,00	GM
3251	174,98	200,00	12,70	GM
3255	234,95	263,53	15,88	GM
3257	177,80	203,20	9,53	GM
3261	281,00	312,75	15,88	GM
3262	376,17	398,40	9,53	GM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'GM'

Ordered according to code

Technical description at page 21

code	B		A		H	type
3269	159,99	x	184,76	x	19,05	GM
3275	146,05	x	171,45	x	12,70	GM
3278	146,05	x	174,63	x	12,70	GM
3280	146,05	x	174,63	x	15,88	GM
3281	146,05	x	177,80	x	12,70	GM
3283	146,05	x	177,80	x	15,88	GM
3284	146,05	x	180,98	x	12,70	GM
3287	146,05	x	184,15	x	12,70	GM
3293	146,05	x	190,50	x	12,70	GM
3298	206,38	x	234,95	x	15,88	GM
3303	149,23	x	171,45	x	15,88	GM
3316	149,23	x	174,63	x	12,70	GM
3319	149,23	x	177,80	x	12,70	GM
3324	149,23	x	180,98	x	15,88	GM
3325	149,23	x	184,15	x	12,70	GM
3327	150,01	x	180,01	x	15,01	GM
3328	149,23	x	187,33	x	12,70	GM
3330	149,23	x	187,33	x	15,88	GM
3343	150,83	x	184,15	x	15,88	GM
3355	152,40	x	177,80	x	12,70	GM
3357	152,40	x	177,80	x	15,88	GM
3360	152,40	x	180,98	x	15,88	GM
3361	152,40	x	184,15	x	12,70	GM
3363	152,40	x	184,15	x	15,88	GM
3364	152,40	x	187,33	x	12,70	GM
3367	152,40	x	190,50	x	12,70	GM
3369	152,40	x	190,50	x	15,88	GM
3370	152,40	x	190,50	x	19,05	GM
3375	155,58	x	180,98	x	12,70	GM
3378	155,58	x	184,15	x	12,70	GM
3380	155,58	x	184,15	x	15,88	GM
3381	155,58	x	187,33	x	12,70	GM
3383	155,58	x	187,33	x	15,88	GM
3388	158,75	x	184,15	x	12,70	GM
3390	158,75	x	184,15	x	15,88	GM
3391	158,75	x	187,33	x	12,70	GM
3394	158,75	x	190,50	x	12,70	GM
3396	158,75	x	190,50	x	15,88	GM
3398	158,75	x	193,68	x	12,70	GM
3402	158,75	x	196,85	x	12,70	GM
3404	158,75	x	196,85	x	15,88	GM
3405	158,75	x	196,85	x	19,05	GM

code	B		A		H	type
3406	161,93	x	187,33	x	12,70	GM
3409	161,93	x	190,50	x	12,70	GM
3413	161,93	x	193,68	x	12,70	GM
3415	161,93	x	193,68	x	15,88	GM
3417	161,93	x	196,85	x	12,70	GM
3419	161,93	x	190,50	x	15,88	GM
3421	161,93	x	200,03	x	12,70	GM
3423	161,93	x	200,03	x	15,88	GM
3424	161,93	x	200,03	x	19,05	GM
3425	163,53	x	196,85	x	19,05	GM
3426	165,10	x	190,50	x	15,88	GM
3428	165,10	x	193,68	x	15,88	GM
3430	165,10	x	196,85	x	15,88	GM
3431	165,10	x	196,85	x	19,05	GM
3432	165,10	x	200,03	x	15,88	GM
3434	165,10	x	203,20	x	15,88	GM
3435	165,10	x	203,20	x	19,05	GM
3436	168,28	x	193,68	x	15,88	GM
3438	168,28	x	196,85	x	15,88	GM
3440	168,28	x	200,03	x	15,88	GM
3442	168,28	x	203,20	x	15,88	GM
3444	168,28	x	206,38	x	15,88	GM
3445	168,28	x	206,38	x	19,05	GM
3456	171,45	x	196,85	x	15,88	GM
3458	171,45	x	200,03	x	15,88	GM
3459	171,45	x	200,03	x	9,53	GM
3460	171,45	x	203,20	x	15,88	GM
3462	171,45	x	206,38	x	15,88	GM
3464	171,45	x	209,55	x	15,88	GM
3465	171,45	x	209,55	x	19,05	GM
3476	174,63	x	203,20	x	15,88	GM
3478	174,63	x	206,38	x	15,88	GM
3480	174,63	x	209,55	x	15,88	GM
3481	174,63	x	209,55	x	19,05	GM
3482	174,63	x	212,73	x	15,88	GM
3483	174,63	x	212,73	x	19,05	GM
3490	176,20	x	206,38	x	19,05	GM
3492	177,80	x	203,20	x	15,88	GM
3494	177,80	x	206,38	x	15,88	GM
3495	177,80	x	206,38	x	19,05	GM
3496	177,80	x	209,55	x	15,88	GM
3497	177,80	x	209,55	x	19,05	GM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'GM'

Ordered according to code

Technical description at page 21

code	B		A		H	type
3498	177,80	x	212,73	x	15,88	GM
3499	177,80	x	212,73	x	19,05	GM
3500	177,80	x	215,90	x	15,88	GM
3501	177,80	x	215,90	x	19,05	GM
3506	180,98	x	206,38	x	15,88	GM
3508	180,98	x	209,55	x	15,88	GM
3510	180,98	x	212,73	x	15,88	GM
3512	180,98	x	215,90	x	15,88	GM
3515	180,98	x	219,08	x	19,05	GM
3518	184,15	x	209,55	x	15,88	GM
3521	182,58	x	214,30	x	15,88	GM
3522	184,15	x	215,90	x	15,88	GM
3523	184,15	x	215,90	x	19,05	GM
3524	184,15	x	219,08	x	15,88	GM
3525	184,15	x	219,08	x	19,05	GM
3526	184,15	x	222,25	x	15,88	GM
3527	184,15	x	222,25	x	19,05	GM
3528	187,33	x	212,73	x	15,88	GM
3530	187,33	x	215,90	x	15,88	GM
3532	187,33	x	219,08	x	15,88	GM
3533	187,33	x	219,08	x	19,05	GM
3536	187,33	x	225,43	x	15,88	GM
3537	187,33	x	225,43	x	19,05	GM
3544	190,50	x	215,90	x	15,88	GM
3546	190,50	x	219,08	x	15,88	GM
3548	190,50	x	222,25	x	15,88	GM
3552	190,50	x	228,60	x	15,88	GM
3553	190,50	x	228,60	x	19,05	GM
3558	193,68	x	219,08	x	15,88	GM
3562	193,68	x	225,43	x	15,88	GM
3564	193,68	x	228,60	x	15,88	GM
3566	193,68	x	231,78	x	15,88	GM
3567	193,68	x	231,78	x	19,05	GM
3570	196,85	x	222,25	x	15,88	GM
3573	196,85	x	225,43	x	19,05	GM
3574	196,85	x	228,60	x	15,88	GM
3576	196,85	x	231,78	x	15,88	GM
3578	196,85	x	234,95	x	15,88	GM
3579	196,85	x	234,95	x	19,05	GM
3580	200,03	x	225,43	x	15,88	GM
3584	200,03	x	231,78	x	15,88	GM
3587	200,03	x	234,95	x	19,05	GM
3588	200,03	x	238,13	x	15,88	GM
3589	200,03	x	238,13	x	19,05	GM
3590	201,60	x	231,78	x	15,88	GM
3592	203,20	x	228,60	x	15,88	GM
3594	203,20	x	231,78	x	15,88	GM
3595	203,20	x	231,78	x	19,05	GM
3596	203,20	x	234,95	x	15,88	GM
3597	203,20	x	234,95	x	19,05	GM
3598	203,20	x	238,13	x	15,88	GM
3600	203,20	x	241,30	x	15,88	GM
3601	203,20	x	241,30	x	19,05	GM
3604	209,55	x	234,95	x	15,88	GM
3606	209,55	x	241,30	x	15,88	GM
3608	212,73	x	247,65	x	19,05	GM
3611	219,08	x	269,88	x	19,05	GM
3616	228,60	x	257,18	x	19,05	GM
3619	228,60	x	266,70	x	19,05	GM
3621	228,60	x	273,05	x	19,05	GM
3623	228,60	x	279,40	x	19,05	GM
3632	234,95	x	273,05	x	19,05	GM
3636	239,70	x	269,88	x	19,05	GM
3638	241,30	x	266,70	x	15,88	GM
3640	241,30	x	273,05	x	15,88	GM
3642	241,30	x	279,40	x	15,88	GM
3646	241,30	x	292,10	x	15,88	GM
3652	247,65	x	279,40	x	19,05	GM
3654	247,65	x	285,75	x	19,05	GM
3672	254,00	x	292,10	x	19,05	GM
3676	260,35	x	311,15	x	19,05	GM
3691	279,40	x	304,80	x	15,88	GM
3692	279,40	x	311,15	x	15,88	GM
3693	279,40	x	317,50	x	15,88	GM
3695	280,97	x	311,15	x	19,05	GM
3712	317,50	x	342,90	x	15,88	GM
3728	368,30	x	419,10	x	19,05	GM
3741	457,20	x	495,30	x	19,05	GM
3760	536,58	x	561,98	x	12,70	GM
3779	495,30	x	533,40	x	19,05	GM
3796	762,00	x	812,80	x	25,40	GM
3813	825,50	x	876,30	x	25,40	GM
3818	209,55	x	241,30	x	19,05	GM
3830	876,30	x	927,10	x	25,40	GM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'GM'

Ordered according to code

Technical description at page 21

code	B	A	H	type
3832	225,43	257,18	15,88	GM
3853	304,80	355,60	15,88	GM
3868	419,10	450,85	19,05	GM
3911	189,99	224,99	15,98	GM
3913	159,99	189,99	15,98	GM
3928	206,38	244,48	19,05	GM
3930	202,46	228,60	9,53	GM
3934	212,73	250,83	19,05	GM
3935	215,90	241,30	15,88	GM
3937	215,90	254,00	19,05	GM
3938	215,90	266,70	20,62	GM
3940	219,08	257,18	19,05	GM
3942	219,99	249,99	16,00	GM
3947	222,25	260,35	19,05	GM
3949	222,25	266,70	19,05	GM
3951	222,25	273,05	19,05	GM
3952	222,25	273,05	20,62	GM
3953	225,43	276,23	20,62	GM
3955	228,60	279,40	20,62	GM
3958	231,78	269,88	19,05	GM
3965	234,95	279,40	19,05	GM
3966	202,82	228,60	9,53	GM
3967	234,95	285,75	19,05	GM
3971	238,13	276,23	19,05	GM
3973	240,00	280,01	19,00	GM
3979	241,30	279,40	19,05	GM
3981	241,30	285,75	19,05	GM
3983	241,30	292,10	19,05	GM
3984	241,30	292,10	20,62	GM
3989	247,65	298,45	19,05	GM
3990	250,83	288,93	19,05	GM
3994	254,00	298,45	19,05	GM
3995	254,00	304,80	15,88	GM
3996	254,00	304,80	19,05	GM
3997	254,00	304,80	20,62	GM
4000	257,18	295,28	19,05	GM
4005	260,35	298,45	19,05	GM
4007	260,35	304,80	19,05	GM
4009	260,35	311,15	20,62	GM
4012	266,70	304,80	19,05	GM
4014	266,70	311,15	19,05	GM
4016	266,70	317,50	19,05	GM

code	B	A	H	type
4017	266,70	317,50	20,62	GM
4018	269,88	307,98	19,05	GM
4020	269,88	314,33	19,05	GM
4024	273,05	311,15	19,05	GM
4030	273,05	323,85	19,05	GM
4031	273,05	323,85	20,62	GM
4032	276,23	314,33	19,05	GM
4036	279,40	330,20	20,62	GM
4046	285,75	323,85	19,05	GM
4047	285,75	336,55	20,62	GM
4049	282,58	333,38	20,62	GM
4050	288,93	327,03	19,05	GM
4058	292,10	330,20	19,05	GM
4060	292,10	336,55	19,05	GM
4062	292,10	342,90	19,05	GM
4063	292,10	342,90	20,62	GM
4065	298,45	336,55	19,05	GM
4067	304,80	342,90	19,05	GM
4071	304,80	355,60	19,05	GM
4072	304,80	355,60	20,62	GM
4074	311,15	349,25	19,05	GM
4075	311,15	361,95	20,62	GM
4077	314,33	352,43	19,05	GM
4080	317,50	355,60	19,05	GM
4082	317,50	368,30	19,05	GM
4083	317,50	368,30	20,62	GM
4086	320,68	358,78	19,05	GM
4088	323,85	361,95	15,88	GM
4094	330,20	368,30	19,05	GM
4098	330,20	381,00	19,05	GM
4099	330,20	381,00	20,62	GM
4102	336,55	374,65	19,05	GM
4122	342,90	381,00	19,05	GM
4127	342,90	393,70	19,05	GM
4128	342,90	393,70	20,62	GM
4129	349,25	400,05	20,62	GM
4132	355,60	393,70	19,05	GM
4133	355,60	395,30	19,05	GM
4134	355,60	400,05	19,05	GM
4135	355,60	406,40	20,62	GM
4137	352,43	403,23	20,62	GM
4138	360,43	398,53	15,88	GM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'GM'

Ordered according to code

Technical description at page 21

code	B		A		H	type
4140	361,95	x	412,75	x	20,62	GM
4143	368,30	x	406,40	x	19,05	GM
4145	368,30	x	419,10	x	20,62	GM
4148	374,65	x	412,75	x	19,05	GM
4149	374,65	x	419,10	x	19,05	GM
4152	381,00	x	419,10	x	19,05	GM
4153	381,00	x	425,45	x	19,05	GM
4155	381,00	x	431,80	x	19,05	GM
4156	381,00	x	431,80	x	20,62	GM
4159	390,53	x	441,33	x	20,62	GM
4162	393,70	x	431,80	x	19,05	GM
4163	393,70	x	444,50	x	20,62	GM
4176	403,23	x	454,03	x	20,62	GM
4178	406,40	x	444,50	x	19,05	GM
4180	406,40	x	457,20	x	20,62	GM
4182	412,75	x	450,85	x	19,05	GM
4184	412,75	x	457,20	x	19,05	GM
4185	419,10	x	457,20	x	19,05	GM
4186	419,10	x	469,90	x	20,62	GM
4189	431,80	x	469,90	x	19,05	GM
4190	431,80	x	482,60	x	20,62	GM
4195	444,50	x	482,60	x	19,05	GM
4196	444,50	x	488,95	x	19,05	GM
4200	450,85	x	501,65	x	20,62	GM
4204	454,03	x	504,83	x	20,62	GM
4209	457,20	x	508,00	x	19,05	GM
4211	463,55	x	501,65	x	19,05	GM
4217	476,25	x	514,35	x	19,05	GM
4218	482,60	x	520,70	x	19,05	GM
4225	488,95	x	533,40	x	20,62	GM
4230	508,00	x	552,45	x	20,62	GM
4235	508,00	x	546,10	x	19,05	GM
4239	514,35	x	552,45	x	19,05	GM
4279	571,50	x	622,30	x	22,23	GM
4304	620,70	x	671,50	x	19,05	GM
4308	635,00	x	673,10	x	19,05	GM
4315	698,50	x	736,60	x	19,05	GM
4317	647,70	x	685,80	x	19,05	GM
4343	711,20	x	749,30	x	19,05	GM
4346	723,90	x	774,70	x	22,23	GM
4347	736,60	x	774,70	x	19,05	GM
4351	440,94	x	491,74	x	20,62	GM

code	B		A		H	type
4356	762,00	x	800,10	x	19,05	GM
4374	439,75	x	465,15	x	12,70	GM
4381	838,20	x	876,30	x	19,05	GM
4386	1.019,99	x	1.050,01	x	19,05	GM
4393	440,00	x	480,01	x	19,99	GM
4403	444,50	x	482,60	x	15,88	GM
4413	220,68	x	252,43	x	12,70	GM
4415	145,01	x	180,01	x	15,01	GM
4420	139,70	x	169,85	x	15,88	GM
4425	134,92	x	169,85	x	15,88	GM
4426	98,43	x	128,57	x	9,53	GM
4435	939,80	x	990,60	x	25,40	GM
4438	952,50	x	1.003,30	x	22,23	GM
4440	1.460,50	x	1.511,30	x	20,62	GM
4441	306,40	x	346,08	x	19,05	GM
4442	75,62	x	100,56	x	12,70	GM
4445	163,53	x	195,78	x	15,88	GM
4450	279,40	x	314,33	x	19,05	GM
4451	136,53	x	165,10	x	19,05	GM
4459	115,90	x	138,10	x	12,70	GM
4461	139,70	x	171,60	x	12,70	GM
4471	1.047,75	x	1.085,85	x	19,05	GM
4476	387,35	x	438,15	x	20,62	GM
4477	176,23	x	206,38	x	15,88	GM
4479	176,20	x	215,90	x	15,88	GM
4480	320,68	x	355,60	x	19,05	GM
4481	700,00	x	738,00	x	19,00	GM
4482	250,42	x	275,82	x	12,70	GM
4489	140,00	x	162,23	x	9,53	GM
4493	487,38	x	531,83	x	15,88	GM
4495	266,70	x	304,80	x	15,88	GM
4496	317,50	x	355,60	x	15,88	GM
4497	249,99	x	289,99	x	14,99	GM
4502	215,90	x	254,00	x	15,88	GM
4503	228,60	x	254,00	x	15,88	GM
4504	228,60	x	257,18	x	15,88	GM
4505	228,60	x	260,35	x	15,88	GM
4506	228,60	x	263,53	x	15,88	GM
4507	228,60	x	266,70	x	15,88	GM
4509	234,95	x	260,35	x	15,88	GM
4510	430,00	x	470,00	x	19,99	GM
4511	234,95	x	266,70	x	15,88	GM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'GM'

Ordered according to code

Technical description at page 21

code	B		A		H	type
4512	244,48	x	276,23	x	19,05	GM
4513	247,65	x	273,05	x	15,88	GM
4515	247,65	x	279,40	x	15,88	GM
4516	247,65	x	282,58	x	15,88	GM
4517	247,65	x	285,75	x	15,88	GM
4520	273,05	x	304,80	x	15,88	GM
4521	419,99	x	470,00	x	19,05	GM
4522	273,05	x	311,15	x	15,88	GM
4523	450,85	x	482,60	x	19,05	GM
4525	501,65	x	527,05	x	12,70	GM
4526	749,30	x	774,70	x	12,70	GM
4530	349,25	x	387,35	x	19,05	GM
4532	349,25	x	400,05	x	19,05	GM
4533	673,10	x	711,20	x	19,05	GM
4535	492,13	x	517,53	x	12,70	GM
4536	122,25	x	160,35	x	12,70	GM
4556	1.085,85	x	1.123,95	x	19,05	GM
4557	76,20	x	101,60	x	12,70	GM
4560	165,10	x	190,50	x	12,70	GM
4561	180,98	x	206,38	x	12,70	GM
4572	1.174,75	x	1.212,85	x	19,05	GM
4588	436,63	x	487,43	x	20,62	GM
4589	444,50	x	482,60	x	20,62	GM
4591	317,50	x	355,60	x	20,62	GM
4596	339,93	x	378,03	x	19,05	GM
4601	380,01	x	424,00	x	19,99	GM
4602	300,00	x	343,99	x	19,99	GM
4604	303,23	x	341,33	x	15,88	GM
4608	1.219,20	x	1.270,00	x	25,40	GM
4610	238,13	x	288,93	x	20,62	GM
4617	488,95	x	527,05	x	19,05	GM
4618	252,43	x	303,23	x	15,88	GM
4619	520,70	x	558,80	x	19,05	GM
4621	552,45	x	590,55	x	19,05	GM
4623	609,60	x	647,70	x	19,05	GM
4624	174,98	x	200,00	x	15,01	GM
4625	393,70	x	419,10	x	12,70	GM
4629	400,00	x	443,99	x	19,99	GM
4630	330,00	x	373,99	x	19,99	GM
4634	159,99	x	189,99	x	12,70	GM
4651	101,60	x	127,00	x	12,70	GM
4655	300,00	x	340,00	x	19,99	GM

code	B		A		H	type
4656	130,00	x	159,99	x	11,99	GM
4658	1.795,48	x	1.846,28	x	22,23	GM
4660	131,75	x	157,15	x	12,70	GM
4663	438,15	x	476,25	x	15,88	GM
4664	403,23	x	441,33	x	19,05	GM
4666	343,00	x	393,80	x	20,62	GM
4667	451,99	x	502,79	x	20,62	GM
4675	622,30	x	650,88	x	12,70	GM
4676	654,05	x	682,63	x	12,70	GM
4678	498,48	x	549,28	x	20,62	GM
4686	88,27	x	114,30	x	9,53	GM
4691	361,95	x	406,40	x	20,62	GM
4694	161,93	x	196,85	x	15,88	GM
4698	657,23	x	682,63	x	12,70	GM
4699	368,30	x	400,05	x	15,88	GM
4702	1.905,00	x	1.930,40	x	9,53	GM
4705	112,70	x	138,10	x	9,53	GM
4710	87,30	x	127,00	x	12,70	GM
4714	660,40	x	685,80	x	12,70	GM
4724	234,95	x	266,70	x	12,70	GM
4726	152,40	x	182,96	x	19,05	GM
4727	215,90	x	260,35	x	19,05	GM
4729	155,58	x	193,68	x	19,05	GM
4730	176,53	x	206,38	x	19,05	GM
4733	133,35	x	166,67	x	19,05	GM
4739	495,30	x	546,10	x	12,70	GM
4741	482,60	x	533,40	x	12,70	GM
4742	94,46	x	129,39	x	12,70	GM
4745	88,90	x	126,97	x	9,53	GM
4747	99,90	x	125,30	x	12,70	GM
4750	138,10	x	163,50	x	12,70	GM
4756	373,05	x	423,85	x	20,62	GM
4757	219,99	x	249,99	x	13,00	GM
4758	106,35	x	131,75	x	9,53	GM
4759	122,22	x	146,05	x	12,70	GM
4761	1.320,80	x	1.371,60	x	20,62	GM
4762	142,88	x	177,80	x	19,05	GM
4765	69,98	x	89,99	x	9,53	GM
4770	330,20	x	361,95	x	15,88	GM
4771	114,30	x	146,05	x	9,53	GM
4772	98,43	x	127,00	x	12,70	GM
4776	100,00	x	131,75	x	12,70	GM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'GM'

Ordered according to code

Technical description at page 21

code	B	A	H	type
4779	336,55	387,35	20,62	GM
4786	134,92	167,08	12,70	GM
4788	323,85	355,60	19,05	GM
4796	115,87	144,45	12,70	GM
4799	212,73	250,83	15,88	GM
4803	231,78	263,53	15,88	GM
4804	76,20	107,95	12,70	GM
4805	259,99	303,99	19,99	GM
4810	204,77	236,52	12,70	GM
4812	265,13	304,80	19,05	GM
4815	454,03	479,43	12,70	GM
4817	100,00	125,40	12,70	GM
4820	112,70	141,27	12,70	GM
4823	242,90	268,30	12,70	GM
4826	179,98	205,38	12,70	GM
4831	139,98	165,38	12,70	GM
4833	197,10	225,43	12,70	GM
4839	631,83	682,63	20,62	GM
4841	137,67	168,28	12,70	GM
4846	89,99	114,99	12,70	GM
4847	104,98	129,79	11,99	GM
4854	271,45	322,25	19,05	GM
4856	1.574,80	1.625,60	20,62	GM
4857	758,83	809,63	20,62	GM
4863	566,93	617,73	20,62	GM
4864	92,08	123,83	9,53	GM
4865	230,00	280,01	16,00	GM
4867	279,40	323,85	19,05	GM
4872	900,00	950,01	19,99	GM
4881	300,00	349,99	19,05	GM
4885	230,00	270,00	16,00	GM
4886	182,55	217,47	15,88	GM
4889	190,50	225,43	12,70	GM
4893	212,73	244,48	15,88	GM
4895	311,15	351,05	19,05	GM
4897	759,92	798,02	19,05	GM
4900	173,02	211,12	19,05	GM
4911	304,80	349,25	19,05	GM
4912	2.089,99	2.140,00	20,62	GM
4919	2.235,99	2.286,79	20,62	GM
4921	187,33	212,73	12,70	GM
4922	215,90	247,65	12,70	GM

code	B	A	H	type
4923	254,00	285,75	12,70	GM
4924	177,80	209,55	12,70	GM
4926	514,35	565,15	20,62	GM
4934	120,65	158,75	19,05	GM
4939	115,87	141,27	9,53	GM
4940	533,40	558,80	12,70	GM
4948	80,95	106,35	12,70	GM
4949	381,00	431,80	12,70	GM
4950	254,00	292,10	15,88	GM
4954	78,00	116,10	12,70	GM
4963	268,27	319,07	19,05	GM
4981	222,25	254,00	13,08	GM
4989	246,99	272,39	12,70	GM
4990	199,49	224,89	12,70	GM
4992	224,99	250,39	12,70	GM
4994	272,49	297,89	12,70	GM
5003	113,67	139,70	12,70	GM
5009	204,77	242,87	19,05	GM
5010	139,70	177,80	19,05	GM
5012	292,10	327,03	19,05	GM
5013	915,19	965,99	20,62	GM
5014	288,14	319,86	15,88	GM
5017	669,93	720,73	20,62	GM
5023	76,20	101,60	9,53	GM
5025	79,38	107,95	12,70	GM
5029	430,00	479,98	19,99	GM
5032	169,85	201,60	12,70	GM
5033	793,75	844,55	19,05	GM
5039	412,75	438,15	12,70	GM
5050	685,80	723,90	15,88	GM
5051	90,50	115,90	12,70	GM
5055	520,70	571,50	20,62	GM
5058	119,05	150,80	12,70	GM
5062	361,95	400,05	19,05	GM
5067	269,88	295,28	15,88	GM
5075	109,47	134,62	12,07	GM
5079	95,25	127,00	12,70	GM
5081	1.085,85	1.111,25	12,70	GM
5082	250,83	301,63	19,05	GM
5092	134,92	166,67	15,88	GM
5097	93,68	127,00	12,70	GM
5099	481,00	531,80	20,62	GM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'GM'

Ordered according to code

Technical description at page 21

code	B		A		H	type
5100	89,97	x	115,37	x	9,53	GM
5102	682,63	x	733,43	x	20,62	GM
5107	1.168,40	x	1.219,20	x	20,62	GM
5114	317,50	x	342,90	x	12,70	GM
5116	406,40	x	457,20	x	19,05	GM
5117	361,95	x	412,75	x	19,05	GM
5118	119,99	x	149,99	x	12,70	GM
5119	153,97	x	192,07	x	19,05	GM
5122	88,90	x	117,48	x	9,53	GM
5126	232,56	x	270,66	x	19,05	GM
5127	73,03	x	104,78	x	12,70	GM
5130	473,08	x	523,88	x	20,62	GM
5134	365,13	x	415,93	x	19,05	GM
5138	125,40	x	157,15	x	12,70	GM
5139	168,28	x	206,38	x	12,70	GM
5141	641,35	x	679,45	x	12,70	GM
5153	225,43	x	257,18	x	15,88	GM
5158	482,60	x	508,00	x	12,70	GM
5159	838,20	x	863,60	x	12,70	GM
5161	211,15	x	236,55	x	12,70	GM
5163	213,51	x	238,91	x	12,70	GM
5166	123,83	x	149,23	x	9,53	GM
5168	431,80	x	482,60	x	19,05	GM
5172	447,68	x	469,90	x	9,53	GM
5174	1.028,70	x	1.066,80	x	19,05	GM
5178	415,93	x	454,03	x	19,05	GM
5186	259,99	x	298,09	x	19,05	GM
5189	130,18	x	155,58	x	9,53	GM
5190	106,35	x	144,45	x	9,53	GM
5195	161,93	x	195,25	x	15,88	GM
5202	946,15	x	996,95	x	20,62	GM
5204	1.003,30	x	1.054,10	x	20,62	GM
5209	79,38	x	101,60	x	12,70	GM
5219	1.028,70	x	1.079,50	x	20,62	GM
5236	1.968,50	x	2.019,30	x	20,62	GM
5241	192,07	x	230,17	x	19,05	GM
5245	1.295,40	x	1.320,80	x	12,70	GM
5254	561,98	x	612,78	x	20,62	GM
5258	549,99	x	588,09	x	19,05	GM
5259	533,40	x	571,50	x	19,05	GM
5262	495,30	x	520,70	x	12,70	GM
5263	742,95	x	768,35	x	12,70	GM

code	B		A		H	type
5264	1.449,98	x	1.500,78	x	20,62	GM
5266	723,90	x	749,30	x	12,70	GM
5267	1.065,00	x	1.115,80	x	20,65	GM
5271	485,78	x	511,18	x	12,70	GM
5273	1.320,80	x	1.346,20	x	12,70	GM
5274	1.397,00	x	1.422,40	x	12,70	GM
5278	680,24	x	731,04	x	20,62	GM
5279	2.133,60	x	2.184,40	x	20,62	GM
5281	752,48	x	803,28	x	20,62	GM
5287	1.105,99	x	1.156,79	x	20,62	GM
5290	389,99	x	430,00	x	19,05	GM
5291	504,83	x	555,63	x	20,62	GM
5297	2.159,00	x	2.209,80	x	20,62	GM
5298	295,28	x	346,08	x	20,62	GM
5302	542,93	x	593,73	x	20,62	GM
5307	294,01	x	319,41	x	12,70	GM
5308	213,21	x	238,61	x	12,70	GM
5312	533,40	x	577,85	x	19,05	GM
5313	92,08	x	114,30	x	12,70	GM
5326	996,95	x	1.035,05	x	19,05	GM
5333	189,99	x	219,99	x	12,50	GM
5334	230,00	x	259,84	x	14,99	GM
5336	179,98	x	209,98	x	12,50	GM
5337	200,00	x	230,00	x	12,50	GM
5338	209,98	x	239,98	x	14,99	GM
5339	249,99	x	279,98	x	14,99	GM
5340	309,98	x	339,98	x	14,99	GM
5341	328,22	x	359,99	x	14,99	GM
5350	269,98	x	300,00	x	14,99	GM
5351	259,99	x	289,99	x	14,99	GM
5352	300,00	x	330,00	x	14,99	GM
5356	170,00	x	200,00	x	12,50	GM
5357	219,99	x	249,99	x	14,99	GM
5358	214,99	x	244,98	x	14,99	GM
5359	239,98	x	269,98	x	14,99	GM
5361	822,33	x	854,08	x	15,88	GM
5367	130,00	x	158,98	x	11,99	GM
5377	125,02	x	154,00	x	12,37	GM
5378	135,00	x	163,98	x	12,37	GM
5383	346,08	x	371,48	x	12,70	GM
5385	1.409,70	x	1.460,50	x	20,62	GM
5386	1.117,60	x	1.168,40	x	20,62	GM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'GM'

Ordered according to code

Technical description at page 21

code	B		A		H	type
5388	130,00	x	155,40	x	12,70	GM
5395	282,58	x	317,50	x	19,05	GM
5397	288,93	x	320,68	x	15,88	GM
5402	214,99	x	239,98	x	12,70	GM
5403	230,00	x	254,99	x	12,70	GM
5409	1.162,05	x	1.212,85	x	19,05	GM
5425	889,00	x	927,10	x	19,05	GM
5426	82,55	x	104,78	x	12,70	GM
5428	550,85	x	588,95	x	19,05	GM
5431	459,99	x	510,79	x	20,62	GM
5432	457,99	x	508,79	x	20,62	GM
5433	1.333,50	x	1.384,30	x	20,62	GM
5435	815,98	x	866,78	x	20,62	GM
5443	120,65	x	142,88	x	12,70	GM
5444	100,00	x	131,75	x	9,53	GM
5455	368,30	x	412,75	x	15,88	GM
5459	125,02	x	150,42	x	12,70	GM
5461	215,14	x	241,30	x	12,70	GM
5472	252,40	x	303,20	x	19,05	GM
5477	349,99	x	388,01	x	12,70	GM
5480	222,25	x	250,83	x	19,05	GM
5490	129,92	x	155,32	x	12,70	GM
5495	120,65	x	142,88	x	15,88	GM
5504	711,20	x	739,78	x	12,70	GM
5506	471,47	x	496,87	x	12,70	GM
5508	381,00	x	406,40	x	12,70	GM
5510	1.384,30	x	1.435,10	x	20,62	GM
5511	135,00	x	159,99	x	12,70	GM
5514	765,18	x	790,58	x	12,70	GM
5516	132,16	x	160,32	x	12,70	GM
5519	889,00	x	914,40	x	12,70	GM
5523	260,35	x	298,45	x	15,88	GM
5525	223,01	x	273,81	x	19,05	GM
5532	575,89	x	613,99	x	19,05	GM
5533	1.762,13	x	1.812,93	x	20,62	GM
5534	446,07	x	484,17	x	19,05	GM
5536	310,01	x	335,00	x	12,70	GM
5550	546,10	x	590,55	x	20,62	GM
5552	609,60	x	638,18	x	12,70	GM
5553	603,25	x	654,05	x	20,62	GM
5559	225,43	x	269,88	x	20,62	GM
5575	230,17	x	255,57	x	9,53	GM

code	B		A		H	type
5576	319,99	x	345,01	x	12,70	GM
5578	192,07	x	230,25	x	19,05	GM
5579	1.143,00	x	1.181,10	x	19,05	GM
5586	1.638,00	x	1.688,80	x	20,62	GM
5587	1.569,97	x	1.620,77	x	20,62	GM
5594	450,06	x	488,16	x	19,05	GM
5595	591,82	x	617,22	x	12,70	GM
5596	1.352,55	x	1.377,95	x	12,70	GM
5598	219,99	x	245,39	x	12,70	GM
5599	407,97	x	433,37	x	12,70	GM
5601	971,55	x	1.022,35	x	20,62	GM
5602	863,60	x	901,70	x	19,05	GM
5605	200,03	x	225,43	x	9,53	GM
5611	787,40	x	812,80	x	12,70	GM
5612	733,43	x	755,65	x	12,70	GM
5613	454,66	x	492,76	x	19,05	GM
5614	598,68	x	636,78	x	19,05	GM
5615	599,31	x	637,41	x	19,05	GM
5618	1.270,00	x	1.308,10	x	19,05	GM
5622	960,42	x	1.011,22	x	20,62	GM
5624	1.892,30	x	1.930,40	x	19,05	GM
5625	1.016,00	x	1.054,10	x	19,05	GM
5629	179,78	x	217,47	x	12,70	GM
5634	1.362,08	x	1.387,48	x	12,70	GM
5636	146,81	x	178,56	x	15,88	GM
5637	159,54	x	191,26	x	15,88	GM
5638	191,26	x	223,01	x	15,88	GM
5639	267,46	x	305,56	x	15,88	GM
5640	344,93	x	370,33	x	12,70	GM
5642	292,10	x	320,68	x	15,88	GM
5647	776,27	x	827,07	x	20,62	GM
5650	84,99	x	110,01	x	12,70	GM
5654	519,91	x	558,01	x	19,05	GM
5658	908,05	x	958,85	x	20,62	GM
5659	344,47	x	382,57	x	19,05	GM
5661	153,97	x	187,33	x	12,70	GM
5662	914,40	x	965,20	x	19,05	GM
5663	2.133,60	x	2.159,00	x	12,70	GM
5664	340,00	x	378,00	x	19,05	GM
5665	259,99	x	297,99	x	19,05	GM
5666	400,00	x	438,00	x	19,05	GM
5667	319,99	x	358,01	x	19,05	GM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'GM'

Ordered according to code

Technical description at page 21

code	B	A	H	type
5668	544,98	595,78	20,62	GM
5669	322,25	373,05	20,62	GM
5680	460,38	498,48	19,05	GM
5682	83,31	108,71	9,53	GM
5684	216,66	248,41	15,88	GM
5685	202,18	240,28	15,88	GM
5689	1.549,40	1.600,20	20,62	GM
5691	168,28	212,73	12,70	GM
5696	133,35	163,50	12,70	GM
5697	133,35	163,50	9,53	GM
5698	838,20	876,30	15,88	GM
5699	495,30	539,75	20,65	GM
5707	611,96	662,76	20,62	GM
5708	521,11	571,91	20,62	GM
5709	949,33	1.000,13	20,62	GM
5712	284,96	329,01	19,99	GM
5714	914,40	952,50	19,05	GM
5716	110,31	135,69	9,53	GM
5717	134,11	159,51	12,70	GM
5719	290,12	328,19	19,05	GM
5720	630,00	668,10	19,05	GM
5724	280,19	305,59	15,88	GM
5725	419,89	457,99	19,05	GM
5727	1.130,30	1.181,10	20,62	GM
5729	638,18	663,58	12,70	GM
5730	863,60	889,00	12,70	GM
5735	1.470,03	1.495,43	12,70	GM
5739	787,40	825,50	19,05	GM
5743	648,46	686,56	19,05	GM
5744	1.193,80	1.244,60	20,62	GM
5745	231,78	282,58	19,05	GM
5747	419,10	444,50	12,70	GM
5748	640,56	691,36	20,62	GM
5756	596,90	622,30	12,70	GM
5757	2.044,70	2.095,50	20,62	GM
5760	1.790,70	1.841,50	20,62	GM
5763	105,00	135,00	12,70	GM
5765	889,00	927,10	15,88	GM
5766	1.117,60	1.155,70	19,05	GM
5768	546,10	584,20	19,05	GM
5769	458,77	509,57	20,62	GM
5776	296,85	334,95	15,88	GM

code	B	A	H	type
5779	649,99	675,39	12,70	GM
5780	749,99	775,39	12,70	GM
5783	333,38	384,18	20,62	GM
5784	230,00	268,00	19,05	GM
5787	2.435,23	2.486,03	20,62	GM
5788	2.590,80	2.641,60	20,62	GM
5795	539,75	577,85	19,05	GM
5796	2.019,30	2.070,10	20,62	GM
5797	130,00	152,20	9,53	GM
5798	635,00	660,40	12,70	GM
5799	679,98	705,38	12,70	GM
5801	379,98	418,08	19,05	GM
5802	509,98	560,78	20,62	GM
5803	409,98	460,78	20,62	GM
5804	1.073,15	1.123,95	20,62	GM
5805	2.489,20	2.527,30	19,05	GM
5808	275,01	300,41	14,99	GM
5809	2.667,99	2.718,79	20,62	GM
5811	1.689,10	1.727,20	19,05	GM
5815	359,82	400,05	15,88	GM
5816	2.184,40	2.235,20	20,62	GM
5818	622,30	647,70	12,70	GM
5819	409,58	460,38	20,62	GM
5820	469,90	495,30	12,70	GM
5821	754,05	804,85	20,62	GM
5823	1.174,75	1.225,55	20,62	GM
5824	900,00	938,10	19,05	GM
5825	346,08	377,83	19,05	GM
5827	422,28	447,68	12,70	GM
5828	639,75	690,55	20,62	GM
5829	1.089,99	1.140,79	20,62	GM
5830	870,00	920,80	20,62	GM
5835	300,00	325,40	12,70	GM
5845	370,00	395,00	12,70	GM
5846	359,99	398,09	19,05	GM
5847	810,01	860,81	20,62	GM
5849	504,98	555,78	20,62	GM
5850	430,00	468,10	19,05	GM
5851	291,36	342,16	19,05	GM
5852	239,98	278,08	19,05	GM
5860	709,98	760,78	20,62	GM
5861	139,98	169,98	15,88	GM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'GM'

Ordered according to code

Technical description at page 21

code	B		A		H	type
5863	730,25	x	755,65	x	12,70	GM
5865	400,05	x	444,50	x	20,62	GM
5867	409,58	x	434,98	x	12,70	GM
5873	1.041,40	x	1.079,50	x	19,05	GM
5877	438,15	x	488,95	x	19,05	GM
5878	295,00	x	333,10	x	19,05	GM
5881	269,98	x	307,82	x	19,05	GM
5882	289,99	x	340,79	x	19,05	GM
5885	914,40	x	939,80	x	12,70	GM
5890	222,25	x	250,83	x	15,88	GM
5894	654,05	x	685,80	x	15,88	GM
5895	710,41	x	761,21	x	20,62	GM
5901	252,40	x	277,80	x	12,70	GM
5902	1.485,90	x	1.536,70	x	20,62	GM
5903	600,08	x	638,18	x	19,05	GM
5904	500,05	x	538,15	x	19,05	GM
5905	1.200,15	x	1.250,95	x	20,62	GM
5910	225,02	x	263,12	x	19,05	GM
5916	215,90	x	266,70	x	15,88	GM
5917	323,85	x	368,30	x	19,05	GM
5919	609,60	x	660,40	x	20,62	GM
5931	134,92	x	173,02	x	12,70	GM
5933	90,47	x	122,22	x	12,70	GM
5934	266,70	x	298,45	x	15,88	GM
5935	889,00	x	939,80	x	20,62	GM
5936	549,28	x	600,08	x	20,62	GM
5939	327,03	x	365,13	x	19,05	GM
5942	323,85	x	361,95	x	19,05	GM
5946	365,13	x	403,23	x	19,05	GM
5952	228,60	x	266,70	x	12,70	GM
5953	315,11	x	353,21	x	19,05	GM
5957	259,99	x	291,74	x	15,88	GM
5958	279,98	x	305,38	x	15,88	GM
5983	434,98	x	485,78	x	20,62	GM
5984	342,11	x	367,49	x	12,70	GM
6000	200,03	x	230,02	x	9,53	GM
6015	114,30	x	136,53	x	12,70	GM
6016	198,42	x	236,52	x	19,05	GM
6052	105,00	x	130,00	x	13,00	GM
6059	1.016,00	x	1.066,80	x	20,62	GM
6067	247,65	x	273,05	x	12,70	GM
6068	714,38	x	742,95	x	12,70	GM

code	B		A		H	type
6079	488,95	x	539,75	x	20,62	GM
6084	118,26	x	153,19	x	12,70	GM
6087	277,80	x	315,90	x	15,88	GM
6092	230,17	x	280,97	x	19,05	GM
6107	850,90	x	901,70	x	20,62	GM
6111	100,00	x	128,57	x	12,70	GM
6130	1.943,10	x	1.993,90	x	20,62	GM
6132	466,73	x	504,83	x	19,05	GM
6136	131,75	x	163,50	x	15,88	GM
6143	857,25	x	908,05	x	20,62	GM
6150	141,27	x	171,45	x	12,70	GM
6163	177,80	x	212,73	x	12,70	GM
6178	125,40	x	163,50	x	19,05	GM
6190	227,00	x	258,75	x	15,88	GM
6191	560,37	x	611,17	x	20,62	GM
6202	584,20	x	609,60	x	12,70	GM
6205	100,00	x	134,92	x	12,70	GM
6210	220,65	x	252,43	x	19,05	GM
6213	120,65	x	146,05	x	9,53	GM
6216	258,75	x	284,18	x	12,70	GM
6219	257,18	x	288,93	x	15,88	GM
6229	169,85	x	195,25	x	12,70	GM
6237	990,60	x	1.041,40	x	20,62	GM
6238	284,15	x	309,58	x	12,70	GM
6247	209,55	x	247,65	x	12,70	GM
6250	95,02	x	133,10	x	12,70	GM
6251	184,15	x	222,25	x	12,70	GM
6253	309,55	x	347,68	x	15,88	GM
6258	176,20	x	204,77	x	12,70	GM
6263	336,55	x	374,65	x	15,88	GM
6264	336,55	x	387,35	x	19,05	GM
6268	1.079,50	x	1.104,90	x	12,70	GM
6273	227,00	x	253,19	x	12,70	GM
6276	1.854,20	x	1.905,00	x	20,62	GM
6283	373,05	x	411,15	x	15,88	GM
6285	88,90	x	111,13	x	12,70	GM
6291	558,80	x	603,25	x	20,62	GM
6297	771,53	x	822,33	x	20,62	GM
6303	355,60	x	393,70	x	15,88	GM
6305	473,08	x	504,83	x	19,05	GM
6321	654,05	x	682,63	x	15,88	GM
6324	355,60	x	400,05	x	12,70	GM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'GM'

Ordered according to code

Technical description at page 21

code	B		A		H	type
6328	301,63	x	339,73	x	19,05	GM
6332	673,10	x	723,90	x	20,62	GM
6334	223,82	x	261,92	x	12,70	GM
6335	620,70	x	671,50	x	20,62	GM
6337	600,08	x	650,88	x	20,62	GM
6348	1.143,00	x	1.193,80	x	20,62	GM
6351	74,60	x	100,00	x	12,70	GM
6353	400,94	x	451,74	x	20,62	GM
6355	87,30	x	112,70	x	12,70	GM
6356	82,55	x	107,95	x	9,53	GM
6357	87,30	x	119,05	x	12,70	GM
6358	88,90	x	114,30	x	9,53	GM
6359	92,08	x	117,48	x	9,53	GM
6360	101,60	x	127,00	x	9,53	GM
6361	107,95	x	136,53	x	10,31	GM
6362	112,70	x	138,10	x	12,70	GM
6363	114,30	x	139,70	x	9,53	GM
6364	119,05	x	147,62	x	12,70	GM
6365	127,00	x	152,40	x	9,53	GM
6366	133,35	x	171,45	x	19,05	GM
6367	138,10	x	169,85	x	15,88	GM
6368	142,88	x	180,98	x	19,05	GM
6370	165,10	x	203,20	x	12,70	GM
6371	166,67	x	192,07	x	12,70	GM
6372	171,45	x	196,85	x	12,70	GM
6373	176,20	x	201,60	x	12,70	GM
6374	177,80	x	203,20	x	12,70	GM
6375	177,80	x	215,90	x	12,70	GM
6376	184,15	x	209,55	x	12,70	GM
6377	184,15	x	215,90	x	12,70	GM
6378	190,50	x	215,90	x	12,70	GM
6379	196,85	x	222,25	x	12,70	GM
6380	203,20	x	228,60	x	12,70	GM
6382	209,55	x	234,95	x	12,70	GM
6383	215,90	x	241,30	x	12,70	GM
6384	215,90	x	247,65	x	15,88	GM
6386	222,25	x	254,00	x	15,88	GM
6387	228,60	x	254,00	x	12,70	GM
6388	241,30	x	266,70	x	12,70	GM
6389	244,48	x	295,28	x	19,05	GM
6390	247,65	x	279,40	x	12,70	GM
6391	254,00	x	279,40	x	12,70	GM

code	B		A		H	type
6394	279,40	x	317,50	x	19,05	GM
6395	279,40	x	330,20	x	19,05	GM
6396	323,85	x	374,65	x	19,05	GM
6397	412,75	x	463,55	x	20,62	GM
6398	425,45	x	476,25	x	19,05	GM
6399	457,20	x	508,00	x	20,62	GM
6400	508,00	x	558,80	x	20,62	GM
6401	558,80	x	609,60	x	20,62	GM
6403	749,30	x	800,10	x	20,62	GM
6404	762,00	x	790,58	x	12,70	GM
6405	825,50	x	854,08	x	12,70	GM
6406	914,40	x	965,20	x	20,62	GM
6407	1.066,80	x	1.117,60	x	20,62	GM
6408	469,90	x	520,70	x	20,62	GM
6409	101,60	x	133,73	x	12,70	GM
6410	112,70	x	144,45	x	12,70	GM
6416	276,23	x	327,03	x	20,62	GM
6419	635,00	x	685,80	x	20,62	GM
6420	876,30	x	927,10	x	20,62	GM
6424	1.778,00	x	1.828,80	x	20,62	GM
6426	501,65	x	552,45	x	20,62	GM
6428	269,88	x	320,68	x	20,62	GM
6441	310,08	x	348,06	x	19,05	GM
6453	127,00	x	165,10	x	9,53	GM
6455	396,88	x	434,98	x	19,05	GM
6464	96,82	x	122,22	x	12,70	GM
6471	69,85	x	95,25	x	12,70	GM
6473	977,90	x	1.028,70	x	20,62	GM
6483	660,40	x	711,20	x	20,62	GM
6484	307,98	x	358,78	x	19,05	GM
6485	128,57	x	153,97	x	12,70	GM
6491	122,22	x	147,62	x	12,70	GM
6492	200,03	x	225,43	x	12,70	GM
6504	277,80	x	328,60	x	19,05	GM
6508	482,60	x	533,40	x	20,62	GM
6510	203,20	x	234,95	x	12,70	GM
6512	1.146,18	x	1.196,98	x	20,62	GM
6518	355,09	x	393,70	x	19,05	GM
6525	119,05	x	144,45	x	12,70	GM
6531	384,96	x	435,76	x	20,62	GM
6533	250,04	x	288,11	x	20,62	GM
6535	533,40	x	584,20	x	20,62	GM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'GM'

Ordered according to code

Technical description at page 21

code	B	A	H	type
6539	654,05	685,80	12,70	GM
6540	139,70	171,83	12,70	GM
6542	544,50	595,30	20,62	GM
6544	117,48	142,88	9,53	GM
6549	288,93	314,33	12,70	GM
6556	184,15	214,30	14,99	GM
6560	355,60	381,00	12,70	GM
6561	125,40	150,80	12,70	GM
6562	393,70	438,15	19,05	GM
6565	1.257,30	1.308,10	20,62	GM
6568	265,20	290,60	9,53	GM
6570	219,08	250,83	15,88	GM
6574	139,70	171,45	19,05	GM
6577	742,95	793,75	20,62	GM
6579	132,72	158,12	12,70	GM
6583	750,87	801,67	20,62	GM
6587	114,30	140,00	9,53	GM
6595	234,95	273,05	15,88	GM
6597	175,41	207,16	15,88	GM
6601	422,28	473,08	20,62	GM
6602	155,58	193,68	15,88	GM
6609	812,80	841,38	12,70	GM
6615	450,85	488,95	19,05	GM
6616	103,20	134,92	12,70	GM
6618	387,35	438,15	15,88	GM
6619	95,25	123,83	9,53	GM
6621	292,10	323,85	12,70	GM
6622	136,53	161,93	9,53	GM
6625	104,78	130,18	9,53	GM
6626	434,98	473,08	19,05	GM
6646	225,43	276,23	19,05	GM
6647	200,03	231,78	12,70	GM
6648	238,13	269,88	15,88	GM
6653	1.517,65	1.543,05	12,70	GM
6657	412,75	463,55	19,05	GM
6664	244,48	276,23	12,70	GM
6669	241,30	269,88	12,70	GM
6671	1.219,20	1.270,00	20,62	GM
6672	285,75	317,50	15,88	GM
6676	234,95	260,35	12,70	GM
6677	781,05	806,45	12,70	GM
6682	244,48	282,58	12,70	GM

code	B	A	H	type
6683	266,70	304,80	12,70	GM
6684	209,55	247,65	15,88	GM
6687	292,10	330,20	15,88	GM
6697	419,10	469,90	19,05	GM
6698	260,35	292,10	15,88	GM
6704	269,88	320,68	19,05	GM
6705	301,63	327,03	12,70	GM
6709	100,00	125,40	9,53	GM
6710	511,18	561,98	20,62	GM
6718	511,18	561,98	19,05	GM
6719	302,41	334,16	15,88	GM
6728	146,05	176,20	12,70	GM
6740	466,73	517,53	20,62	GM
6748	115,09	140,49	12,70	GM
6752	84,91	110,31	12,70	GM
6754	125,40	150,80	9,53	GM
6756	231,78	257,18	12,70	GM
6759	196,85	228,60	12,70	GM
6766	612,78	638,18	12,70	GM
6769	400,05	450,85	20,62	GM
6772	596,90	647,70	19,05	GM
6773	190,50	228,60	12,70	GM
6775	1.295,40	1.346,20	20,62	GM
6778	357,20	407,97	20,62	GM
6781	266,70	292,10	12,70	GM
6783	106,35	138,10	12,70	GM
6786	711,20	762,00	20,62	GM
6789	3.049,57	3.100,37	20,62	GM
6791	497,99	548,01	20,62	GM
6803	730,25	781,05	20,62	GM
6805	831,85	882,65	20,62	GM
6807	546,10	577,85	19,05	GM
6808	254,00	285,75	15,88	GM
6809	579,42	630,22	20,62	GM
6812	439,98	478,08	19,05	GM
6813	225,43	250,83	12,70	GM
6815	319,07	357,17	19,05	GM
6817	165,10	196,85	12,70	GM
6818	169,93	201,68	15,88	GM
6819	681,10	731,90	20,62	GM
6820	110,01	148,11	12,70	GM
6821	406,40	450,85	19,05	GM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'GM'

Ordered according to code

Technical description at page 21

code	B	A	H	type
6822	933,45	984,25	20,62	GM
6823	639,98	678,08	19,05	GM
6826	298,45	342,90	19,05	GM
6827	222,25	247,65	12,70	GM
6829	311,15	361,95	19,05	GM
6830	519,99	558,09	19,05	GM
6836	298,45	349,25	19,05	GM
6840	296,85	336,55	15,88	GM
6841	179,78	217,88	15,88	GM
6844	200,03	228,60	12,70	GM
6845	222,25	260,35	12,70	GM
6849	762,00	812,80	20,62	GM
6851	109,52	131,75	9,53	GM
6853	546,10	584,20	15,88	GM
6861	184,15	209,55	9,53	GM
6862	79,38	107,95	9,53	GM
6863	837,84	863,24	12,70	GM
6867	159,99	191,74	15,88	GM
6868	76,20	104,78	9,53	GM
6870	104,78	127,00	12,70	GM
6873	400,05	425,45	12,70	GM
6877	355,60	406,40	19,05	GM
6878	409,58	460,38	19,05	GM
6879	596,90	647,70	20,62	GM
6882	263,53	301,63	12,70	GM
6883	384,18	434,98	15,88	GM
6885	1.104,90	1.143,00	19,05	GM
6886	671,50	722,30	20,62	GM
6890	171,45	200,03	12,70	GM
6891	990,60	1.034,97	19,99	GM
6896	95,00	120,40	12,70	GM
6897	168,28	193,68	12,70	GM
6905	2.032,00	2.082,80	20,62	GM
6907	759,61	810,41	20,62	GM
6908	876,30	914,40	19,05	GM
6910	590,55	641,35	20,62	GM
6915	1.651,00	1.701,80	20,62	GM
6918	647,70	698,50	19,05	GM
6919	111,13	149,23	9,53	GM
6922	159,54	184,94	9,53	GM
6924	146,05	177,80	9,53	GM
6932	300,00	338,10	19,05	GM

code	B	A	H	type
6933	430,00	455,40	12,70	GM
6935	269,88	304,80	19,05	GM
6939	127,00	165,10	19,05	GM
6940	660,40	688,98	12,70	GM
6943	223,82	249,22	12,70	GM
6944	844,55	895,35	20,62	GM
6947	838,20	866,78	12,70	GM
6951	174,63	203,20	12,70	GM
6957	109,93	132,16	9,53	GM
6964	279,98	305,38	12,70	GM
6967	438,15	476,25	19,05	GM
6972	552,45	603,25	20,62	GM
6973	200,00	250,83	15,88	GM
6982	154,99	180,39	12,70	GM
6984	415,93	441,33	12,70	GM
6987	622,30	666,75	20,62	GM
6989	1.473,20	1.524,00	19,05	GM
6991	239,98	265,38	12,70	GM
6992	110,01	149,99	15,88	GM
6994	374,90	415,01	16,00	GM
6998	654,05	692,15	19,05	GM
7010	259,99	300,00	16,00	GM
7015	1.612,90	1.663,70	20,62	GM
7018	1.241,43	1.292,23	20,62	GM
7019	346,00	384,10	19,05	GM
7036	100,00	122,22	9,53	GM
7039	746,13	796,93	20,62	GM
7043	442,11	467,51	12,70	GM
7053	295,28	320,68	12,70	GM
7059	469,90	520,70	19,05	GM
7063	172,24	203,99	15,88	GM
7075	87,30	112,70	9,53	GM
7091	400,05	428,63	15,88	GM
7098	579,42	617,52	19,05	GM
7101	215,90	266,70	19,05	GM
7102	1.250,95	1.301,75	20,62	GM
7105	303,20	354,03	20,62	GM
7106	1.359,99	1.410,79	20,62	GM
7107	740,00	790,80	20,62	GM
7108	200,03	231,78	9,53	GM
7117	150,01	188,21	15,88	GM
7119	609,98	659,99	20,62	GM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'GM'

Ordered according to code

Technical description at page 21

code	B		A		H	type
7123	103,20	x	128,57	x	12,70	GM
7124	136,53	x	174,63	x	19,05	GM
7127	419,99	x	458,09	x	19,05	GM
7131	558,80	x	584,20	x	12,70	GM
7132	134,92	x	160,32	x	12,70	GM
7133	201,60	x	239,70	x	19,05	GM
7134	2.571,75	x	2.622,55	x	20,62	GM
7135	320,68	x	352,43	x	15,88	GM
7137	2.454,15	x	2.504,95	x	20,62	GM
7138	863,60	x	914,40	x	20,62	GM
7139	593,73	x	644,53	x	20,62	GM
7144	78,00	x	103,40	x	12,70	GM
7147	257,18	x	292,10	x	19,05	GM
7148	527,05	x	577,85	x	20,62	GM
7149	368,30	x	406,40	x	15,88	GM
7157	209,55	x	247,65	x	19,05	GM
7161	774,70	x	825,50	x	19,05	GM
7162	590,55	x	628,65	x	19,05	GM
7163	641,35	x	679,45	x	19,05	GM
7175	349,25	x	374,65	x	12,70	GM
7180	190,50	x	222,25	x	12,70	GM
7195	512,75	x	563,55	x	20,62	GM
7199	1.079,50	x	1.130,30	x	19,05	GM
7200	628,65	x	679,45	x	20,62	GM
7205	114,30	x	142,88	x	9,53	GM
7206	806,45	x	831,85	x	12,70	GM
7212	508,00	x	558,80	x	19,05	GM
7214	150,80	x	188,90	x	19,05	GM
7219	292,10	x	330,20	x	12,70	GM
7221	130,00	x	159,99	x	12,98	GM
7227	1.270,00	x	1.295,40	x	12,70	GM
7239	390,53	x	428,63	x	19,05	GM
7244	838,20	x	889,00	x	20,62	GM
7250	306,37	x	344,47	x	19,05	GM
7251	698,50	x	749,30	x	20,62	GM
7253	88,90	x	127,00	x	12,70	GM
7263	292,10	x	323,85	x	15,88	GM
7267	140,00	x	170,00	x	15,01	GM
7268	170,00	x	200,00	x	15,01	GM
7271	115,01	x	140,00	x	11,99	GM
7274	174,63	x	206,38	x	12,70	GM
7275	147,62	x	176,20	x	12,70	GM

code	B		A		H	type
7276	159,99	x	189,99	x	15,01	GM
7279	320,68	x	371,48	x	19,05	GM
7284	579,98	x	618,08	x	19,05	GM
7288	265,00	x	296,75	x	15,88	GM
7291	2.387,60	x	2.438,40	x	20,62	GM
7298	150,80	x	176,20	x	12,70	GM
7306	304,80	x	336,55	x	15,88	GM
7320	194,74	x	230,00	x	15,01	GM
7321	163,50	x	188,90	x	12,70	GM
7322	230,17	x	255,57	x	12,70	GM
7323	339,73	x	377,83	x	19,05	GM
7325	759,61	x	785,01	x	12,70	GM
7331	736,60	x	787,40	x	20,62	GM
7334	2.508,25	x	2.559,05	x	20,62	GM
7336	225,43	x	263,53	x	19,05	GM
7340	685,80	x	736,60	x	20,62	GM
7344	212,73	x	241,30	x	15,88	GM
7352	615,95	x	666,75	x	20,62	GM
7355	806,45	x	857,25	x	20,62	GM
7356	574,68	x	625,48	x	20,62	GM
7362	144,45	x	176,20	x	12,70	GM
7367	193,68	x	219,08	x	12,70	GM
7374	82,55	x	107,95	x	12,70	GM
7376	119,99	x	150,11	x	11,99	GM
7378	176,20	x	214,30	x	12,70	GM
7379	352,43	x	390,53	x	19,05	GM
7387	825,50	x	876,30	x	20,62	GM
7388	200,00	x	230,00	x	15,01	GM
7389	95,25	x	120,65	x	9,53	GM
7391	280,01	x	319,99	x	19,99	GM
7394	84,99	x	119,99	x	11,99	GM
7396	110,01	x	140,00	x	11,99	GM
7407	546,10	x	596,90	x	20,62	GM
7412	787,40	x	838,20	x	20,62	GM
7413	457,20	x	501,65	x	20,62	GM
7414	593,73	x	631,83	x	19,05	GM
7416	100,00	x	138,10	x	12,70	GM
7424	1.701,80	x	1.739,90	x	19,05	GM
7425	404,80	x	455,60	x	19,05	GM
7426	80,01	x	110,01	x	11,99	GM
7431	393,70	x	444,50	x	19,05	GM
7432	269,88	x	301,63	x	15,88	GM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'GM'

Ordered according to code

Technical description at page 21

code	B	A	H	type
7437	288,67	320,68	15,88	GM
7441	812,80	863,60	20,62	GM
7442	400,05	444,50	19,05	GM
7444	144,45	177,80	15,88	GM
7464	95,00	126,75	12,70	GM
7468	88,11	114,30	15,88	GM
7469	622,30	650,88	15,88	GM
7470	1.003,30	1.028,70	12,70	GM
7472	157,18	190,50	15,88	GM
7481	150,80	182,55	15,88	GM
7487	457,20	482,60	12,70	GM
7489	571,50	622,30	20,62	GM
7507	147,32	172,72	12,70	GM
7539	387,35	438,15	19,05	GM
7543	1.203,33	1.241,43	19,05	GM
7544	1.524,00	1.562,10	19,05	GM
7547	330,20	374,65	19,05	GM
7548	965,20	1.003,30	19,05	GM
7550	1.022,35	1.060,45	19,05	GM
7570	307,98	346,08	19,05	GM
7577	203,20	231,78	12,70	GM
7578	88,90	120,65	9,53	GM
7583	1.930,40	1.981,20	20,62	GM
7587	120,24	151,99	12,70	GM
7588	258,75	290,50	15,88	GM
7589	445,14	470,54	12,70	GM
7590	107,95	133,35	9,53	GM
7591	84,12	109,52	9,53	GM
7592	395,35	420,75	12,70	GM
7593	584,20	615,95	19,05	GM
7594	603,25	641,35	19,05	GM
7595	109,50	135,41	12,70	GM
7596	74,60	100,00	9,53	GM
7597	160,32	185,72	15,88	GM
7598	273,05	298,45	12,70	GM
7600	323,85	349,25	12,70	GM
7602	333,38	384,18	19,05	GM
7606	279,40	317,50	9,53	GM
7617	223,82	261,92	19,05	GM
7618	463,55	514,35	20,62	GM
7621	250,83	276,23	12,70	GM
7624	2.209,80	2.260,60	20,62	GM

code	B	A	H	type
7625	444,50	495,30	19,05	GM
7634	155,17	180,19	12,50	GM
7637	239,98	265,00	12,50	GM
7639	292,10	314,33	9,53	GM
7640	234,95	257,18	9,53	GM
7641	950,01	988,11	19,05	GM
7642	85,73	107,95	12,70	GM
7643	1.752,60	1.803,40	20,62	GM
7644	800,10	850,90	20,62	GM
7646	646,10	690,55	19,05	GM
7647	150,80	182,55	12,70	GM
7655	723,90	774,70	20,62	GM
7656	80,95	106,35	9,53	GM
7658	797,71	838,00	19,05	GM
7661	201,60	227,00	12,70	GM
7674	179,37	204,77	12,70	GM
7679	639,98	690,78	20,62	GM
7682	79,38	107,95	15,88	GM
7695	901,70	952,50	25,40	GM
7696	2.194,99	2.245,79	20,62	GM
7699	663,58	714,38	20,62	GM
7700	469,90	504,83	19,05	GM
7708	388,92	439,72	20,62	GM
7709	269,98	295,38	10,39	GM
7710	660,40	711,20	19,05	GM
7714	586,99	625,09	19,05	GM
7716	279,40	317,50	12,70	GM
7719	157,15	188,90	12,70	GM
7726	154,00	179,37	12,70	GM
7735	310,01	335,41	12,70	GM
7740	180,98	209,55	12,70	GM
7744	196,85	227,03	15,88	GM
7746	98,43	120,65	9,53	GM
7751	965,20	990,60	12,70	GM
7752	1.022,35	1.047,75	12,70	GM
7755	1.282,70	1.333,50	20,62	GM
7756	1.809,75	1.860,55	20,62	GM
7758	203,20	241,30	12,70	GM
7764	244,91	270,31	12,70	GM
7771	165,10	195,25	15,88	GM
7773	768,35	819,15	20,62	GM
7789	157,15	182,55	12,70	GM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'GM'

Ordered according to code

Technical description at page 21

code	B		A		H	type
7795	120,65	x	152,40	x	9,53	GM
7801	387,35	x	425,45	x	19,05	GM
7804	220,65	x	252,40	x	15,88	GM
7805	330,20	x	368,30	x	15,88	GM
7807	179,98	x	209,98	x	15,01	GM
7811	182,55	x	220,62	x	15,88	GM
7812	182,55	x	207,95	x	12,70	GM
7813	927,10	x	977,90	x	20,62	GM
7814	385,75	x	436,55	x	19,05	GM
7816	158,22	x	189,99	x	12,98	GM
7820	1.106,47	x	1.157,27	x	25,40	GM
7821	112,70	x	147,62	x	12,70	GM
7822	513,99	x	564,79	x	20,62	GM
7827	1.092,20	x	1.143,00	x	20,62	GM
7830	1.257,30	x	1.301,75	x	20,62	GM
7831	234,95	x	269,88	x	19,05	GM
7832	285,75	x	323,85	x	15,88	GM
7834	214,30	x	246,05	x	15,88	GM
7835	244,48	x	266,70	x	12,70	GM
7836	119,99	x	159,99	x	11,99	GM
7838	584,20	x	635,00	x	20,62	GM
7839	89,99	x	119,99	x	11,99	GM
7841	84,12	x	109,52	x	12,70	GM
7847	188,90	x	214,30	x	12,70	GM
7857	122,22	x	150,80	x	9,53	GM
7859	641,35	x	692,15	x	20,62	GM
7863	965,20	x	1.016,00	x	20,62	GM
7866	782,32	x	807,72	x	12,70	GM
7867	125,40	x	163,50	x	12,70	GM
7871	2.057,40	x	2.108,20	x	20,62	GM
7874	297,99	x	320,19	x	9,53	GM
7878	280,14	x	305,54	x	9,53	GM
7881	700,07	x	750,87	x	20,62	GM
7882	169,88	x	201,60	x	15,88	GM
7889	244,48	x	269,88	x	12,70	GM
7891	239,98	x	279,98	x	15,98	GM
7893	300,00	x	340,00	x	16,00	GM
7898	361,04	x	411,84	x	20,62	GM
7900	720,73	x	749,30	x	12,70	GM
7911	1.524,00	x	1.574,80	x	20,62	GM
7924	163,50	x	195,25	x	15,88	GM
7969	338,12	x	388,92	x	20,62	GM

code	B		A		H	type
7979	100,00	x	130,00	x	12,70	GM
8043	685,80	x	711,20	x	12,70	GM
8049	189,99	x	219,99	x	15,01	GM
8058	1.346,20	x	1.397,00	x	20,62	GM
8103	692,15	x	742,95	x	20,62	GM
8108	606,43	x	631,83	x	12,70	GM
8115	327,03	x	377,83	x	19,05	GM
8119	374,65	x	412,75	x	15,88	GM
8122	830,25	x	881,05	x	20,62	GM
8123	381,00	x	425,45	x	20,62	GM
8137	130,18	x	168,28	x	19,05	GM
8139	615,95	x	641,35	x	12,70	GM
8140	252,98	x	275,18	x	9,53	GM
8142	222,25	x	260,35	x	15,88	GM
8159	93,65	x	125,40	x	12,70	GM
8171	165,10	x	200,00	x	11,99	GM
8172	926,08	x	976,88	x	20,62	GM
8175	206,38	x	231,78	x	12,70	GM
8177	225,43	x	263,53	x	12,70	GM
8179	234,95	x	273,05	x	12,70	GM
8189	215,11	x	253,19	x	19,05	GM
8190	704,85	x	755,65	x	20,62	GM
8191	438,15	x	488,95	x	20,62	GM
8194	160,32	x	185,72	x	12,70	GM
8198	1.270,00	x	1.320,80	x	22,23	GM
8200	900,10	x	950,90	x	20,62	GM
8215	131,75	x	163,50	x	12,70	GM
8228	1.212,85	x	1.263,65	x	20,62	GM
8229	317,50	x	349,25	x	15,88	GM
8233	82,55	x	107,92	x	9,53	GM
8234	207,95	x	236,52	x	12,70	GM
8252	190,50	x	212,73	x	12,70	GM
8261	324,99	x	347,19	x	9,53	GM
8265	209,80	x	232,21	x	9,53	GM
8271	377,83	x	428,63	x	20,62	GM
8276	59,54	x	81,76	x	15,88	GM
8279	1.936,75	x	1.987,55	x	20,62	GM
8281	377,83	x	415,93	x	19,05	GM
8287	295,28	x	333,38	x	19,05	GM
8295	425,45	x	463,55	x	19,05	GM
8299	480,01	x	530,00	x	19,99	GM
8313	244,48	x	276,23	x	15,88	GM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'GM'

Ordered according to code

Technical description at page 21

code	B		A		H	type
8315	298,45	x	349,25	x	20,62	GM
8324	1.625,60	x	1.676,40	x	20,62	GM
8332	334,95	x	360,35	x	12,70	GM
8334	266,70	x	298,45	x	12,70	GM
8388	241,30	x	279,40	x	12,70	GM
8402	122,22	x	147,62	x	9,53	GM
8418	207,95	x	233,35	x	12,70	GM
8420	200,00	x	239,98	x	15,98	GM
8421	508,00	x	533,40	x	12,70	GM
8429	89,99	x	119,99	x	12,70	GM
8433	174,63	x	200,03	x	12,70	GM
8444	112,70	x	144,45	x	15,88	GM
8445	169,98	x	208,08	x	19,05	GM
8446	495,30	x	546,10	x	20,62	GM
8447	239,70	x	271,45	x	15,88	GM
8451	209,55	x	241,30	x	12,70	GM
8452	212,73	x	250,83	x	12,70	GM
8455	115,87	x	147,62	x	12,70	GM
8468	588,95	x	639,75	x	20,62	GM
8476	444,50	x	488,95	x	15,88	GM
8481	224,99	x	249,99	x	12,50	GM
8483	100,00	x	124,61	x	12,29	GM
8488	74,60	x	99,21	x	12,29	GM
8504	419,99	x	459,99	x	19,99	GM
8509	1.009,65	x	1.060,45	x	20,62	GM
8511	327,81	x	378,61	x	19,05	GM
8512	565,15	x	615,95	x	20,62	GM
8526	577,85	x	628,65	x	20,62	GM
8549	815,98	x	854,08	x	15,88	GM
8550	819,15	x	854,08	x	15,88	GM
8559	293,67	x	331,77	x	19,05	GM
8560	215,90	x	266,70	x	12,70	GM
8563	1.676,40	x	1.727,20	x	20,62	GM
8565	266,70	x	298,45	x	19,05	GM
8567	168,28	x	203,20	x	12,70	GM
8575	138,10	x	176,20	x	15,88	GM
8576	330,20	x	355,60	x	12,70	GM
8578	198,42	x	223,82	x	12,70	GM
8583	215,90	x	238,13	x	12,70	GM
8586	81,43	x	107,95	x	12,70	GM
8589	317,50	x	357,17	x	19,05	GM
8606	219,99	x	259,99	x	16,00	GM
8607	250,01	x	289,99	x	16,00	GM
8618	1.689,10	x	1.739,90	x	20,62	GM
8620	342,90	x	381,00	x	15,88	GM
8623	215,11	x	253,19	x	12,70	GM
8634	500,00	x	550,80	x	20,62	GM
8639	93,65	x	119,05	x	9,53	GM
8654	157,15	x	188,90	x	15,88	GM
8655	270,00	x	310,01	x	16,00	GM
8656	349,99	x	389,99	x	16,00	GM
8657	133,35	x	158,75	x	19,05	GM
8658	555,63	x	606,43	x	20,62	GM
8665	215,90	x	254,00	x	12,70	GM
8684	927,10	x	971,55	x	20,62	GM
8689	622,30	x	673,10	x	20,62	GM
8691	457,20	x	495,30	x	20,62	GM
8693	84,91	x	110,31	x	9,53	GM
8699	170,00	x	201,75	x	15,88	GM
8709	215,90	x	250,83	x	19,05	GM
8713	400,00	x	450,80	x	19,05	GM
8719	485,78	x	536,58	x	20,62	GM
8741	368,30	x	393,70	x	12,70	GM
8748	1.727,20	x	1.778,00	x	20,62	GM
8750	1.701,80	x	1.752,60	x	20,62	GM
8753	239,70	x	265,10	x	12,70	GM
8761	279,40	x	304,80	x	9,53	GM
8768	104,98	x	130,00	x	11,99	GM
8773	650,88	x	679,45	x	12,70	GM
8776	212,73	x	244,48	x	12,70	GM
8780	431,80	x	463,55	x	15,88	GM
8783	241,30	x	273,05	x	12,70	GM
8802	2.100,00	x	2.149,98	x	20,62	GM
8803	89,99	x	114,99	x	12,47	GM
8804	304,80	x	330,20	x	12,70	GM
8846	242,87	x	280,97	x	15,88	GM
8848	506,40	x	538,15	x	15,88	GM
8850	355,60	x	387,35	x	19,05	GM
8865	1.879,60	x	1.930,40	x	20,62	GM
8869	520,70	x	546,10	x	12,70	GM
8874	277,80	x	317,50	x	15,88	GM
8934	774,70	x	825,50	x	20,62	GM
8946	539,75	x	565,15	x	12,70	GM
8957	101,60	x	130,18	x	9,53	GM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'GM'

Ordered according to code

Technical description at page 21

code	B		A		H	type
8962	292,10	x	317,50	x	9,53	GM
8980	762,00	x	793,75	x	12,70	GM
8981	422,28	x	460,38	x	19,05	GM
8998	317,50	x	353,21	x	19,05	GM
9015	88,11	x	114,30	x	12,70	GM
9017	146,05	x	184,15	x	19,05	GM
9021	163,50	x	201,60	x	19,05	GM
9022	217,47	x	255,57	x	19,05	GM
9031	150,80	x	195,25	x	15,88	GM
9056	85,73	x	111,13	x	9,53	GM
9057	252,40	x	292,10	x	19,05	GM
9060	104,78	x	133,35	x	9,53	GM
9065	190,98	x	229,08	x	19,05	GM
9077	406,40	x	431,80	x	12,70	GM
9085	112,70	x	150,80	x	12,70	GM
9089	95,25	x	127,00	x	9,53	GM
9090	647,70	x	698,50	x	20,62	GM
9094	292,10	x	317,50	x	12,70	GM
9099	153,97	x	185,72	x	15,88	GM
9104	93,65	x	119,05	x	12,70	GM
9115	482,60	x	533,40	x	19,05	GM
9116	368,30	x	419,10	x	15,88	GM
9132	114,30	x	152,40	x	9,53	GM
9133	263,53	x	295,28	x	15,88	GM
9142	149,23	x	187,33	x	19,05	GM
9143	109,52	x	134,92	x	12,70	GM
9145	252,40	x	290,50	x	19,05	GM
9146	220,68	x	246,05	x	12,70	GM
9151	227,00	x	252,40	x	12,70	GM
9154	635,00	x	685,80	x	19,05	GM
9156	806,45	x	857,25	x	19,05	GM
9158	140,00	x	169,98	x	12,70	GM
9162	65,00	x	89,99	x	9,53	GM
9163	377,83	x	428,63	x	12,70	GM
9172	234,95	x	285,75	x	15,88	GM
9173	582,60	x	633,40	x	20,62	GM
9174	95,25	x	117,48	x	9,53	GM
9175	135,00	x	170,00	x	11,99	GM
9181	381,00	x	431,80	x	15,88	GM
9182	359,99	x	400,00	x	19,00	GM
9188	1.095,38	x	1.133,48	x	19,05	GM
9190	95,00	x	119,99	x	11,99	GM

code	B		A		H	type
9197	147,62	x	173,02	x	12,70	GM
9200	996,95	x	1.047,75	x	20,62	GM
9203	219,08	x	269,88	x	20,62	GM
9204	111,13	x	136,53	x	9,53	GM
9205	819,15	x	869,95	x	20,62	GM
9207	215,90	x	247,65	x	19,05	GM
9210	219,08	x	250,83	x	12,70	GM
9212	822,33	x	854,08	x	12,70	GM
9217	165,10	x	200,03	x	19,05	GM
9219	930,28	x	981,08	x	20,62	GM
9225	749,99	x	790,58	x	19,05	GM
9232	155,58	x	177,80	x	12,70	GM
9236	1.524,00	x	1.574,80	x	19,05	GM
9238	1.076,33	x	1.127,13	x	19,05	GM
9242	219,99	x	251,74	x	12,70	GM
9243	219,99	x	251,74	x	15,88	GM
9244	179,37	x	217,47	x	12,70	GM
9253	246,05	x	284,15	x	19,05	GM
9254	374,65	x	425,45	x	19,05	GM
9255	330,20	x	374,65	x	12,70	GM
9256	339,73	x	390,53	x	20,62	GM
9258	333,38	x	371,48	x	19,05	GM
9260	244,48	x	282,58	x	19,05	GM
9261	444,50	x	469,90	x	12,70	GM
9262	179,37	x	204,77	x	15,88	GM
9266	657,23	x	708,03	x	20,62	GM
9267	212,73	x	263,53	x	19,05	GM
9268	126,59	x	158,34	x	12,70	GM
9269	2.362,20	x	2.413,00	x	20,62	GM
9272	252,40	x	284,15	x	15,88	GM
9273	434,98	x	460,38	x	12,70	GM
9276	530,23	x	581,03	x	20,62	GM
9279	384,18	x	409,58	x	9,53	GM
9282	622,30	x	660,40	x	19,05	GM
9284	100,00	x	119,99	x	12,70	GM
9285	412,75	x	457,20	x	20,62	GM
9286	412,12	x	450,22	x	19,05	GM
9287	355,93	x	394,03	x	19,05	GM
9289	1.638,30	x	1.689,10	x	20,62	GM
9290	1.727,20	x	1.778,00	x	19,05	GM
9295	233,35	x	271,45	x	19,05	GM
9296	415,29	x	440,69	x	12,70	GM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'GM'

Ordered according to code

Technical description at page 21

code	B		A		H	type
9298	98,43	x	127,00	x	9,53	GM
9300	244,48	x	282,58	x	15,88	GM
9301	314,33	x	352,43	x	15,88	GM
9303	428,63	x	479,43	x	20,62	GM
9305	654,05	x	682,63	x	19,05	GM
9310	1.555,75	x	1.581,15	x	12,70	GM
9312	540,00	x	590,80	x	20,62	GM
9313	628,65	x	654,05	x	12,70	GM
9314	939,80	x	965,20	x	12,70	GM
9315	440,23	x	478,33	x	19,05	GM
9316	349,99	x	388,09	x	19,05	GM
9317	248,26	x	280,01	x	12,70	GM
9322	2.260,60	x	2.311,40	x	20,62	GM
9323	2.806,70	x	2.857,50	x	20,62	GM
9324	939,80	x	990,60	x	20,62	GM
9325	649,99	x	688,09	x	19,05	GM
9327	1.457,33	x	1.495,43	x	19,05	GM
9331	339,73	x	365,13	x	12,70	GM
9335	898,53	x	949,33	x	20,62	GM
9338	441,33	x	479,43	x	19,05	GM
9339	762,00	x	787,40	x	12,70	GM
9340	195,25	x	233,35	x	19,05	GM
9344	1.657,35	x	1.708,15	x	20,62	GM
9348	817,55	x	868,35	x	20,62	GM
9349	487,35	x	538,15	x	20,62	GM
9371	590,55	x	641,35	x	19,05	GM
9375	695,33	x	746,13	x	20,62	GM
9382	650,88	x	676,28	x	12,70	GM
9383	630,22	x	681,02	x	20,62	GM
9384	260,35	x	285,75	x	15,88	GM
9391	539,75	x	590,55	x	20,62	GM
9392	529,01	x	579,81	x	20,62	GM
9394	1.397,00	x	1.435,10	x	19,05	GM
9395	1.358,90	x	1.397,00	x	19,05	GM
9396	315,90	x	355,60	x	19,05	GM
9403	1.219,20	x	1.257,30	x	19,05	GM
9404	171,45	x	209,55	x	12,70	GM
9420	704,85	x	733,43	x	14,27	GM
9427	1.397,00	x	1.447,80	x	20,62	GM
9435	239,98	x	280,01	x	19,99	GM
9473	207,95	x	246,05	x	12,70	GM
9476	260,35	x	285,75	x	12,70	GM

code	B		A		H	type
9477	476,25	x	514,35	x	20,62	GM
9478	514,35	x	539,75	x	12,70	GM
9479	449,99	x	500,79	x	20,62	GM
9480	579,98	x	630,78	x	20,62	GM
9483	127,00	x	161,93	x	19,05	GM
9484	411,15	x	461,95	x	20,62	GM
9487	99,62	x	125,02	x	12,70	GM
9491	300,02	x	338,12	x	19,05	GM
9492	477,98	x	528,78	x	20,62	GM
9493	800,10	x	825,50	x	12,70	GM
9494	373,05	x	411,15	x	19,05	GM
9510	68,25	x	93,65	x	9,53	GM
9512	358,14	x	396,24	x	19,05	GM
9529	425,02	x	474,98	x	20,02	GM
9541	130,18	x	168,28	x	12,29	GM
9542	276,23	x	320,68	x	19,05	GM
9544	238,13	x	269,88	x	12,70	GM
9545	1.250,95	x	1.289,05	x	19,05	GM
9547	94,28	x	119,68	x	12,70	GM
9548	212,73	x	238,13	x	12,70	GM
9549	1.057,28	x	1.108,08	x	20,62	GM
9553	230,17	x	268,27	x	19,05	GM
9554	952,50	x	1.003,30	x	20,62	GM
9567	110,01	x	140,00	x	12,70	GM
9568	1.041,40	x	1.092,20	x	20,62	GM
9569	654,05	x	704,85	x	20,62	GM
9575	717,55	x	768,35	x	20,62	GM
9581	450,85	x	476,25	x	12,70	GM
9591	374,65	x	425,45	x	20,62	GM
9594	244,48	x	295,28	x	20,62	GM
9595	400,05	x	438,15	x	19,05	GM
9598	330,20	x	381,00	x	15,88	GM
9599	1.600,20	x	1.651,00	x	20,62	GM
9600	112,70	x	152,40	x	15,09	GM
9601	444,50	x	495,30	x	20,62	GM
9602	990,60	x	1.016,00	x	12,70	GM
9603	711,20	x	762,00	x	20,88	GM
9614	85,73	x	114,30	x	9,53	GM
9625	1.085,85	x	1.111,25	x	9,53	GM
9626	677,85	x	728,65	x	20,62	GM
9630	159,54	x	185,39	x	9,53	GM
9639	540,00	x	589,99	x	20,62	GM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'GM'

Ordered according to code

Technical description at page 21

code	B		A		H	type
9641	984,25	x	1.035,05	x	20,62	GM
9645	901,70	x	952,50	x	20,62	GM
9646	100,00	x	128,57	x	9,53	GM
9647	679,45	x	730,25	x	20,62	GM
9648	101,60	x	130,33	x	9,53	GM
9649	76,20	x	111,13	x	9,53	GM
9663	144,45	x	182,55	x	12,70	GM
9672	113,03	x	144,58	x	12,70	GM
9676	250,04	x	279,91	x	12,70	GM
9686	1.079,50	x	1.130,30	x	20,62	GM
9687	358,78	x	396,88	x	19,05	GM
9690	708,03	x	758,83	x	20,62	GM
9691	63,50	x	85,73	x	9,53	GM
9693	279,40	x	304,80	x	12,70	GM
9702	127,00	x	149,23	x	9,53	GM
9704	80,44	x	105,84	x	12,70	GM
9710	2.320,04	x	2.358,14	x	19,05	GM
9721	298,45	x	349,25	x	15,88	GM
9724	76,20	x	107,95	x	15,88	GM
9726	298,45	x	349,25	x	15,88	GM
9732	371,48	x	409,58	x	19,05	GM
9734	492,13	x	542,93	x	20,62	GM
9735	1.028,70	x	1.054,10	x	12,70	GM
9736	800,10	x	838,20	x	19,05	GM
9741	101,60	x	127,79	x	9,53	GM
9742	479,43	x	530,23	x	20,62	GM
9744	530,00	x	580,80	x	20,62	GM
9749	301,63	x	352,43	x	19,05	GM
9751	150,01	x	175,41	x	12,70	GM
9752	425,45	x	476,25	x	20,62	GM
9757	415,93	x	466,73	x	20,62	GM
9759	666,75	x	717,55	x	20,62	GM
9760	141,27	x	166,67	x	12,70	GM
9761	109,75	x	131,95	x	12,70	GM
9763	355,60	x	406,40	x	15,88	GM
9776	265,10	x	303,20	x	19,05	GM
9777	1.047,75	x	1.098,55	x	19,05	GM
9779	1.320,80	x	1.371,60	x	19,05	GM
9781	1.473,20	x	1.524,00	x	20,62	GM
9783	354,00	x	392,10	x	19,05	GM
9789	159,99	x	185,39	x	12,70	GM
9791	125,40	x	153,97	x	12,70	GM

code	B		A		H	type
9792	188,90	x	227,00	x	19,05	GM
9793	299,92	x	338,02	x	19,05	GM
9796	389,89	x	427,99	x	19,05	GM
9797	733,43	x	784,23	x	20,62	GM
9800	1.739,90	x	1.790,70	x	20,62	GM
9801	509,57	x	560,37	x	20,62	GM
9805	179,37	x	217,47	x	19,05	GM
9806	1.659,99	x	1.710,79	x	20,62	GM
9817	96,82	x	134,92	x	12,70	GM
9820	1.270,00	x	1.320,80	x	20,62	GM
9823	163,50	x	201,60	x	15,88	GM
9824	101,60	x	127,79	x	12,70	GM
9828	169,85	x	203,38	x	15,88	GM
9829	285,75	x	311,15	x	15,88	GM
9830	81,74	x	113,49	x	12,70	GM
9839	120,65	x	150,80	x	12,70	GM
9842	115,87	x	138,10	x	9,53	GM
9843	1.504,95	x	1.555,75	x	20,62	GM
9846	188,90	x	220,65	x	15,88	GM
9847	581,03	x	631,83	x	20,62	GM
9848	1.244,60	x	1.295,40	x	20,62	GM
9852	736,60	x	765,18	x	12,70	GM
9853	787,40	x	815,98	x	12,70	GM
9858	179,98	x	218,08	x	19,05	GM
9861	198,42	x	230,17	x	15,88	GM
9862	109,52	x	134,92	x	9,53	GM
9864	550,95	x	601,75	x	20,62	GM
9869	1.905,00	x	1.955,80	x	20,62	GM
9874	204,77	x	236,52	x	15,88	GM
9875	234,95	x	285,75	x	20,62	GM
9877	104,78	x	133,35	x	10,34	GM
9878	1.068,37	x	1.119,17	x	20,62	GM
9881	469,90	x	508,00	x	19,05	GM
9888	242,87	x	274,62	x	15,88	GM
9889	211,12	x	242,87	x	15,88	GM
9890	711,00	x	739,62	x	12,70	GM
9893	523,88	x	574,68	x	20,62	GM
9894	1.216,03	x	1.266,83	x	20,62	GM
9895	193,55	x	231,65	x	19,05	GM
9896	379,40	x	417,50	x	19,05	GM
9897	1.751,79	x	1.802,31	x	19,99	GM
9899	1.343,03	x	1.368,43	x	12,70	GM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'GM'

Ordered according to code

Technical description at page 21

code	B		A		H	type
9900	1.035,05	x	1.066,80	x	19,05	GM
9902	2.743,20	x	2.794,00	x	20,62	GM
9906	384,18	x	434,98	x	19,05	GM
9907	546,10	x	596,90	x	19,05	GM
9908	1.124,97	x	1.163,07	x	19,05	GM
9912	1.371,60	x	1.422,40	x	20,62	GM
9914	144,45	x	176,20	x	15,88	GM
9916	239,70	x	277,80	x	19,05	GM
9918	1.126,16	x	1.164,26	x	19,05	GM
9919	1.380,01	x	1.429,99	x	24,99	GM
9920	1.778,00	x	1.803,40	x	12,70	GM
9921	346,08	x	396,88	x	20,62	GM
9928	314,45	x	365,25	x	20,62	GM
9932	277,80	x	309,55	x	15,88	GM
9938	1.310,01	x	1.360,81	x	20,62	GM
9939	161,93	x	187,33	x	9,53	GM
9940	476,25	x	527,05	x	20,62	GM
9941	239,90	x	270,08	x	12,70	GM
9942	287,91	x	318,01	x	12,70	GM
9943	487,38	x	531,83	x	15,88	GM
9944	87,30	x	125,40	x	12,70	GM
9945	1.803,40	x	1.854,20	x	20,62	GM
9947	247,65	x	298,45	x	15,88	GM
9948	228,60	x	279,40	x	15,88	GM
9949	333,38	x	377,83	x	15,88	GM
9950	105,56	x	137,31	x	12,70	GM
9953	2.250,01	x	2.300,81	x	20,62	GM
9954	85,73	x	117,48	x	9,53	GM
9955	201,60	x	233,35	x	15,88	GM
9956	183,06	x	208,92	x	12,70	GM
9957	254,00	x	292,10	x	9,53	GM
9959	374,65	x	412,75	x	9,53	GM
9963	89,99	x	115,01	x	11,99	GM
9968	822,33	x	873,13	x	25,40	GM
9969	250,04	x	275,44	x	12,70	GM
9974	277,80	x	317,50	x	15,88	GM
9976	298,45	x	342,90	x	20,62	GM
9979	476,25	x	501,65	x	12,70	GM
9980	298,45	x	336,55	x	15,88	GM
9982	635,15	x	660,55	x	9,53	GM
9983	520,57	x	545,97	x	9,53	GM
9985	520,12	x	545,52	x	9,53	GM

code	B		A		H	type
9987	519,63	x	545,03	x	9,53	GM
9988	647,70	x	673,10	x	12,70	GM
9994	180,01	x	219,99	x	15,88	GM
9995	250,65	x	288,75	x	19,05	GM

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

OIL SEALS TYPE 'GM-L2'

Ordered according to size

Technical description at page 22

GM-L2



code	B		A		H	type
9000	107,95	x	139,70	x	15,87	GM-L2
2703	110,01	x	140,00	x	14,00	GM-L2
9002	114,30	x	152,40	x	15,87	GM-L2
1134	140,00	x	170,00	x	16,00	GM-L2
3281	146,05	x	177,80	x	12,70	GM-L2
5335	150,01	x	180,01	x	14,00	GM-L2
3367	152,40	x	190,50	x	12,70	GM-L2
1024	152,40	x	190,50	x	15,87	GM-L2
3919	170,00	x	200,00	x	16,00	GM-L2
7268	170,00	x	200,02	x	14,99	GM-L2
0844	171,45	x	209,55	x	14,27	GM-L2
3464	171,45	x	209,55	x	15,87	GM-L2
3500	177,80	x	215,90	x	15,87	GM-L2
3512	180,97	x	215,90	x	15,87	GM-L2
3527	184,15	x	222,25	x	19,05	GM-L2
0001	184,99	x	224,79	x	15,87	GM-L2
3544	190,50	x	215,90	x	15,87	GM-L2
3548	190,50	x	222,25	x	15,87	GM-L2
3552	190,50	x	228,60	x	15,87	GM-L2
2992	193,67	x	222,25	x	15,87	GM-L2
2183	195,00	x	230,00	x	15,01	GM-L2
1895	196,85	x	222,25	x	15,87	GM-L2
5317	200,00	x	230,00	x	16,00	GM-L2
3588	200,02	x	238,12	x	15,87	GM-L2
3596	203,20	x	234,95	x	15,87	GM-L2
0002	203,20	x	254,00	x	15,87	GM-L2
0003	204,80	x	255,75	x	25,40	GM-L2
0004	206,37	x	257,17	x	15,87	GM-L2
9001	206,37	x	257,17	x	32,53	GM-L2
3816	206,37	x	257,43	x	19,05	GM-L2
3817	209,55	x	234,95	x	15,87	GM-L2
3606	209,55	x	241,30	x	15,87	GM-L2
3819	209,55	x	254,00	x	19,05	GM-L2
0005	209,55	x	260,35	x	15,87	GM-L2
0006	209,55	x	266,70	x	22,22	GM-L2
0007	209,55	x	292,10	x	19,05	GM-L2
0008	212,72	x	247,65	x	15,87	GM-L2
0009	212,72	x	250,82	x	15,87	GM-L2
0010	212,72	x	263,52	x	19,05	GM-L2
0011	212,72	x	266,70	x	22,22	GM-L2
4501	214,33	x	254,00	x	15,87	GM-L2
3935	215,90	x	241,30	x	15,87	GM-L2
0012	215,90	x	254,00	x	15,87	GM-L2
0013	215,90	x	266,70	x	15,87	GM-L2
0014	219,07	x	254,00	x	19,05	GM-L2
0015	219,07	x	257,17	x	15,87	GM-L2
0016	219,07	x	260,35	x	15,87	GM-L2
1741	219,07	x	266,70	x	19,05	GM-L2
0017	219,07	x	269,87	x	15,87	GM-L2
0018	219,07	x	273,05	x	22,22	GM-L2
5357	219,99	x	249,99	x	14,99	GM-L2
0020	219,99	x	259,79	x	15,87	GM-L2
0019	219,99	x	259,99	x	15,87	GM-L2
0021	219,99	x	274,80	x	24,13	GM-L2
6386	222,25	x	254,00	x	15,87	GM-L2
0022	222,25	x	260,35	x	15,87	GM-L2
0023	222,25	x	266,70	x	19,05	GM-L2
0024	222,25	x	269,87	x	19,05	GM-L2
3951	222,25	x	273,05	x	19,05	GM-L2
0025	224,99	x	279,81	x	23,01	GM-L2
3832	225,42	x	257,17	x	15,87	GM-L2
6646	225,42	x	276,22	x	19,05	GM-L2
0026	225,42	x	279,40	x	22,22	GM-L2
4503	228,60	x	254,00	x	15,87	GM-L2
0027	228,60	x	257,17	x	19,05	GM-L2
0028	228,60	x	258,75	x	15,87	GM-L2
4505	228,60	x	260,35	x	15,87	GM-L2
0029	228,60	x	263,52	x	15,87	GM-L2
0030	228,60	x	266,70	x	15,87	GM-L2
0031	228,60	x	266,70	x	17,45	GM-L2
0032	228,60	x	269,87	x	15,87	GM-L2
0033	228,60	x	279,40	x	15,87	GM-L2
0034	228,60	x	280,77	x	19,05	GM-L2
0035	228,60	x	285,75	x	22,22	GM-L2
0036	230,00	x	269,77	x	15,98	GM-L2
0037	230,00	x	280,01	x	15,87	GM-L2
0037	231,77	x	269,87	x	15,87	GM-L2
0038	231,77	x	273,05	x	15,87	GM-L2
0039	231,77	x	282,57	x	15,87	GM-L2

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

OIL SEALS TYPE 'GM-L2'

Ordered according to size

Technical description at page 22

code	B		A		H	type
4803	231,77	x	800,00	x	19,99	GM-L2
0040	233,35	x	263,52	x	19,05	GM-L2
0041	234,95	x	266,70	x	15,87	GM-L2
0042	234,95	x	273,05	x	15,87	GM-L2
0043	234,95	x	279,40	x	15,87	GM-L2
0044	234,95	x	285,75	x	19,05	GM-L2
0045	234,95	x	288,92	x	22,22	GM-L2
0046	234,95	x	292,10	x	22,22	GM-L2
0047	238,12	x	263,52	x	25,40	GM-L2
0048	238,12	x	269,87	x	15,87	GM-L2
0049	238,12	x	276,22	x	19,05	GM-L2
1343	238,12	x	279,40	x	15,87	GM-L2
0050	238,12	x	288,92	x	15,87	GM-L2
0051	239,73	x	269,87	x	19,05	GM-L2
0052	239,73	x	292,10	x	22,22	GM-L2
5359	240,00	x	270,00	x	15,09	GM-L2
0053	240,01	x	270,00	x	16,00	GM-L2
0054	240,01	x	300,00	x	24,99	GM-L2
2044	240,51	x	269,87	x	15,87	GM-L2
3640	241,30	x	273,05	x	15,87	GM-L2
0055	241,30	x	279,40	x	15,87	GM-L2
0056	241,30	x	282,57	x	15,87	GM-L2
3644	241,30	x	285,75	x	15,87	GM-L2
0057	241,30	x	292,10	x	15,87	GM-L2
0058	244,35	x	276,22	x	15,87	GM-L2
0059	244,47	x	276,22	x	19,05	GM-L2
0060	246,86	x	295,27	x	17,78	GM-L2
2189	247,01	x	298,45	x	15,87	GM-L2
4515	247,65	x	279,40	x	15,87	GM-L2
0061	247,65	x	282,57	x	15,87	GM-L2
0062	247,65	x	285,75	x	15,87	GM-L2
0063	247,65	x	292,10	x	19,05	GM-L2
0064	247,65	x	298,45	x	15,87	GM-L2
0065	247,65	x	304,80	x	22,22	GM-L2
0066	250,04	x	289,79	x	15,87	GM-L2
0067	250,82	x	288,92	x	19,05	GM-L2
3140	250,82	x	301,62	x	24,61	GM-L2
0068	250,82	x	304,80	x	22,22	GM-L2
0069	252,43	x	304,80	x	19,05	GM-L2
0070	252,43	x	307,97	x	25,40	GM-L2
3660	254,00	x	279,40	x	14,27	GM-L2
6808	254,00	x	285,75	x	15,87	GM-L2

code	B		A		H	type
0071	254,00	x	288,92	x	19,05	GM-L2
4950	254,00	x	292,10	x	15,87	GM-L2
3992	254,00	x	292,10	x	17,45	GM-L2
0072	254,00	x	295,27	x	19,05	GM-L2
0073	254,00	x	298,45	x	15,87	GM-L2
0074	254,00	x	304,80	x	15,87	GM-L2
0075	254,00	x	311,15	x	22,22	GM-L2
0076	257,17	x	295,27	x	17,48	GM-L2
0077	257,17	x	298,45	x	17,48	GM-L2
4003	257,17	x	304,80	x	19,05	GM-L2
0078	258,78	x	311,15	x	25,40	GM-L2
5111	259,99	x	290,02	x	16,00	GM-L2
5429	259,99	x	300,02	x	19,99	GM-L2
0079	259,99	x	319,79	x	24,99	GM-L2
4999	259,99	x	319,99	x	24,99	GM-L2
0080	260,35	x	292,10	x	15,87	GM-L2
0081	260,35	x	298,45	x	15,87	GM-L2
0082	260,35	x	304,80	x	15,87	GM-L2
4008	260,35	x	311,15	x	15,87	GM-L2
0083	260,35	x	317,50	x	19,05	GM-L2
0084	263,52	x	295,27	x	15,87	GM-L2
0085	263,52	x	301,62	x	19,05	GM-L2
0086	263,52	x	309,80	x	25,40	GM-L2
0087	263,52	x	317,50	x	22,22	GM-L2
0088	265,13	x	315,93	x	22,22	GM-L2
0089	265,13	x	317,50	x	25,40	GM-L2
3427	266,70	x	292,10	x	15,87	GM-L2
3665	266,70	x	298,45	x	15,87	GM-L2
0090	266,70	x	304,80	x	15,87	GM-L2
0091	266,70	x	307,97	x	15,87	GM-L2
0092	266,70	x	311,15	x	19,05	GM-L2
4006	266,70	x	317,50	x	15,87	GM-L2
0093	266,70	x	320,67	x	25,40	GM-L2
0094	269,87	x	300,02	x	15,87	GM-L2
0095	269,87	x	307,97	x	19,05	GM-L2
0096	269,87	x	314,32	x	19,05	GM-L2
0097	269,87	x	317,50	x	19,05	GM-L2
0098	269,87	x	330,20	x	19,05	GM-L2
0099	270,00	x	335,00	x	19,87	GM-L2
2620	271,48	x	317,50	x	15,87	GM-L2
3682	273,05	x	298,45	x	14,27	GM-L2
0100	273,05	x	304,80	x	15,87	GM-L2

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

OIL SEALS TYPE 'GM-L2'

Ordered according to size

Technical description at page 22

code	B		A		H	type
0101	273,05	x	311,15	x	15,87	GM-L2
0102	273,05	x	317,50	x	15,87	GM-L2
5465	273,05	x	323,85	x	15,87	GM-L2
0103	273,05	x	330,20	x	22,22	GM-L2
0104	276,22	x	314,21	x	19,05	GM-L2
0105	276,22	x	317,50	x	25,40	GM-L2
3691	279,40	x	304,80	x	15,87	GM-L2
0106	279,40	x	311,15	x	15,87	GM-L2
3693	279,40	x	317,50	x	15,87	GM-L2
0107	279,40	x	330,20	x	15,87	GM-L2
0108	280,01	x	309,80	x	15,98	GM-L2
0109	280,01	x	340,00	x	24,99	GM-L2
0110	281,00	x	311,15	x	19,05	GM-L2
0111	281,00	x	317,50	x	19,05	GM-L2
0112	281,00	x	330,20	x	19,05	GM-L2
0113	282,57	x	323,85	x	25,40	GM-L2
0114	282,57	x	330,20	x	25,40	GM-L2
0115	282,57	x	336,55	x	22,22	GM-L2
0116	285,75	x	317,50	x	15,87	GM-L2
7832	285,75	x	323,85	x	15,87	GM-L2
1904	285,75	x	323,85	x	19,05	GM-L2
0117	285,75	x	336,55	x	15,87	GM-L2
0118	285,75	x	342,90	x	22,22	GM-L2
0119	288,92	x	327,02	x	19,05	GM-L2
0120	288,92	x	330,20	x	15,87	GM-L2
4051	288,92	x	330,20	x	19,05	GM-L2
0121	288,92	x	339,72	x	20,65	GM-L2
0122	288,92	x	342,90	x	25,40	GM-L2
0123	289,99	x	333,81	x	19,05	GM-L2
3100	289,99	x	350,01	x	24,99	GM-L2
0124	290,53	x	330,20	x	17,45	GM-L2
7263	292,10	x	323,85	x	15,87	GM-L2
0125	292,10	x	327,02	x	17,45	GM-L2
0126	292,10	x	330,20	x	15,87	GM-L2
2569	292,10	x	330,20	x	17,45	GM-L2
2906	292,10	x	330,20	x	19,05	GM-L2
0127	292,10	x	336,55	x	19,05	GM-L2
0128	292,10	x	339,72	x	19,05	GM-L2
0129	292,10	x	342,90	x	15,87	GM-L2
1875	295,27	x	330,20	x	19,05	GM-L2
0130	295,27	x	335,05	x	19,05	GM-L2
0131	298,45	x	336,55	x	15,87	GM-L2

code	B		A		H	type
0132	298,45	x	349,25	x	15,87	GM-L2
0133	298,45	x	355,60	x	25,40	GM-L2
0134	300,00	x	340,00	x	18,01	GM-L2
0135	300,05	x	350,01	x	25,40	GM-L2
0136	300,05	x	350,82	x	15,87	GM-L2
0137	300,05	x	355,60	x	19,05	GM-L2
0138	303,23	x	354,03	x	15,87	GM-L2
0139	304,80	x	336,55	x	15,87	GM-L2
0140	304,80	x	342,90	x	15,87	GM-L2
0141	304,80	x	346,07	x	15,87	GM-L2
3853	304,80	x	355,60	x	15,87	GM-L2
4072	304,80	x	355,60	x	20,62	GM-L2
2980	304,80	x	355,60	x	23,80	GM-L2
0142	304,80	x	360,38	x	25,40	GM-L2
3710	304,80	x	361,95	x	25,40	GM-L2
0143	304,80	x	374,65	x	22,22	GM-L2
0144	306,07	x	338,15	x	19,05	GM-L2
0145	306,40	x	338,15	x	19,05	GM-L2
0146	307,97	x	352,42	x	19,05	GM-L2
0147	307,97	x	355,60	x	22,22	GM-L2
0148	309,58	x	341,33	x	15,87	GM-L2
0149	309,58	x	347,68	x	15,87	GM-L2
0999	309,98	x	350,01	x	19,99	GM-L2
4041	311,15	x	349,25	x	15,87	GM-L2
0150	311,15	x	350,85	x	18,26	GM-L2
0151	311,15	x	355,60	x	15,87	GM-L2
1869	311,15	x	355,60	x	22,22	GM-L2
0152	311,15	x	361,95	x	15,87	GM-L2
1868	311,15	x	361,95	x	22,22	GM-L2
3454	314,10	x	368,30	x	19,05	GM-L2
0153	314,32	x	352,42	x	17,48	GM-L2
0154	314,32	x	355,60	x	19,05	GM-L2
0155	314,32	x	365,12	x	25,40	GM-L2
0156	314,32	x	368,30	x	22,22	GM-L2
0157	317,50	x	349,25	x	15,87	GM-L2
4496	317,50	x	355,60	x	15,87	GM-L2
2936	317,50	x	355,60	x	17,45	GM-L2
4082	317,50	x	368,30	x	19,05	GM-L2
1050	317,50	x	368,30	x	23,01	GM-L2
0158	317,50	x	374,65	x	25,40	GM-L2
0159	317,50	x	381,00	x	20,65	GM-L2
0160	319,15	x	357,20	x	19,05	GM-L2

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

OIL SEALS TYPE 'GM-L2'

Ordered according to size

Technical description at page 22

code	B		A		H	type
0161	319,79	x	358,77	x	25,40	GM-L2
0162	319,99	x	350,01	x	15,87	GM-L2
0163	319,99	x	354,99	x	16,00	GM-L2
4086	320,67	x	358,77	x	19,05	GM-L2
0164	320,67	x	368,30	x	22,22	GM-L2
0165	320,67	x	371,47	x	22,22	GM-L2
0166	322,28	x	361,95	x	19,05	GM-L2
0167	322,28	x	374,65	x	25,40	GM-L2
0168	323,85	x	361,95	x	15,87	GM-L2
0169	323,85	x	374,65	x	19,05	GM-L2
0170	323,85	x	381,00	x	22,22	GM-L2
0171	323,85	x	387,35	x	22,22	GM-L2
0172	323,85	x	393,70	x	22,22	GM-L2
3718	327,02	x	374,65	x	25,40	GM-L2
0173	327,02	x	393,70	x	22,22	GM-L2
0174	330,00	x	369,98	x	17,98	GM-L2
1000	330,00	x	389,99	x	24,99	GM-L2
7805	330,20	x	368,30	x	15,87	GM-L2
4095	330,20	x	371,47	x	19,05	GM-L2
0175	330,20	x	376,22	x	15,87	GM-L2
0176	330,20	x	377,82	x	19,05	GM-L2
4098	330,20	x	381,00	x	19,05	GM-L2
0177	335,79	x	365,94	x	15,87	GM-L2
0178	336,55	x	374,65	x	15,87	GM-L2
0179	336,55	x	377,82	x	19,05	GM-L2
0180	336,55	x	381,00	x	19,05	GM-L2
0181	336,55	x	384,17	x	22,22	GM-L2
0182	336,55	x	387,35	x	19,05	GM-L2
0183	336,55	x	390,52	x	25,40	GM-L2
0184	336,55	x	406,40	x	22,22	GM-L2
0185	339,72	x	377,82	x	19,05	GM-L2
0186	339,72	x	381,00	x	19,05	GM-L2
0187	339,72	x	390,52	x	22,22	GM-L2
0188	340,00	x	371,98	x	16,00	GM-L2
0189	340,00	x	379,98	x	17,47	GM-L2
3882	340,00	x	380,01	x	18,01	GM-L2
0190	342,90	x	381,00	x	15,87	GM-L2
0191	342,90	x	387,35	x	19,05	GM-L2
0192	342,90	x	388,92	x	15,87	GM-L2
4127	342,90	x	393,70	x	19,05	GM-L2
0193	342,90	x	400,05	x	22,22	GM-L2
0194	342,90	x	400,10	x	25,40	GM-L2

code	B		A		H	type
0195	342,90	x	439,42	x	25,40	GM-L2
2018	346,07	x	377,82	x	17,45	GM-L2
0196	346,07	x	393,70	x	25,40	GM-L2
0197	346,07	x	409,57	x	31,75	GM-L2
0198	349,25	x	381,00	x	19,05	GM-L2
0199	349,25	x	387,35	x	15,87	GM-L2
0200	349,25	x	393,70	x	19,05	GM-L2
0201	349,25	x	393,90	x	19,05	GM-L2
0202	349,25	x	400,05	x	15,87	GM-L2
0203	349,25	x	406,40	x	22,22	GM-L2
0204	349,99	x	389,99	x	18,01	GM-L2
3490	349,99	x	400,00	x	16,99	GM-L2
3091	350,01	x	400,00	x	24,99	GM-L2
1902	350,01	x	410,01	x	19,99	GM-L2
0205	350,85	x	406,40	x	25,40	GM-L2
0206	352,42	x	406,40	x	25,40	GM-L2
0207	354,03	x	392,13	x	15,87	GM-L2
0208	354,30	x	393,70	x	19,05	GM-L2
0210	354,30	x	399,90	x	25,40	GM-L2
0211	354,30	x	406,40	x	22,22	GM-L2
0212	355,60	x	393,70	x	15,87	GM-L2
0213	355,60	x	395,27	x	22,22	GM-L2
0214	355,60	x	396,87	x	15,87	GM-L2
0215	355,60	x	400,05	x	17,48	GM-L2
0216	355,60	x	400,10	x	20,65	GM-L2
0217	355,60	x	406,40	x	19,05	GM-L2
3726	355,60	x	412,75	x	25,40	GM-L2
0218	355,60	x	419,10	x	20,65	GM-L2
0219	355,60	x	422,27	x	15,87	GM-L2
3003	358,77	x	396,87	x	19,05	GM-L2
0220	358,77	x	425,32	x	22,22	GM-L2
0221	359,97	x	425,04	x	21,44	GM-L2
0992	359,99	x	389,99	x	18,01	GM-L2
4394	359,99	x	400,00	x	18,01	GM-L2
0222	360,38	x	393,70	x	17,48	GM-L2
0223	360,38	x	400,05	x	19,05	GM-L2
0224	360,38	x	406,40	x	22,22	GM-L2
0225	360,38	x	411,18	x	20,65	GM-L2
0226	360,38	x	425,45	x	22,22	GM-L2
0227	361,98	x	400,05	x	19,05	GM-L2
0228	361,98	x	406,40	x	22,22	GM-L2
0229	361,98	x	412,75	x	20,65	GM-L2

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

OIL SEALS TYPE 'GM-L2'

Ordered according to size

Technical description at page 22

code	B		A		H	type
0230	361,98	x	419,10	x	22,22	GM-L2
0231	365,00	x	404,83	x	18,01	GM-L2
0232	365,12	x	403,22	x	19,05	GM-L2
0233	365,12	x	406,40	x	17,48	GM-L2
4142	368,30	x	406,40	x	17,48	GM-L2
3866	368,30	x	412,75	x	15,87	GM-L2
0234	368,30	x	419,10	x	19,05	GM-L2
5987	369,90	x	406,40	x	15,87	GM-L2
0235	371,47	x	409,57	x	19,05	GM-L2
0236	371,47	x	412,75	x	19,05	GM-L2
0237	371,47	x	425,45	x	25,40	GM-L2
0238	373,08	x	411,18	x	15,87	GM-L2
0239	374,65	x	412,75	x	15,87	GM-L2
0240	374,65	x	419,10	x	17,48	GM-L2
0241	377,82	x	419,10	x	19,05	GM-L2
0242	377,82	x	425,45	x	22,22	GM-L2
0243	377,82	x	428,62	x	25,40	GM-L2
0244	377,82	x	431,80	x	22,22	GM-L2
0245	377,82	x	444,50	x	22,22	GM-L2
0246	378,61	x	431,80	x	22,22	GM-L2
0247	380,01	x	419,99	x	19,99	GM-L2
0248	381,00	x	419,10	x	17,48	GM-L2
0249	381,00	x	425,45	x	19,05	GM-L2
4155	381,00	x	431,80	x	19,05	GM-L2
0250	381,00	x	444,50	x	22,22	GM-L2
0251	381,00	x	450,85	x	22,22	GM-L2
0252	384,17	x	425,45	x	19,05	GM-L2
0253	387,35	x	425,45	x	17,48	GM-L2
0254	387,35	x	438,15	x	19,05	GM-L2
0255	388,95	x	439,75	x	17,48	GM-L2
4936	389,99	x	440,00	x	24,99	GM-L2
2049	389,99	x	450,01	x	24,99	GM-L2
0256	390,12	x	449,81	x	23,01	GM-L2
0257	390,52	x	438,15	x	19,05	GM-L2
0258	390,52	x	441,32	x	17,48	GM-L2
0259	392,99	x	444,55	x	17,98	GM-L2
0260	393,70	x	428,62	x	15,87	GM-L2
4162	393,70	x	431,80	x	19,05	GM-L2
0261	393,70	x	444,50	x	19,05	GM-L2
0262	393,70	x	450,85	x	25,40	GM-L2
0263	393,70	x	457,20	x	25,40	GM-L2
0264	396,34	x	431,14	x	15,87	GM-L2

code	B		A		H	type
0265	396,87	x	434,97	x	19,05	GM-L2
0266	396,87	x	447,67	x	22,22	GM-L2
0267	399,80	x	438,15	x	17,48	GM-L2
0268	400,00	x	449,99	x	17,50	GM-L2
0269	400,05	x	431,80	x	15,87	GM-L2
0270	400,05	x	438,15	x	17,48	GM-L2
0271	400,05	x	444,50	x	17,48	GM-L2
0273	400,05	x	450,85	x	22,22	GM-L2
0274	400,05	x	457,20	x	22,22	GM-L2
2493	403,22	x	444,50	x	19,05	GM-L2
0275	403,22	x	454,02	x	19,05	GM-L2
0276	404,83	x	439,75	x	15,87	GM-L2
2022	404,83	x	457,20	x	19,05	GM-L2
0277	406,40	x	444,50	x	17,48	GM-L2
0278	406,40	x	447,67	x	19,05	GM-L2
0279	406,40	x	457,20	x	19,05	GM-L2
0280	406,40	x	457,20	x	20,62	GM-L2
0281	406,40	x	469,90	x	20,65	GM-L2
0282	412,75	x	450,85	x	15,87	GM-L2
1020	412,75	x	450,85	x	17,45	GM-L2
0283	412,75	x	457,20	x	15,87	GM-L2
0284	412,75	x	463,55	x	25,40	GM-L2
3042	412,75	x	469,90	x	20,62	GM-L2
0285	412,75	x	469,90	x	31,75	GM-L2
0286	415,92	x	454,02	x	19,05	GM-L2
0287	415,92	x	466,72	x	25,40	GM-L2
3868	419,10	x	450,85	x	19,05	GM-L2
0289	419,10	x	457,20	x	19,05	GM-L2
0290	419,10	x	463,55	x	19,05	GM-L2
0291	419,10	x	469,90	x	19,05	GM-L2
2565	419,10	x	469,90	x	20,62	GM-L2
0293	419,10	x	482,60	x	22,22	GM-L2
1331	419,89	x	470,00	x	22,00	GM-L2
0294	419,99	x	459,79	x	19,99	GM-L2
0295	419,99	x	459,99	x	19,99	GM-L2
0296	425,45	x	463,55	x	17,45	GM-L2
0297	425,45	x	469,90	x	22,22	GM-L2
0298	425,45	x	482,60	x	22,22	GM-L2
3740	430,00	x	480,01	x	22,00	GM-L2
0299	430,00	x	480,14	x	24,61	GM-L2
3793	431,80	x	463,55	x	15,87	GM-L2
0300	431,80	x	469,90	x	15,87	GM-L2

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

OIL SEALS TYPE 'GM-L2'

Ordered according to size

Technical description at page 22

code	B		A		H	type
0301	431,80	x	482,60	x	19,05	GM-L2
1867	431,80	x	482,60	x	20,62	GM-L2
0782	431,80	x	482,60	x	25,40	GM-L2
0302	431,80	x	488,95	x	25,40	GM-L2
0304	431,80	x	495,30	x	22,22	GM-L2
0305	438,15	x	476,25	x	19,05	GM-L2
0306	438,15	x	488,95	x	23,83	GM-L2
4393	440,00	x	480,01	x	19,99	GM-L2
0307	444,50	x	482,60	x	15,87	GM-L2
5054	444,50	x	488,95	x	17,48	GM-L2
4198	444,50	x	495,30	x	17,45	GM-L2
0309	444,50	x	495,30	x	17,48	GM-L2
0310	444,50	x	501,65	x	19,05	GM-L2
0311	444,50	x	521,26	x	38,10	GM-L2
0312	447,67	x	485,77	x	19,05	GM-L2
0313	447,67	x	488,95	x	17,48	GM-L2
0314	447,67	x	492,12	x	19,05	GM-L2
0315	447,67	x	498,47	x	17,48	GM-L2
0316	450,85	x	501,65	x	19,05	GM-L2
0317	450,85	x	510,26	x	25,40	GM-L2
0318	452,57	x	501,65	x	19,05	GM-L2
0319	452,57	x	520,70	x	25,40	GM-L2
0320	454,02	x	495,30	x	15,87	GM-L2
0321	454,02	x	504,82	x	19,05	GM-L2
0322	457,20	x	495,30	x	17,48	GM-L2
2691	457,20	x	495,30	x	19,05	GM-L2
0323	457,20	x	501,65	x	19,05	GM-L2
0324	457,20	x	504,82	x	19,05	GM-L2
0325	457,20	x	508,00	x	19,05	GM-L2
0326	457,20	x	520,70	x	31,75	GM-L2
0327	457,20	x	533,40	x	17,48	GM-L2
0328	460,25	x	520,70	x	25,40	GM-L2
0329	460,37	x	520,70	x	25,40	GM-L2
0330	463,55	x	501,65	x	19,05	GM-L2
0331	463,55	x	504,62	x	25,40	GM-L2
0332	463,55	x	504,82	x	25,40	GM-L2
0333	466,72	x	504,82	x	17,48	GM-L2
0334	466,72	x	506,43	x	15,87	GM-L2
0335	466,72	x	508,00	x	19,05	GM-L2
0336	466,72	x	517,52	x	22,22	GM-L2
0337	466,72	x	520,70	x	22,22	GM-L2
0338	469,90	x	508,00	x	19,05	GM-L2
0339	469,90	x	514,35	x	19,05	GM-L2
7059	469,90	x	520,70	x	19,05	GM-L2
4216	469,90	x	520,70	x	22,22	GM-L2
0340	476,25	x	514,35	x	19,05	GM-L2
0341	476,25	x	520,70	x	19,05	GM-L2
0343	476,25	x	527,05	x	19,05	GM-L2
0344	479,98	x	519,79	x	19,99	GM-L2
1247	480,01	x	530,00	x	19,99	GM-L2
0345	482,60	x	520,70	x	19,05	GM-L2
0346	482,60	x	533,40	x	22,22	GM-L2
0347	482,60	x	546,10	x	19,05	GM-L2
0348	488,95	x	527,05	x	19,05	GM-L2
0349	488,95	x	533,40	x	19,05	GM-L2
0350	488,95	x	539,75	x	19,05	GM-L2
3133	489,99	x	530,00	x	19,99	GM-L2
0352	492,12	x	533,40	x	20,65	GM-L2
0354	495,30	x	533,40	x	19,05	GM-L2
0355	495,30	x	546,10	x	19,05	GM-L2
0356	495,30	x	804,88	x	19,05	GM-L2
1246	500,00	x	550,01	x	22,00	GM-L2
0357	501,65	x	552,45	x	22,22	GM-L2
0358	501,65	x	565,15	x	22,22	GM-L2
0359	504,82	x	558,80	x	22,22	GM-L2
0360	506,43	x	546,10	x	19,05	GM-L2
3220	506,43	x	550,88	x	15,87	GM-L2
1989	506,43	x	550,88	x	19,05	GM-L2
0362	508,00	x	546,10	x	15,87	GM-L2
2229	508,00	x	546,10	x	17,45	GM-L2
1013	508,00	x	546,10	x	19,05	GM-L2
2126	508,00	x	546,10	x	22,22	GM-L2
0363	508,00	x	552,45	x	19,05	GM-L2
4231	508,00	x	558,80	x	15,87	GM-L2
1977	508,00	x	558,80	x	19,05	GM-L2
2981	508,00	x	558,80	x	25,40	GM-L2
0364	508,00	x	561,97	x	25,40	GM-L2
0365	508,00	x	571,50	x	22,22	GM-L2
0366	514,35	x	552,45	x	19,05	GM-L2
0367	514,35	x	565,15	x	22,22	GM-L2
0368	514,35	x	568,32	x	25,40	GM-L2
0369	514,35	x	571,50	x	22,22	GM-L2
0370	519,13	x	571,50	x	19,05	GM-L2
0371	520,70	x	558,80	x	19,05	GM-L2

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

OIL SEALS TYPE 'GM-L2'

Ordered according to size

Technical description at page 22

code	B		A		H	type
0372	520,70	x	571,50	x	15,87	GM-L2
1990	520,70	x	571,50	x	19,05	GM-L2
4246	520,70	x	571,50	x	22,22	GM-L2
0373	527,05	x	577,85	x	19,05	GM-L2
3773	527,05	x	577,85	x	22,22	GM-L2
0374	527,05	x	584,20	x	22,22	GM-L2
0375	530,00	x	580,03	x	19,99	GM-L2
0377	530,22	x	581,02	x	19,05	GM-L2
0380	533,40	x	571,50	x	19,05	GM-L2
0381	533,40	x	577,85	x	19,05	GM-L2
0382	533,40	x	584,20	x	15,87	GM-L2
1991	533,40	x	584,20	x	19,05	GM-L2
0384	533,40	x	590,55	x	22,22	GM-L2
0385	533,40	x	596,90	x	22,22	GM-L2
0386	539,75	x	584,20	x	19,05	GM-L2
0387	539,75	x	590,55	x	15,87	GM-L2
1992	539,75	x	590,55	x	19,05	GM-L2
4254	539,75	x	590,55	x	22,22	GM-L2
0824	544,53	x	588,98	x	19,05	GM-L2
1993	546,10	x	576,28	x	19,05	GM-L2
0390	546,10	x	590,55	x	19,05	GM-L2
0391	546,10	x	596,90	x	19,05	GM-L2
0392	546,10	x	609,60	x	22,22	GM-L2
0394	549,27	x	593,72	x	19,05	GM-L2
0395	549,27	x	600,07	x	22,22	GM-L2
1994	552,45	x	590,55	x	19,05	GM-L2
0397	552,45	x	603,25	x	19,05	GM-L2
0398	552,45	x	609,60	x	22,22	GM-L2
0399	552,45	x	615,95	x	22,22	GM-L2
0400	552,45	x	628,65	x	25,40	GM-L2
4269	558,80	x	596,90	x	19,05	GM-L2
3256	558,80	x	603,25	x	22,22	GM-L2
0401	558,80	x	609,60	x	19,05	GM-L2
1135	558,80	x	609,60	x	22,22	GM-L2
0402	558,80	x	615,95	x	25,40	GM-L2
0403	558,80	x	622,30	x	22,22	GM-L2
0404	565,15	x	615,95	x	22,22	GM-L2
0405	568,32	x	615,95	x	19,05	GM-L2
0406	568,32	x	618,95	x	22,22	GM-L2
0407	568,32	x	619,12	x	22,22	GM-L2
3369	568,32	x	641,35	x	22,22	GM-L2
0408	569,93	x	615,95	x	19,05	GM-L2

code	B		A		H	type
0409	569,93	x	620,73	x	22,22	GM-L2
1995	571,50	x	601,68	x	19,05	GM-L2
0411	571,50	x	615,95	x	19,05	GM-L2
0412	571,50	x	622,17	x	22,22	GM-L2
0413	571,50	x	622,30	x	19,05	GM-L2
0414	571,50	x	628,65	x	22,22	GM-L2
0415	577,85	x	622,30	x	19,05	GM-L2
0416	577,85	x	628,65	x	22,22	GM-L2
0417	577,85	x	635,00	x	22,22	GM-L2
1931	577,85	x	647,70	x	22,22	GM-L2
0418	584,20	x	622,30	x	19,05	GM-L2
0419	584,20	x	628,65	x	19,05	GM-L2
0420	584,20	x	635,00	x	22,22	GM-L2
0421	584,20	x	644,52	x	22,22	GM-L2
0422	584,20	x	647,70	x	22,22	GM-L2
3134	589,99	x	630,00	x	19,99	GM-L2
0423	590,55	x	635,00	x	19,05	GM-L2
0424	590,55	x	641,35	x	19,05	GM-L2
0986	593,72	x	644,52	x	20,61	GM-L2
0425	593,72	x	644,52	x	25,40	GM-L2
0426	596,90	x	641,35	x	19,05	GM-L2
0427	596,90	x	647,70	x	22,22	GM-L2
0428	598,47	x	641,35	x	19,05	GM-L2
0429	598,50	x	644,52	x	19,05	GM-L2
0430	600,07	x	654,05	x	22,22	GM-L2
0431	600,07	x	660,40	x	22,22	GM-L2
3428	603,25	x	641,35	x	22,22	GM-L2
0432	603,25	x	679,45	x	38,10	GM-L2
0433	606,42	x	660,40	x	22,22	GM-L2
0434	609,60	x	647,70	x	19,05	GM-L2
0435	609,60	x	660,40	x	19,05	GM-L2
0436	609,60	x	666,75	x	25,40	GM-L2
0437	609,60	x	673,10	x	25,40	GM-L2
0438	615,95	x	666,75	x	22,22	GM-L2
0439	619,12	x	669,92	x	19,05	GM-L2
0440	620,73	x	660,40	x	19,05	GM-L2
0441	620,73	x	671,53	x	19,05	GM-L2
0442	622,30	x	673,10	x	22,22	GM-L2
1070	630,00	x	679,45	x	22,22	GM-L2
0443	635,00	x	673,10	x	19,05	GM-L2
0444	635,00	x	685,80	x	22,22	GM-L2
0445	635,00	x	695,32	x	22,22	GM-L2

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

OIL SEALS TYPE 'GM-L2'

Ordered according to size

Technical description at page 22

code	B		A		H	type
0446	635,00	x	698,50	x	22,22	GM-L2
0821	635,00	x	698,50	x	25,40	GM-L2
0447	638,17	x	679,45	x	19,05	GM-L2
0448	639,78	x	682,62	x	19,05	GM-L2
0450	641,35	x	692,15	x	22,22	GM-L2
0451	641,35	x	711,20	x	22,22	GM-L2
0452	644,52	x	723,90	x	38,10	GM-L2
0453	647,70	x	685,80	x	19,05	GM-L2
0454	647,70	x	698,50	x	19,05	GM-L2
0455	650,87	x	704,85	x	25,40	GM-L2
0456	654,05	x	692,15	x	19,05	GM-L2
0457	654,05	x	730,38	x	38,10	GM-L2
0458	657,22	x	711,20	x	19,05	GM-L2
0459	660,10	x	701,67	x	19,05	GM-L2
0460	660,40	x	701,67	x	19,05	GM-L2
0461	660,40	x	711,20	x	19,05	GM-L2
0462	660,40	x	723,90	x	22,22	GM-L2
0463	663,57	x	714,37	x	20,65	GM-L2
0464	669,92	x	715,98	x	19,05	GM-L2
0465	669,92	x	717,55	x	22,22	GM-L2
0466	669,92	x	720,72	x	25,40	GM-L2
0467	673,10	x	711,20	x	19,05	GM-L2
3279	673,10	x	711,20	x	22,22	GM-L2
0468	673,10	x	723,90	x	22,22	GM-L2
0469	673,10	x	749,30	x	38,10	GM-L2
0470	685,80	x	736,60	x	19,05	GM-L2
1971	685,80	x	736,60	x	25,40	GM-L2
0471	685,80	x	749,30	x	25,40	GM-L2
0472	685,80	x	762,00	x	22,22	GM-L2
3489	689,99	x	730,00	x	19,99	GM-L2
0473	692,15	x	742,95	x	20,65	GM-L2
4626	692,15	x	742,95	x	22,22	GM-L2
0474	698,50	x	736,60	x	19,05	GM-L2
0475	698,50	x	749,30	x	22,22	GM-L2
0476	701,67	x	739,77	x	19,05	GM-L2
0477	701,67	x	752,47	x	19,05	GM-L2
0478	708,02	x	757,22	x	22,22	GM-L2
0479	708,02	x	757,30	x	22,22	GM-L2
0480	711,20	x	749,30	x	19,05	GM-L2
0481	711,20	x	752,47	x	19,05	GM-L2
0482	711,20	x	757,25	x	19,05	GM-L2
0483	711,20	x	762,00	x	22,22	GM-L2

code	B		A		H	type
0484	711,20	x	768,35	x	31,75	GM-L2
0485	711,20	x	774,70	x	22,22	GM-L2
0820	711,20	x	774,70	x	25,40	GM-L2
0486	711,20	x	775,59	x	22,22	GM-L2
0487	711,20	x	787,40	x	22,22	GM-L2
0488	711,20	x	812,80	x	22,22	GM-L2
1996	714,37	x	742,95	x	19,05	GM-L2
0490	723,90	x	774,70	x	15,87	GM-L2
1997	723,90	x	774,70	x	19,05	GM-L2
0491	723,90	x	787,40	x	22,22	GM-L2
2543	730,00	x	794,00	x	24,99	GM-L2
0492	730,25	x	781,05	x	22,22	GM-L2
0493	736,60	x	774,70	x	19,05	GM-L2
0494	736,60	x	787,40	x	22,22	GM-L2
0495	736,60	x	812,80	x	22,22	GM-L2
0496	739,77	x	812,80	x	38,10	GM-L2
1998	740,00	x	780,01	x	19,05	GM-L2
0498	749,30	x	800,10	x	19,05	GM-L2
0499	749,30	x	812,80	x	22,22	GM-L2
0500	749,30	x	819,15	x	25,40	GM-L2
0501	749,30	x	825,50	x	23,83	GM-L2
4917	759,99	x	780,00	x	19,99	GM-L2
3132	759,99	x	810,01	x	24,99	GM-L2
9003	760,00	x	824,00	x	25,00	GM-L2
0502	762,00	x	803,05	x	19,05	GM-L2
0503	762,00	x	803,27	x	15,87	GM-L2
1999	762,00	x	803,27	x	19,05	GM-L2
0504	762,00	x	812,80	x	19,05	GM-L2
1006	762,00	x	812,80	x	22,22	GM-L2
0505	762,00	x	819,15	x	29,36	GM-L2
0506	762,00	x	825,50	x	22,22	GM-L2
0507	768,35	x	825,50	x	22,22	GM-L2
0508	774,70	x	825,50	x	19,05	GM-L2
0509	774,70	x	838,20	x	19,05	GM-L2
0510	774,70	x	850,90	x	22,22	GM-L2
1933	780,01	x	843,99	x	24,99	GM-L2
0511	787,40	x	825,50	x	25,40	GM-L2
0512	787,40	x	838,20	x	22,22	GM-L2
0513	787,40	x	863,60	x	22,22	GM-L2
0514	793,75	x	844,55	x	19,05	GM-L2
0515	806,45	x	857,25	x	22,22	GM-L2
0521	806,45	x	908,05	x	38,10	GM-L2

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

OIL SEALS TYPE 'GM-L2'

Ordered according to size

Technical description at page 22

code	B		A		H	type
9004	810,00	x	874,00	x	25,00	GM-L2
0516	812,80	x	863,60	x	22,22	GM-L2
0517	812,80	x	876,30	x	22,22	GM-L2
0518	815,97	x	866,77	x	22,22	GM-L2
0519	820,72	x	876,30	x	22,22	GM-L2
0520	825,50	x	876,30	x	22,22	GM-L2
3250	831,85	x	876,30	x	22,22	GM-L2
0522	838,20	x	876,30	x	19,05	GM-L2
0523	838,20	x	879,07	x	19,05	GM-L2
0524	838,20	x	879,17	x	19,05	GM-L2
0525	838,20	x	879,47	x	19,05	GM-L2
0526	838,20	x	879,60	x	19,05	GM-L2
0527	838,20	x	881,08	x	19,05	GM-L2
0528	838,20	x	889,00	x	19,05	GM-L2
0529	838,20	x	895,35	x	22,22	GM-L2
0530	838,20	x	901,70	x	19,05	GM-L2
0531	850,90	x	901,70	x	22,22	GM-L2
0532	850,90	x	914,40	x	22,22	GM-L2
0533	850,90	x	914,45	x	23,83	GM-L2
0534	850,90	x	920,75	x	22,22	GM-L2
0535	854,07	x	904,87	x	22,22	GM-L2
0536	863,60	x	914,40	x	22,22	GM-L2
0537	863,60	x	920,75	x	31,75	GM-L2
0538	863,60	x	927,10	x	22,22	GM-L2
0539	863,60	x	939,80	x	25,40	GM-L2
0540	869,95	x	920,75	x	22,22	GM-L2
0541	869,95	x	933,45	x	22,22	GM-L2
0542	876,30	x	914,40	x	19,05	GM-L2
4405	876,30	x	927,10	x	22,22	GM-L2
0543	882,65	x	930,27	x	19,05	GM-L2
0544	882,65	x	933,45	x	22,22	GM-L2
0545	889,00	x	939,80	x	20,65	GM-L2
0546	889,00	x	952,50	x	22,22	GM-L2
0547	895,35	x	971,55	x	19,05	GM-L2
0548	898,52	x	949,32	x	25,40	GM-L2
0549	901,70	x	952,50	x	22,22	GM-L2
0550	914,40	x	965,15	x	22,22	GM-L2
0551	914,40	x	965,20	x	22,22	GM-L2
0552	914,40	x	977,90	x	22,22	GM-L2
0553	914,40	x	1.003,30	x	38,10	GM-L2
0554	927,10	x	977,90	x	22,22	GM-L2
2000	927,10	x	990,60	x	19,05	GM-L2

code	B		A		H	type
0557	933,45	x	984,25	x	25,40	GM-L2
0558	933,45	x	996,95	x	22,22	GM-L2
0559	939,80	x	990,60	x	22,22	GM-L2
0560	946,15	x	996,95	x	22,22	GM-L2
0561	950,93	x	1.003,30	x	22,22	GM-L2
0562	952,50	x	990,60	x	22,22	GM-L2
0563	952,50	x	1.003,30	x	19,05	GM-L2
0564	952,50	x	1.022,35	x	25,40	GM-L2
2991	959,99	x	1.019,99	x	22,22	GM-L2
0565	960,04	x	1.040,00	x	23,01	GM-L2
0566	960,45	x	1.040,00	x	22,22	GM-L2
0567	960,45	x	1.040,23	x	38,10	GM-L2
0568	965,20	x	1.016,00	x	22,22	GM-L2
0569	971,55	x	1.022,35	x	22,22	GM-L2
0570	971,55	x	1.035,05	x	19,05	GM-L2
0571	971,75	x	1.035,05	x	22,22	GM-L2
0577	977,90	x	1.041,40	x	25,40	GM-L2
0578	984,25	x	1.035,05	x	22,22	GM-L2
0579	990,60	x	1.041,40	x	19,05	GM-L2
0580	990,60	x	1.054,10	x	22,22	GM-L2
3080	1.000,00	x	1.049,99	x	22,22	GM-L2
0581	1.009,65	x	1.073,15	x	22,22	GM-L2
0582	1.015,47	x	1.054,10	x	25,40	GM-L2
0583	1.016,00	x	1.066,80	x	22,22	GM-L2
0584	1.028,70	x	1.079,50	x	22,22	GM-L2
0585	1.028,70	x	1.092,20	x	22,22	GM-L2
0586	1.054,10	x	1.104,90	x	22,22	GM-L2
2521	1.057,27	x	1.117,60	x	22,22	GM-L2
0587	1.062,02	x	1.143,00	x	25,40	GM-L2
0588	1.065,23	x	1.111,25	x	22,22	GM-L2
0589	1.073,15	x	1.123,95	x	25,40	GM-L2
3171	1.079,50	x	1.143,00	x	19,05	GM-L2
0590	1.092,20	x	1.143,00	x	22,22	GM-L2
0591	1.104,90	x	1.155,70	x	19,05	GM-L2
1959	1.104,90	x	1.155,70	x	22,22	GM-L2
0592	1.111,25	x	1.162,05	x	22,22	GM-L2
0593	1.117,60	x	1.168,40	x	22,22	GM-L2
0594	1.117,60	x	1.181,10	x	22,22	GM-L2
0595	1.117,60	x	1.193,80	x	31,75	GM-L2
0596	1.130,30	x	1.168,40	x	22,22	GM-L2
0597	1.143,00	x	1.187,45	x	22,22	GM-L2
0598	1.143,00	x	1.193,80	x	22,22	GM-L2

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

OIL SEALS TYPE 'GM-L2'

Ordered according to size

Technical description at page 22

code	B		A		H	type
0599	1.162,05	x	1.213,31	x	22,22	GM-L2
0600	1.168,40	x	1.219,20	x	22,22	GM-L2
0601	1.181,10	x	1.231,90	x	22,22	GM-L2
0602	1.193,80	x	1.244,60	x	22,22	GM-L2
0603	1.212,85	x	1.282,70	x	28,57	GM-L2
3172	1.219,20	x	1.270,00	x	25,40	GM-L2
0604	1.225,55	x	1.276,35	x	22,22	GM-L2
0605	1.244,60	x	1.289,05	x	25,40	GM-L2
0606	1.257,30	x	1.327,15	x	25,40	GM-L2
0607	1.270,00	x	1.320,80	x	22,22	GM-L2
0608	1.333,50	x	1.397,00	x	22,22	GM-L2
0610	1.346,20	x	1.393,82	x	20,65	GM-L2
0611	1.371,60	x	1.422,40	x	25,40	GM-L2
0612	1.390,65	x	1.431,92	x	22,22	GM-L2
0613	1.409,70	x	1.460,50	x	19,05	GM-L2

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

OIL SEALS TYPE 'GM-L2'

Ordered according to code

Technical description at page 22

GM-L2



code	B		A		H	type
0001	184,99	x	224,79	x	15,87	GM-L2
0002	203,20	x	254,00	x	15,87	GM-L2
0003	204,80	x	255,75	x	25,40	GM-L2
0004	206,37	x	257,17	x	15,87	GM-L2
0005	209,55	x	260,35	x	15,87	GM-L2
0006	209,55	x	266,70	x	22,22	GM-L2
0007	209,55	x	292,10	x	19,05	GM-L2
0008	212,72	x	247,65	x	15,87	GM-L2
0009	212,72	x	250,82	x	15,87	GM-L2
0010	212,72	x	263,52	x	19,05	GM-L2
0011	212,72	x	266,70	x	22,22	GM-L2
0012	215,90	x	254,00	x	15,87	GM-L2
0013	215,90	x	266,70	x	15,87	GM-L2
0014	219,07	x	254,00	x	19,05	GM-L2
0015	219,07	x	257,17	x	15,87	GM-L2
0016	219,07	x	260,35	x	15,87	GM-L2
0017	219,07	x	269,87	x	15,87	GM-L2
0018	219,07	x	273,05	x	22,22	GM-L2
0019	219,99	x	259,99	x	15,87	GM-L2
0020	219,99	x	259,79	x	15,87	GM-L2
0021	219,99	x	274,80	x	24,13	GM-L2
0022	222,25	x	260,35	x	15,87	GM-L2
0023	222,25	x	266,70	x	19,05	GM-L2
0024	222,25	x	269,87	x	19,05	GM-L2
0025	224,99	x	279,81	x	23,01	GM-L2
0026	225,42	x	279,40	x	22,22	GM-L2
0027	228,60	x	257,17	x	19,05	GM-L2
0028	228,60	x	258,75	x	15,87	GM-L2
0029	228,60	x	263,52	x	15,87	GM-L2
0030	228,60	x	266,70	x	15,87	GM-L2
0031	228,60	x	266,70	x	17,45	GM-L2
0032	228,60	x	269,87	x	15,87	GM-L2
0033	228,60	x	279,40	x	15,87	GM-L2
0034	228,60	x	280,77	x	19,05	GM-L2
0035	228,60	x	285,75	x	22,22	GM-L2
0036	230,00	x	269,77	x	15,98	GM-L2
0037	230,00	x	280,01	x	15,87	GM-L2

code	B		A		H	type
0037	231,77	x	269,87	x	15,87	GM-L2
0038	231,77	x	273,05	x	15,87	GM-L2
0039	231,77	x	282,57	x	15,87	GM-L2
0040	233,35	x	263,52	x	19,05	GM-L2
0041	234,95	x	266,70	x	15,87	GM-L2
0042	234,95	x	273,05	x	15,87	GM-L2
0043	234,95	x	279,40	x	15,87	GM-L2
0044	234,95	x	285,75	x	19,05	GM-L2
0045	234,95	x	288,92	x	22,22	GM-L2
0046	234,95	x	292,10	x	22,22	GM-L2
0047	238,12	x	263,52	x	25,40	GM-L2
0048	238,12	x	269,87	x	15,87	GM-L2
0049	238,12	x	276,22	x	19,05	GM-L2
0050	238,12	x	288,92	x	15,87	GM-L2
0051	239,73	x	269,87	x	19,05	GM-L2
0052	239,73	x	292,10	x	22,22	GM-L2
0053	240,01	x	270,00	x	16,00	GM-L2
0054	240,01	x	300,00	x	24,99	GM-L2
0055	241,30	x	279,40	x	15,87	GM-L2
0056	241,30	x	282,57	x	15,87	GM-L2
0057	241,30	x	292,10	x	15,87	GM-L2
0058	244,35	x	276,22	x	15,87	GM-L2
0059	244,47	x	276,22	x	19,05	GM-L2
0060	246,86	x	295,27	x	17,78	GM-L2
0061	247,65	x	282,57	x	15,87	GM-L2
0062	247,65	x	285,75	x	15,87	GM-L2
0063	247,65	x	292,10	x	19,05	GM-L2
0064	247,65	x	298,45	x	15,87	GM-L2
0065	247,65	x	304,80	x	22,22	GM-L2
0066	250,04	x	289,79	x	15,87	GM-L2
0067	250,82	x	288,92	x	19,05	GM-L2
0068	250,82	x	304,80	x	22,22	GM-L2
0069	252,43	x	304,80	x	19,05	GM-L2
0070	252,43	x	307,97	x	25,40	GM-L2
0071	254,00	x	288,92	x	19,05	GM-L2
0072	254,00	x	295,27	x	19,05	GM-L2
0073	254,00	x	298,45	x	15,87	GM-L2
0074	254,00	x	304,80	x	15,87	GM-L2
0075	254,00	x	311,15	x	22,22	GM-L2
0076	257,17	x	295,27	x	17,48	GM-L2
0077	257,17	x	298,45	x	17,48	GM-L2
0078	258,78	x	311,15	x	25,40	GM-L2

AZIENDA CON SISTEMA QUALITÀ
CERTIFICATO DA DNV
=UNI EN ISO 9001/2000=

OIL SEALS TYPE 'GM-L2'

Ordered according to code

Technical description at page 22

code	B		A		H	type
0079	259,99	x	319,79	x	24,99	GM-L2
0080	260,35	x	292,10	x	15,87	GM-L2
0081	260,35	x	298,45	x	15,87	GM-L2
0082	260,35	x	304,80	x	15,87	GM-L2
0083	260,35	x	317,50	x	19,05	GM-L2
0084	263,52	x	295,27	x	15,87	GM-L2
0085	263,52	x	301,62	x	19,05	GM-L2
0086	263,52	x	309,80	x	25,40	GM-L2
0087	263,52	x	317,50	x	22,22	GM-L2
0088	265,13	x	315,93	x	22,22	GM-L2
0089	265,13	x	317,50	x	25,40	GM-L2
0090	266,70	x	304,80	x	15,87	GM-L2
0091	266,70	x	307,97	x	15,87	GM-L2
0092	266,70	x	311,15	x	19,05	GM-L2
0093	266,70	x	320,67	x	25,40	GM-L2
0094	269,87	x	300,02	x	15,87	GM-L2
0095	269,87	x	307,97	x	19,05	GM-L2
0096	269,87	x	314,32	x	19,05	GM-L2
0097	269,87	x	317,50	x	19,05	GM-L2
0098	269,87	x	330,20	x	19,05	GM-L2
0099	270,00	x	335,00	x	19,87	GM-L2
0100	273,05	x	304,80	x	15,87	GM-L2
0101	273,05	x	311,15	x	15,87	GM-L2
0102	273,05	x	317,50	x	15,87	GM-L2
0103	273,05	x	330,20	x	22,22	GM-L2
0104	276,22	x	314,21	x	19,05	GM-L2
0105	276,22	x	317,50	x	25,40	GM-L2
0106	279,40	x	311,15	x	15,87	GM-L2
0107	279,40	x	330,20	x	15,87	GM-L2
0108	280,01	x	309,80	x	15,98	GM-L2
0109	280,01	x	340,00	x	24,99	GM-L2
0110	281,00	x	311,15	x	19,05	GM-L2
0111	281,00	x	317,50	x	19,05	GM-L2
0112	281,00	x	330,20	x	19,05	GM-L2
0113	282,57	x	323,85	x	25,40	GM-L2
0114	282,57	x	330,20	x	25,40	GM-L2
0115	282,57	x	336,55	x	22,22	GM-L2
0116	285,75	x	317,50	x	15,87	GM-L2
0117	285,75	x	336,55	x	15,87	GM-L2
0118	285,75	x	342,90	x	22,22	GM-L2
0119	288,92	x	327,02	x	19,05	GM-L2
0120	288,92	x	330,20	x	15,87	GM-L2

code	B		A		H	type
0121	288,92	x	339,72	x	20,65	GM-L2
0122	288,92	x	342,90	x	25,40	GM-L2
0123	289,99	x	333,81	x	19,05	GM-L2
0124	290,53	x	330,20	x	17,45	GM-L2
0125	292,10	x	327,02	x	17,45	GM-L2
0126	292,10	x	330,20	x	15,87	GM-L2
0127	292,10	x	336,55	x	19,05	GM-L2
0128	292,10	x	339,72	x	19,05	GM-L2
0129	292,10	x	342,90	x	15,87	GM-L2
0130	295,27	x	335,05	x	19,05	GM-L2
0131	298,45	x	336,55	x	15,87	GM-L2
0132	298,45	x	349,25	x	15,87	GM-L2
0133	298,45	x	355,60	x	25,40	GM-L2
0134	300,00	x	340,00	x	18,01	GM-L2
0135	300,05	x	350,01	x	25,40	GM-L2
0136	300,05	x	350,82	x	15,87	GM-L2
0137	300,05	x	355,60	x	19,05	GM-L2
0138	303,23	x	354,03	x	15,87	GM-L2
0139	304,80	x	336,55	x	15,87	GM-L2
0140	304,80	x	342,90	x	15,87	GM-L2
0141	304,80	x	346,07	x	15,87	GM-L2
0142	304,80	x	360,38	x	25,40	GM-L2
0143	304,80	x	374,65	x	22,22	GM-L2
0144	306,07	x	338,15	x	19,05	GM-L2
0145	306,40	x	338,15	x	19,05	GM-L2
0146	307,97	x	352,42	x	19,05	GM-L2
0147	307,97	x	355,60	x	22,22	GM-L2
0148	309,58	x	341,33	x	15,87	GM-L2
0149	309,58	x	347,68	x	15,87	GM-L2
0150	311,15	x	350,85	x	18,26	GM-L2
0151	311,15	x	355,60	x	15,87	GM-L2
0152	311,15	x	361,95	x	15,87	GM-L2
0153	314,32	x	352,42	x	17,48	GM-L2
0154	314,32	x	355,60	x	19,05	GM-L2
0155	314,32	x	365,12	x	25,40	GM-L2
0156	314,32	x	368,30	x	22,22	GM-L2
0157	317,50	x	349,25	x	15,87	GM-L2
0158	317,50	x	374,65	x	25,40	GM-L2
0159	317,50	x	381,00	x	20,65	GM-L2
0160	319,15	x	357,20	x	19,05	GM-L2
0161	319,79	x	358,77	x	25,40	GM-L2
0162	319,99	x	350,01	x	15,87	GM-L2

AZIENDA CON SISTEMA QUALITÀ
CERTIFICATO DA DNV
=UNI EN ISO 9001/2000=

OIL SEALS TYPE 'GM-L2'

Ordered according to code

Technical description at page 22

code	B		A		H	type
0163	319,99	x	354,99	x	16,00	GM-L2
0164	320,67	x	368,30	x	22,22	GM-L2
0165	320,67	x	371,47	x	22,22	GM-L2
0166	322,28	x	361,95	x	19,05	GM-L2
0167	322,28	x	374,65	x	25,40	GM-L2
0168	323,85	x	361,95	x	15,87	GM-L2
0169	323,85	x	374,65	x	19,05	GM-L2
0170	323,85	x	381,00	x	22,22	GM-L2
0171	323,85	x	387,35	x	22,22	GM-L2
0172	323,85	x	393,70	x	22,22	GM-L2
0173	327,02	x	393,70	x	22,22	GM-L2
0174	330,00	x	369,98	x	17,98	GM-L2
0175	330,20	x	376,22	x	15,87	GM-L2
0176	330,20	x	377,82	x	19,05	GM-L2
0177	335,79	x	365,94	x	15,87	GM-L2
0178	336,55	x	374,65	x	15,87	GM-L2
0179	336,55	x	377,82	x	19,05	GM-L2
0180	336,55	x	381,00	x	19,05	GM-L2
0181	336,55	x	384,17	x	22,22	GM-L2
0182	336,55	x	387,35	x	19,05	GM-L2
0183	336,55	x	390,52	x	25,40	GM-L2
0184	336,55	x	406,40	x	22,22	GM-L2
0185	339,72	x	377,82	x	19,05	GM-L2
0186	339,72	x	381,00	x	19,05	GM-L2
0187	339,72	x	390,52	x	22,22	GM-L2
0188	340,00	x	371,98	x	16,00	GM-L2
0189	340,00	x	379,98	x	17,47	GM-L2
0190	342,90	x	381,00	x	15,87	GM-L2
0191	342,90	x	387,35	x	19,05	GM-L2
0192	342,90	x	388,92	x	15,87	GM-L2
0193	342,90	x	400,05	x	22,22	GM-L2
0194	342,90	x	400,10	x	25,40	GM-L2
0195	342,90	x	439,42	x	25,40	GM-L2
0196	346,07	x	393,70	x	25,40	GM-L2
0197	346,07	x	409,57	x	31,75	GM-L2
0198	349,25	x	381,00	x	19,05	GM-L2
0199	349,25	x	387,35	x	15,87	GM-L2
0200	349,25	x	393,70	x	19,05	GM-L2
0201	349,25	x	393,90	x	19,05	GM-L2
0202	349,25	x	400,05	x	15,87	GM-L2
0203	349,25	x	406,40	x	22,22	GM-L2
0204	349,99	x	389,99	x	18,01	GM-L2

code	B		A		H	type
0205	350,85	x	406,40	x	25,40	GM-L2
0206	352,42	x	406,40	x	25,40	GM-L2
0207	354,03	x	392,13	x	15,87	GM-L2
0208	354,30	x	393,70	x	19,05	GM-L2
0210	354,30	x	399,90	x	25,40	GM-L2
0211	354,30	x	406,40	x	22,22	GM-L2
0212	355,60	x	393,70	x	15,87	GM-L2
0213	355,60	x	395,27	x	22,22	GM-L2
0214	355,60	x	396,87	x	15,87	GM-L2
0215	355,60	x	400,05	x	17,48	GM-L2
0216	355,60	x	400,10	x	20,65	GM-L2
0217	355,60	x	406,40	x	19,05	GM-L2
0218	355,60	x	419,10	x	20,65	GM-L2
0219	355,60	x	422,27	x	15,87	GM-L2
0220	358,77	x	425,32	x	22,22	GM-L2
0221	359,97	x	425,04	x	21,44	GM-L2
0222	360,38	x	393,70	x	17,48	GM-L2
0223	360,38	x	400,05	x	19,05	GM-L2
0224	360,38	x	406,40	x	22,22	GM-L2
0225	360,38	x	411,18	x	20,65	GM-L2
0226	360,38	x	425,45	x	22,22	GM-L2
0227	361,98	x	400,05	x	19,05	GM-L2
0228	361,98	x	406,40	x	22,22	GM-L2
0229	361,98	x	412,75	x	20,65	GM-L2
0230	361,98	x	419,10	x	22,22	GM-L2
0231	365,00	x	404,83	x	18,01	GM-L2
0232	365,12	x	403,22	x	19,05	GM-L2
0233	365,12	x	406,40	x	17,48	GM-L2
0234	368,30	x	419,10	x	19,05	GM-L2
0235	371,47	x	409,57	x	19,05	GM-L2
0236	371,47	x	412,75	x	19,05	GM-L2
0237	371,47	x	425,45	x	25,40	GM-L2
0238	373,08	x	411,18	x	15,87	GM-L2
0239	374,65	x	412,75	x	15,87	GM-L2
0240	374,65	x	419,10	x	17,48	GM-L2
0241	377,82	x	419,10	x	19,05	GM-L2
0242	377,82	x	425,45	x	22,22	GM-L2
0243	377,82	x	428,62	x	25,40	GM-L2
0244	377,82	x	431,80	x	22,22	GM-L2
0245	377,82	x	444,50	x	22,22	GM-L2
0246	378,61	x	431,80	x	22,22	GM-L2
0247	380,01	x	419,99	x	19,99	GM-L2

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

OIL SEALS TYPE 'GM-L2'

Ordered according to code

Technical description at page 22

code	B	A	H	type
0248	381,00	419,10	17,48	GM-L2
0249	381,00	425,45	19,05	GM-L2
0250	381,00	444,50	22,22	GM-L2
0251	381,00	450,85	22,22	GM-L2
0252	384,17	425,45	19,05	GM-L2
0253	387,35	425,45	17,48	GM-L2
0254	387,35	438,15	19,05	GM-L2
0255	388,95	439,75	17,48	GM-L2
0256	390,12	449,81	23,01	GM-L2
0257	390,52	438,15	19,05	GM-L2
0258	390,52	441,32	17,48	GM-L2
0259	392,99	444,55	17,98	GM-L2
0260	393,70	428,62	15,87	GM-L2
0261	393,70	444,50	19,05	GM-L2
0262	393,70	450,85	25,40	GM-L2
0263	393,70	457,20	25,40	GM-L2
0264	396,34	431,14	15,87	GM-L2
0265	396,87	434,97	19,05	GM-L2
0266	396,87	447,67	22,22	GM-L2
0267	399,80	438,15	17,48	GM-L2
0268	400,00	449,99	17,50	GM-L2
0269	400,05	431,80	15,87	GM-L2
0270	400,05	438,15	17,48	GM-L2
0271	400,05	444,50	17,48	GM-L2
0273	400,05	450,85	22,22	GM-L2
0274	400,05	457,20	22,22	GM-L2
0275	403,22	454,02	19,05	GM-L2
0276	404,83	439,75	15,87	GM-L2
0277	406,40	444,50	17,48	GM-L2
0278	406,40	447,67	19,05	GM-L2
0279	406,40	457,20	19,05	GM-L2
0280	406,40	457,20	20,62	GM-L2
0281	406,40	469,90	20,65	GM-L2
0282	412,75	450,85	15,87	GM-L2
0283	412,75	457,20	15,87	GM-L2
0284	412,75	463,55	25,40	GM-L2
0285	412,75	469,90	31,75	GM-L2
0286	415,92	454,02	19,05	GM-L2
0287	415,92	466,72	25,40	GM-L2
0289	419,10	457,20	19,05	GM-L2
0290	419,10	463,55	19,05	GM-L2
0291	419,10	469,90	19,05	GM-L2

code	B	A	H	type
0293	419,10	482,60	22,22	GM-L2
0294	419,99	459,79	19,99	GM-L2
0295	419,99	459,99	19,99	GM-L2
0296	425,45	463,55	17,45	GM-L2
0297	425,45	469,90	22,22	GM-L2
0298	425,45	482,60	22,22	GM-L2
0299	430,00	480,14	24,61	GM-L2
0300	431,80	469,90	15,87	GM-L2
0301	431,80	482,60	19,05	GM-L2
0302	431,80	488,95	25,40	GM-L2
0304	431,80	495,30	22,22	GM-L2
0305	438,15	476,25	19,05	GM-L2
0306	438,15	488,95	23,83	GM-L2
0307	444,50	482,60	15,87	GM-L2
0309	444,50	495,30	17,48	GM-L2
0310	444,50	501,65	19,05	GM-L2
0311	444,50	521,26	38,10	GM-L2
0312	447,67	485,77	19,05	GM-L2
0313	447,67	488,95	17,48	GM-L2
0314	447,67	492,12	19,05	GM-L2
0315	447,67	498,47	17,48	GM-L2
0316	450,85	501,65	19,05	GM-L2
0317	450,85	510,26	25,40	GM-L2
0318	452,57	501,65	19,05	GM-L2
0319	452,57	520,70	25,40	GM-L2
0320	454,02	495,30	15,87	GM-L2
0321	454,02	504,82	19,05	GM-L2
0322	457,20	495,30	17,48	GM-L2
0323	457,20	501,65	19,05	GM-L2
0324	457,20	504,82	19,05	GM-L2
0325	457,20	508,00	19,05	GM-L2
0326	457,20	520,70	31,75	GM-L2
0327	457,20	533,40	17,48	GM-L2
0328	460,25	520,70	25,40	GM-L2
0329	460,37	520,70	25,40	GM-L2
0330	463,55	501,65	19,05	GM-L2
0331	463,55	504,62	25,40	GM-L2
0332	463,55	504,82	25,40	GM-L2
0333	466,72	504,82	17,48	GM-L2
0334	466,72	506,43	15,87	GM-L2
0335	466,72	508,00	19,05	GM-L2
0336	466,72	517,52	22,22	GM-L2

AZIENDA CON SISTEMA QUALITÀ
CERTIFICATO DA DNV
=UNI EN ISO 9001/2000=

OIL SEALS TYPE 'GM-L2'

Ordered according to code

Technical description at page 22

code	B		A		H	type
0337	466,72	x	520,70	x	22,22	GM-L2
0338	469,90	x	508,00	x	19,05	GM-L2
0339	469,90	x	514,35	x	19,05	GM-L2
0340	476,25	x	514,35	x	19,05	GM-L2
0341	476,25	x	520,70	x	19,05	GM-L2
0343	476,25	x	527,05	x	19,05	GM-L2
0344	479,98	x	519,79	x	19,99	GM-L2
0345	482,60	x	520,70	x	19,05	GM-L2
0346	482,60	x	533,40	x	22,22	GM-L2
0347	482,60	x	546,10	x	19,05	GM-L2
0348	488,95	x	527,05	x	19,05	GM-L2
0349	488,95	x	533,40	x	19,05	GM-L2
0350	488,95	x	539,75	x	19,05	GM-L2
0352	492,12	x	533,40	x	20,65	GM-L2
0354	495,30	x	533,40	x	19,05	GM-L2
0355	495,30	x	546,10	x	19,05	GM-L2
0356	495,30	x	804,88	x	19,05	GM-L2
0357	501,65	x	552,45	x	22,22	GM-L2
0358	501,65	x	565,15	x	22,22	GM-L2
0359	504,82	x	558,80	x	22,22	GM-L2
0360	506,43	x	546,10	x	19,05	GM-L2
0362	508,00	x	546,10	x	15,87	GM-L2
0363	508,00	x	552,45	x	19,05	GM-L2
0364	508,00	x	561,97	x	25,40	GM-L2
0365	508,00	x	571,50	x	22,22	GM-L2
0366	514,35	x	552,45	x	19,05	GM-L2
0367	514,35	x	565,15	x	22,22	GM-L2
0368	514,35	x	568,32	x	25,40	GM-L2
0369	514,35	x	571,50	x	22,22	GM-L2
0370	519,13	x	571,50	x	19,05	GM-L2
0371	520,70	x	558,80	x	19,05	GM-L2
0372	520,70	x	571,50	x	15,87	GM-L2
0373	527,05	x	577,85	x	19,05	GM-L2
0374	527,05	x	584,20	x	22,22	GM-L2
0375	530,00	x	580,03	x	19,99	GM-L2
0377	530,22	x	581,02	x	19,05	GM-L2
0380	533,40	x	571,50	x	19,05	GM-L2
0381	533,40	x	577,85	x	19,05	GM-L2
0382	533,40	x	584,20	x	15,87	GM-L2
0384	533,40	x	590,55	x	22,22	GM-L2
0385	533,40	x	596,90	x	22,22	GM-L2
0386	539,75	x	584,20	x	19,05	GM-L2

code	B		A		H	type
0387	539,75	x	590,55	x	15,87	GM-L2
0390	546,10	x	590,55	x	19,05	GM-L2
0391	546,10	x	596,90	x	19,05	GM-L2
0392	546,10	x	609,60	x	22,22	GM-L2
0394	549,27	x	593,72	x	19,05	GM-L2
0395	549,27	x	600,07	x	22,22	GM-L2
0397	552,45	x	603,25	x	19,05	GM-L2
0398	552,45	x	609,60	x	22,22	GM-L2
0399	552,45	x	615,95	x	22,22	GM-L2
0400	552,45	x	628,65	x	25,40	GM-L2
0401	558,80	x	609,60	x	19,05	GM-L2
0402	558,80	x	615,95	x	25,40	GM-L2
0403	558,80	x	622,30	x	22,22	GM-L2
0404	565,15	x	615,95	x	22,22	GM-L2
0405	568,32	x	615,95	x	19,05	GM-L2
0406	568,32	x	618,95	x	22,22	GM-L2
0407	568,32	x	619,12	x	22,22	GM-L2
0408	569,93	x	615,95	x	19,05	GM-L2
0409	569,93	x	620,73	x	22,22	GM-L2
0411	571,50	x	615,95	x	19,05	GM-L2
0412	571,50	x	622,17	x	22,22	GM-L2
0413	571,50	x	622,30	x	19,05	GM-L2
0414	571,50	x	628,65	x	22,22	GM-L2
0415	577,85	x	622,30	x	19,05	GM-L2
0416	577,85	x	628,65	x	22,22	GM-L2
0417	577,85	x	635,00	x	22,22	GM-L2
0418	584,20	x	622,30	x	19,05	GM-L2
0419	584,20	x	628,65	x	19,05	GM-L2
0420	584,20	x	635,00	x	22,22	GM-L2
0421	584,20	x	644,52	x	22,22	GM-L2
0422	584,20	x	647,70	x	22,22	GM-L2
0423	590,55	x	635,00	x	19,05	GM-L2
0424	590,55	x	641,35	x	19,05	GM-L2
0425	593,72	x	644,52	x	25,40	GM-L2
0426	596,90	x	641,35	x	19,05	GM-L2
0427	596,90	x	647,70	x	22,22	GM-L2
0428	598,47	x	641,35	x	19,05	GM-L2
0429	598,50	x	644,52	x	19,05	GM-L2
0430	600,07	x	654,05	x	22,22	GM-L2
0431	600,07	x	660,40	x	22,22	GM-L2
0432	603,25	x	679,45	x	38,10	GM-L2
0433	606,42	x	660,40	x	22,22	GM-L2

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

OIL SEALS TYPE 'GM-L2'

Ordered according to code

Technical description at page 22

code	B		A		H	type
0434	609,60	x	647,70	x	19,05	GM-L2
0435	609,60	x	660,40	x	19,05	GM-L2
0436	609,60	x	666,75	x	25,40	GM-L2
0437	609,60	x	673,10	x	25,40	GM-L2
0438	615,95	x	666,75	x	22,22	GM-L2
0439	619,12	x	669,92	x	19,05	GM-L2
0440	620,73	x	660,40	x	19,05	GM-L2
0441	620,73	x	671,53	x	19,05	GM-L2
0442	622,30	x	673,10	x	22,22	GM-L2
0443	635,00	x	673,10	x	19,05	GM-L2
0444	635,00	x	685,80	x	22,22	GM-L2
0445	635,00	x	695,32	x	22,22	GM-L2
0446	635,00	x	698,50	x	22,22	GM-L2
0447	638,17	x	679,45	x	19,05	GM-L2
0448	639,78	x	682,62	x	19,05	GM-L2
0450	641,35	x	692,15	x	22,22	GM-L2
0451	641,35	x	711,20	x	22,22	GM-L2
0452	644,52	x	723,90	x	38,10	GM-L2
0453	647,70	x	685,80	x	19,05	GM-L2
0454	647,70	x	698,50	x	19,05	GM-L2
0455	650,87	x	704,85	x	25,40	GM-L2
0456	654,05	x	692,15	x	19,05	GM-L2
0457	654,05	x	730,38	x	38,10	GM-L2
0458	657,22	x	711,20	x	19,05	GM-L2
0459	660,10	x	701,67	x	19,05	GM-L2
0460	660,40	x	701,67	x	19,05	GM-L2
0461	660,40	x	711,20	x	19,05	GM-L2
0462	660,40	x	723,90	x	22,22	GM-L2
0463	663,57	x	714,37	x	20,65	GM-L2
0464	669,92	x	715,98	x	19,05	GM-L2
0465	669,92	x	717,55	x	22,22	GM-L2
0466	669,92	x	720,72	x	25,40	GM-L2
0467	673,10	x	711,20	x	19,05	GM-L2
0468	673,10	x	723,90	x	22,22	GM-L2
0469	673,10	x	749,30	x	38,10	GM-L2
0470	685,80	x	736,60	x	19,05	GM-L2
0471	685,80	x	749,30	x	25,40	GM-L2
0472	685,80	x	762,00	x	22,22	GM-L2
0473	692,15	x	742,95	x	20,65	GM-L2
0474	698,50	x	736,60	x	19,05	GM-L2
0475	698,50	x	749,30	x	22,22	GM-L2
0476	701,67	x	739,77	x	19,05	GM-L2

code	B		A		H	type
0477	701,67	x	752,47	x	19,05	GM-L2
0478	708,02	x	757,22	x	22,22	GM-L2
0479	708,02	x	757,30	x	22,22	GM-L2
0480	711,20	x	749,30	x	19,05	GM-L2
0481	711,20	x	752,47	x	19,05	GM-L2
0482	711,20	x	757,25	x	19,05	GM-L2
0483	711,20	x	762,00	x	22,22	GM-L2
0484	711,20	x	768,35	x	31,75	GM-L2
0485	711,20	x	774,70	x	22,22	GM-L2
0486	711,20	x	775,59	x	22,22	GM-L2
0487	711,20	x	787,40	x	22,22	GM-L2
0488	711,20	x	812,80	x	22,22	GM-L2
0490	723,90	x	774,70	x	15,87	GM-L2
0491	723,90	x	787,40	x	22,22	GM-L2
0492	730,25	x	781,05	x	22,22	GM-L2
0493	736,60	x	774,70	x	19,05	GM-L2
0494	736,60	x	787,40	x	22,22	GM-L2
0495	736,60	x	812,80	x	22,22	GM-L2
0496	739,77	x	812,80	x	38,10	GM-L2
0498	749,30	x	800,10	x	19,05	GM-L2
0499	749,30	x	812,80	x	22,22	GM-L2
0500	749,30	x	819,15	x	25,40	GM-L2
0501	749,30	x	825,50	x	23,83	GM-L2
0502	762,00	x	803,05	x	19,05	GM-L2
0503	762,00	x	803,27	x	15,87	GM-L2
0504	762,00	x	812,80	x	19,05	GM-L2
0505	762,00	x	819,15	x	29,36	GM-L2
0506	762,00	x	825,50	x	22,22	GM-L2
0507	768,35	x	825,50	x	22,22	GM-L2
0508	774,70	x	825,50	x	19,05	GM-L2
0509	774,70	x	838,20	x	19,05	GM-L2
0510	774,70	x	850,90	x	22,22	GM-L2
0511	787,40	x	825,50	x	25,40	GM-L2
0512	787,40	x	838,20	x	22,22	GM-L2
0513	787,40	x	863,60	x	22,22	GM-L2
0514	793,75	x	844,55	x	19,05	GM-L2
0515	806,45	x	857,25	x	22,22	GM-L2
0516	812,80	x	863,60	x	22,22	GM-L2
0517	812,80	x	876,30	x	22,22	GM-L2
0518	815,97	x	866,77	x	22,22	GM-L2
0519	820,72	x	876,30	x	22,22	GM-L2
0520	825,50	x	876,30	x	22,22	GM-L2

AZIENDA CON SISTEMA QUALITÀ
CERTIFICATO DA DNV
=UNI EN ISO 9001/2000=

OIL SEALS TYPE 'GM-L2'

Ordered according to code

Technical description at page 22

code	B		A		H	type
0521	806,45	x	908,05	x	38,10	GM-L2
0522	838,20	x	876,30	x	19,05	GM-L2
0523	838,20	x	879,07	x	19,05	GM-L2
0524	838,20	x	879,17	x	19,05	GM-L2
0525	838,20	x	879,47	x	19,05	GM-L2
0526	838,20	x	879,60	x	19,05	GM-L2
0527	838,20	x	881,08	x	19,05	GM-L2
0528	838,20	x	889,00	x	19,05	GM-L2
0529	838,20	x	895,35	x	22,22	GM-L2
0530	838,20	x	901,70	x	19,05	GM-L2
0531	850,90	x	901,70	x	22,22	GM-L2
0532	850,90	x	914,40	x	22,22	GM-L2
0533	850,90	x	914,45	x	23,83	GM-L2
0534	850,90	x	920,75	x	22,22	GM-L2
0535	854,07	x	904,87	x	22,22	GM-L2
0536	863,60	x	914,40	x	22,22	GM-L2
0537	863,60	x	920,75	x	31,75	GM-L2
0538	863,60	x	927,10	x	22,22	GM-L2
0539	863,60	x	939,80	x	25,40	GM-L2
0540	869,95	x	920,75	x	22,22	GM-L2
0541	869,95	x	933,45	x	22,22	GM-L2
0542	876,30	x	914,40	x	19,05	GM-L2
0543	882,65	x	930,27	x	19,05	GM-L2
0544	882,65	x	933,45	x	22,22	GM-L2
0545	889,00	x	939,80	x	20,65	GM-L2
0546	889,00	x	952,50	x	22,22	GM-L2
0547	895,35	x	971,55	x	19,05	GM-L2
0548	898,52	x	949,32	x	25,40	GM-L2
0549	901,70	x	952,50	x	22,22	GM-L2
0550	914,40	x	965,15	x	22,22	GM-L2
0551	914,40	x	965,20	x	22,22	GM-L2
0552	914,40	x	977,90	x	22,22	GM-L2
0553	914,40	x	1.003,30	x	38,10	GM-L2
0554	927,10	x	977,90	x	22,22	GM-L2
0557	933,45	x	984,25	x	25,40	GM-L2
0558	933,45	x	996,95	x	22,22	GM-L2
0559	939,80	x	990,60	x	22,22	GM-L2
0560	946,15	x	996,95	x	22,22	GM-L2
0561	950,93	x	1.003,30	x	22,22	GM-L2
0562	952,50	x	990,60	x	22,22	GM-L2
0563	952,50	x	1.003,30	x	19,05	GM-L2
0564	952,50	x	1.022,35	x	25,40	GM-L2

code	B		A		H	type
0565	960,04	x	1.040,00	x	23,01	GM-L2
0566	960,45	x	1.040,00	x	22,22	GM-L2
0567	960,45	x	1.040,23	x	38,10	GM-L2
0568	965,20	x	1.016,00	x	22,22	GM-L2
0569	971,55	x	1.022,35	x	22,22	GM-L2
0570	971,55	x	1.035,05	x	19,05	GM-L2
0571	971,75	x	1.035,05	x	22,22	GM-L2
0577	977,90	x	1.041,40	x	25,40	GM-L2
0578	984,25	x	1.035,05	x	22,22	GM-L2
0579	990,60	x	1.041,40	x	19,05	GM-L2
0580	990,60	x	1.054,10	x	22,22	GM-L2
0581	1.009,65	x	1.073,15	x	22,22	GM-L2
0582	1.015,47	x	1.054,10	x	25,40	GM-L2
0583	1.016,00	x	1.066,80	x	22,22	GM-L2
0584	1.028,70	x	1.079,50	x	22,22	GM-L2
0585	1.028,70	x	1.092,20	x	22,22	GM-L2
0586	1.054,10	x	1.104,90	x	22,22	GM-L2
0587	1.062,02	x	1.143,00	x	25,40	GM-L2
0588	1.065,23	x	1.111,25	x	22,22	GM-L2
0589	1.073,15	x	1.123,95	x	25,40	GM-L2
0590	1.092,20	x	1.143,00	x	22,22	GM-L2
0591	1.104,90	x	1.155,70	x	19,05	GM-L2
0592	1.111,25	x	1.162,05	x	22,22	GM-L2
0593	1.117,60	x	1.168,40	x	22,22	GM-L2
0594	1.117,60	x	1.181,10	x	22,22	GM-L2
0595	1.117,60	x	1.193,80	x	31,75	GM-L2
0596	1.130,30	x	1.168,40	x	22,22	GM-L2
0597	1.143,00	x	1.187,45	x	22,22	GM-L2
0598	1.143,00	x	1.193,80	x	22,22	GM-L2
0599	1.162,05	x	1.213,31	x	22,22	GM-L2
0600	1.168,40	x	1.219,20	x	22,22	GM-L2
0601	1.181,10	x	1.231,90	x	22,22	GM-L2
0602	1.193,80	x	1.244,60	x	22,22	GM-L2
0603	1.212,85	x	1.282,70	x	28,57	GM-L2
0604	1.225,55	x	1.276,35	x	22,22	GM-L2
0605	1.244,60	x	1.289,05	x	25,40	GM-L2
0606	1.257,30	x	1.327,15	x	25,40	GM-L2
0607	1.270,00	x	1.320,80	x	22,22	GM-L2
0608	1.333,50	x	1.397,00	x	22,22	GM-L2
0610	1.346,20	x	1.393,82	x	20,65	GM-L2
0611	1.371,60	x	1.422,40	x	25,40	GM-L2
0612	1.390,65	x	1.431,92	x	22,22	GM-L2

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

OIL SEALS TYPE 'GM-L2'

Ordered according to code

Technical description at page 22

code	B		A		H	type
0613	1.409,70	x	1.460,50	x	19,05	GM-L2
0782	431,80	x	482,60	x	25,40	GM-L2
0820	711,20	x	774,70	x	25,40	GM-L2
0821	635,00	x	698,50	x	25,40	GM-L2
0824	544,53	x	588,98	x	19,05	GM-L2
0844	171,45	x	209,55	x	14,27	GM-L2
0986	593,72	x	644,52	x	20,61	GM-L2
0992	359,99	x	389,99	x	18,01	GM-L2
0999	309,98	x	350,01	x	19,99	GM-L2
1000	330,00	x	389,99	x	24,99	GM-L2
1006	762,00	x	812,80	x	22,22	GM-L2
1013	508,00	x	546,10	x	19,05	GM-L2
1020	412,75	x	450,85	x	17,45	GM-L2
1024	152,40	x	190,50	x	15,87	GM-L2
1050	317,50	x	368,30	x	23,01	GM-L2
1070	630,00	x	679,45	x	22,22	GM-L2
1134	140,00	x	170,00	x	16,00	GM-L2
1135	558,80	x	609,60	x	22,22	GM-L2
1246	500,00	x	550,01	x	22,00	GM-L2
1247	480,01	x	530,00	x	19,99	GM-L2
1331	419,89	x	470,00	x	22,00	GM-L2
1343	238,12	x	279,40	x	15,87	GM-L2
1741	219,07	x	266,70	x	19,05	GM-L2
1867	431,80	x	482,60	x	20,62	GM-L2
1868	311,15	x	361,95	x	22,22	GM-L2
1869	311,15	x	355,60	x	22,22	GM-L2
1875	295,27	x	330,20	x	19,05	GM-L2
1895	196,85	x	222,25	x	15,87	GM-L2
1902	350,01	x	410,01	x	19,99	GM-L2
1904	285,75	x	323,85	x	19,05	GM-L2
1931	577,85	x	647,70	x	22,22	GM-L2
1933	780,01	x	843,99	x	24,99	GM-L2
1959	1.104,90	x	1.155,70	x	22,22	GM-L2
1971	685,80	x	736,60	x	25,40	GM-L2
1977	508,00	x	558,80	x	19,05	GM-L2
1989	506,43	x	550,88	x	19,05	GM-L2
1990	520,70	x	571,50	x	19,05	GM-L2
1991	533,40	x	584,20	x	19,05	GM-L2
1992	539,75	x	590,55	x	19,05	GM-L2
1993	546,10	x	576,28	x	19,05	GM-L2
1994	552,45	x	590,55	x	19,05	GM-L2
1995	571,50	x	601,68	x	19,05	GM-L2

code	B		A		H	type
1996	714,37	x	742,95	x	19,05	GM-L2
1997	723,90	x	774,70	x	19,05	GM-L2
1998	740,00	x	780,01	x	19,05	GM-L2
1999	762,00	x	803,27	x	19,05	GM-L2
2000	927,10	x	990,60	x	19,05	GM-L2
2018	346,07	x	377,82	x	17,45	GM-L2
2022	404,83	x	457,20	x	19,05	GM-L2
2044	240,51	x	269,87	x	15,87	GM-L2
2049	389,99	x	450,01	x	24,99	GM-L2
2126	508,00	x	546,10	x	22,22	GM-L2
2183	195,00	x	230,00	x	15,01	GM-L2
2189	247,01	x	298,45	x	15,87	GM-L2
2229	508,00	x	546,10	x	17,45	GM-L2
2493	403,22	x	444,50	x	19,05	GM-L2
2521	1.057,27	x	1.117,60	x	22,22	GM-L2
2543	730,00	x	794,00	x	24,99	GM-L2
2565	419,10	x	469,90	x	20,62	GM-L2
2569	292,10	x	330,20	x	17,45	GM-L2
2620	271,48	x	317,50	x	15,87	GM-L2
2691	457,20	x	495,30	x	19,05	GM-L2
2703	110,01	x	140,00	x	14,00	GM-L2
2906	292,10	x	330,20	x	19,05	GM-L2
2936	317,50	x	355,60	x	17,45	GM-L2
2980	304,80	x	355,60	x	23,80	GM-L2
2981	508,00	x	558,80	x	25,40	GM-L2
2991	959,99	x	1.019,99	x	22,22	GM-L2
2992	193,67	x	222,25	x	15,87	GM-L2
3003	358,77	x	396,87	x	19,05	GM-L2
3042	412,75	x	469,90	x	20,62	GM-L2
3080	1.000,00	x	1.049,99	x	22,22	GM-L2
3091	350,01	x	400,00	x	24,99	GM-L2
3100	289,99	x	350,01	x	24,99	GM-L2
3132	759,99	x	810,01	x	24,99	GM-L2
3133	489,99	x	530,00	x	19,99	GM-L2
3134	589,99	x	630,00	x	19,99	GM-L2
3140	250,82	x	301,62	x	24,61	GM-L2
3171	1.079,50	x	1.143,00	x	19,05	GM-L2
3172	1.219,20	x	1.270,00	x	25,40	GM-L2
3220	506,43	x	550,88	x	15,87	GM-L2
3250	831,85	x	876,30	x	22,22	GM-L2
3256	558,80	x	603,25	x	22,22	GM-L2
3279	673,10	x	711,20	x	22,22	GM-L2

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

OIL SEALS TYPE 'GM-L2'

Ordered according to code

Technical description at page 22

code	B		A		H	type
3281	146,05	x	177,80	x	12,70	GM-L2
3367	152,40	x	190,50	x	12,70	GM-L2
3369	568,32	x	641,35	x	22,22	GM-L2
3427	266,70	x	292,10	x	15,87	GM-L2
3428	603,25	x	641,35	x	22,22	GM-L2
3454	314,10	x	368,30	x	19,05	GM-L2
3464	171,45	x	209,55	x	15,87	GM-L2
3489	689,99	x	730,00	x	19,99	GM-L2
3490	349,99	x	400,00	x	16,99	GM-L2
3500	177,80	x	215,90	x	15,87	GM-L2
3512	180,97	x	215,90	x	15,87	GM-L2
3527	184,15	x	222,25	x	19,05	GM-L2
3544	190,50	x	215,90	x	15,87	GM-L2
3548	190,50	x	222,25	x	15,87	GM-L2
3552	190,50	x	228,60	x	15,87	GM-L2
3588	200,02	x	238,12	x	15,87	GM-L2
3596	203,20	x	234,95	x	15,87	GM-L2
3606	209,55	x	241,30	x	15,87	GM-L2
3640	241,30	x	273,05	x	15,87	GM-L2
3644	241,30	x	285,75	x	15,87	GM-L2
3660	254,00	x	279,40	x	14,27	GM-L2
3665	266,70	x	298,45	x	15,87	GM-L2
3682	273,05	x	298,45	x	14,27	GM-L2
3691	279,40	x	304,80	x	15,87	GM-L2
3693	279,40	x	317,50	x	15,87	GM-L2
3710	304,80	x	361,95	x	25,40	GM-L2
3718	327,02	x	374,65	x	25,40	GM-L2
3726	355,60	x	412,75	x	25,40	GM-L2
3740	430,00	x	480,01	x	22,00	GM-L2
3773	527,05	x	577,85	x	22,22	GM-L2
3793	431,80	x	463,55	x	15,87	GM-L2
3816	206,37	x	257,43	x	19,05	GM-L2
3817	209,55	x	234,95	x	15,87	GM-L2
3819	209,55	x	254,00	x	19,05	GM-L2
3832	225,42	x	257,17	x	15,87	GM-L2
3853	304,80	x	355,60	x	15,87	GM-L2
3866	368,30	x	412,75	x	15,87	GM-L2
3868	419,10	x	450,85	x	19,05	GM-L2
3882	340,00	x	380,01	x	18,01	GM-L2
3919	170,00	x	200,00	x	16,00	GM-L2
3935	215,90	x	241,30	x	15,87	GM-L2
3951	222,25	x	273,05	x	19,05	GM-L2

code	B		A		H	type
3992	254,00	x	292,10	x	17,45	GM-L2
4003	257,17	x	304,80	x	19,05	GM-L2
4006	266,70	x	317,50	x	15,87	GM-L2
4008	260,35	x	311,15	x	15,87	GM-L2
4041	311,15	x	349,25	x	15,87	GM-L2
4051	288,92	x	330,20	x	19,05	GM-L2
4072	304,80	x	355,60	x	20,62	GM-L2
4082	317,50	x	368,30	x	19,05	GM-L2
4086	320,67	x	358,77	x	19,05	GM-L2
4095	330,20	x	371,47	x	19,05	GM-L2
4098	330,20	x	381,00	x	19,05	GM-L2
4127	342,90	x	393,70	x	19,05	GM-L2
4142	368,30	x	406,40	x	17,48	GM-L2
4155	381,00	x	431,80	x	19,05	GM-L2
4162	393,70	x	431,80	x	19,05	GM-L2
4198	444,50	x	495,30	x	17,45	GM-L2
4216	469,90	x	520,70	x	22,22	GM-L2
4231	508,00	x	558,80	x	15,87	GM-L2
4246	520,70	x	571,50	x	22,22	GM-L2
4254	539,75	x	590,55	x	22,22	GM-L2
4269	558,80	x	596,90	x	19,05	GM-L2
4393	440,00	x	480,01	x	19,99	GM-L2
4394	359,99	x	400,00	x	18,01	GM-L2
4405	876,30	x	927,10	x	22,22	GM-L2
4496	317,50	x	355,60	x	15,87	GM-L2
4501	214,33	x	254,00	x	15,87	GM-L2
4503	228,60	x	254,00	x	15,87	GM-L2
4505	228,60	x	260,35	x	15,87	GM-L2
4515	247,65	x	279,40	x	15,87	GM-L2
4626	692,15	x	742,95	x	22,22	GM-L2
4803	231,77	x	800,00	x	19,99	GM-L2
4917	759,99	x	780,00	x	19,99	GM-L2
4936	389,99	x	440,00	x	24,99	GM-L2
4950	254,00	x	292,10	x	15,87	GM-L2
4999	259,99	x	319,99	x	24,99	GM-L2
5054	444,50	x	488,95	x	17,48	GM-L2
5111	259,99	x	290,02	x	16,00	GM-L2
5317	200,00	x	230,00	x	16,00	GM-L2
5335	150,01	x	180,01	x	14,00	GM-L2
5357	219,99	x	249,99	x	14,99	GM-L2
5359	240,00	x	270,00	x	15,09	GM-L2
5429	259,99	x	300,02	x	19,99	GM-L2

AZIENDA CON SISTEMA QUALITÀ
CERTIFICATO DA DNV
=UNI EN ISO 9001/2000=

OIL SEALS TYPE 'GM-L2'

Ordered according to code

Technical description at page 22

code	B		A		H	type
5465	273,05	x	323,85	x	15,87	GM-L2
5987	369,90	x	406,40	x	15,87	GM-L2
6386	222,25	x	254,00	x	15,87	GM-L2
6646	225,42	x	276,22	x	19,05	GM-L2
6808	254,00	x	285,75	x	15,87	GM-L2
7059	469,90	x	520,70	x	19,05	GM-L2
7263	292,10	x	323,85	x	15,87	GM-L2
7268	170,00	x	200,02	x	14,99	GM-L2
7805	330,20	x	368,30	x	15,87	GM-L2
7832	285,75	x	323,85	x	15,87	GM-L2
9000	107,95	x	139,70	x	15,87	GM-L2
9001	206,37	x	257,17	x	32,53	GM-L2
9002	114,30	x	152,40	x	15,87	GM-L2
9003	760,00	x	824,00	x	25,00	GM-L2
9004	810,00	x	874,00	x	25,00	GM-L2

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS 'L' TYPE

Technical description at page 23

Keeping the 'ID' (B) and the 'h' it will be possible to produce the seal with the OD (A) and with the H as per your request according to our indications.

* up to	ø 100			øe = øi + 20	A = B + 20
* from	ø 101	to	ø 150	øe = øi + 25	A = B + 25
* from	ø 151	to	ø 300	øe = øi + 30	A = B + 30
* above	ø 301			øe = øi + 40	A = B + 40

B = nominal shaft diameter
h = width of the sealing lip
H = seal width (h + minimum 2mm)





code	B		h	type
SC00256	60,00	x	7,00	L1P
SC00255	60,00	x	7,00	L1
SC00260	60,30	x	9,00	L1
SC00262	61,90	x	8,00	L1P
SC00265	62,00	x	7,00	L1
SC00270A	62,00	x	8,00	L1P
SC00270	62,00	x	8,00	L1P
SC00275	62,00	x	8,40	L1
SC00277	62,00	x	9,30	L1
SC00280	63,00	x	7,00	L1
SC00285	63,50	x	9,00	L1
SC00291	65,00	x	7,00	L1P
SC00290	65,00	x	7,00	L1
SC00294	65,00	x	7,60	L1
SC00296	65,00	x	8,00	L1
SC00297	65,00	x	8,00	L1
SC00298	65,00	x	8,00	L1P
SC00299	65,00	x	8,20	L1
SC00295	65,00	x	9,00	L1
SC00301	65,00	x	9,30	L1
SC00301A	65,00	x	10,00	L1P
SC00302	66,00	x	8,00	L1
SC00305	66,60	x	7,00	L1
SC00308	66,60	x	8,00	L1
SC00308A	66,60	x	9,40	L1
SC00309	68,00	x	9,00	L1P
SC00310	68,20	x	9,00	L1
SC00315	68,30	x	7,00	L1P

code	B		h	type
SC00320	69,80	x	9,00	L1
SC00325	70,00	x	5,00	L1
SC00326	70,00	x	5,00	L1P
SC00327	70,00	x	5,50	L1
SC00330	70,00	x	6,20	L1P
SC00335	70,00	x	8,20	L1
SC00337	70,00	x	9,00	L1P
SC00339	72,00	x	8,00	L1
SC00340	72,00	x	8,00	L1P
SC00345	72,00	x	9,00	L1
SC00348	73,00	x	9,00	L1
SC00350	73,30	x	7,00	L1P
SC00355	75,00	x	8,00	L1
SC00357	75,00	x	8,00	L1P
SC00360	75,00	x	9,00	L1P
SC00362	75,00	x	11,00	L1P
SC00365	75,40	x	8,00	L1
SC00367	75,40	x	9,00	L1P
SC00370	76,20	x	7,00	L1
SC00372	76,20	x	8,50	L1P
SC00375	76,50	x	7,00	L1
SC00378	78,00	x	8,00	L1
SC00379	79,30	x	9,00	L1P
SC00380	79,40	x	6,00	L1
SC00383	80,00	x	6,50	L1
SC00386	80,00	x	7,00	L1P
SC00385	80,00	x	7,00	L1
SC00385A	80,00	x	7,60	L1
SC00390	80,00	x	8,00	L1P
SC00395	80,00	x	8,20	L1
SC00396	80,00	x	8,20	L1P
SC00397	80,00	x	8,20	L1
SC00401	80,00	x	9,00	L1P
SC00399	80,00	x	9,00	L1
SC00405	82,00	x	9,00	L1
SC00407	82,00	x	9,00	L1P
SC00410	82,50	x	5,50	L1
SC00412	82,50	x	8,60	L1
SC00415	84,00	x	9,00	L1
SC00416	84,00	x	9,00	L1P

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS 'L' TYPE

Technical description at page 23

Keeping the 'ID' (B) and the 'h' it will be possible to produce the seal with the OD (A) and with the H as per your request according to our indications.

code	B		h	type
SC00418	85,00	x	6,50	L1
SC00420	85,00	x	7,00	L1
SC00423	85,00	x	7,00	L1P
SC00425	85,00	x	8,00	L1
SC00428	85,00	x	9,00	L1
SC00431	85,00	x	9,00	L1P
SC00428	85,00	x	9,00	L1
SC00437	87,00	x	9,00	L1
SC00438	88,00	x	8,00	L1
SC00439A	88,90	x	8,40	L1
SC00439	88,90	x	8,40	L1P
SC00440	88,90	x	9,00	L1
SC00445	89,00	x	6,00	L1
SC00450	90,00	x	5,50	L1
SC00452	90,00	x	6,50	L1
SC00456	90,00	x	7,00	L1P
SC00459	90,00	x	8,00	L1
SC00465	90,00	x	9,00	L1
SC00467	90,00	x	9,00	L1P
SC00470	90,00	x	10,00	L1P
SC00475	92,00	x	9,00	L1
SC00480	92,00	x	14,00	L1
SC00481	92,10	x	9,00	L1
SC00485	93,60	x	9,00	L1P
SC00490	94,00	x	9,00	L1
SC00493	95,00	x	6,50	L1
SC00494	95,00	x	7,00	L1P
SC00500	95,00	x	8,50	L1
SC00505	95,00	x	9,00	L1
SC00505	95,00	x	9,00	L1
SC00507	95,00	x	10,00	L1P
SC00508	95,10	x	9,00	L1
SC00509	95,20	x	9,00	L1
SC00509A	96,00	x	7,00	L1
SC00510	96,00	x	9,00	L1
SC00515	96,80	x	9,00	L1
SC00521	98,00	x	9,00	L1P
SC00520	98,00	x	9,00	L1
SC00525	98,40	x	8,20	L1
SC00530	100,00	x	5,80	L1

code	B		h	type
SC00535	100,00	x	8,00	L1P
SC00536	100,00	x	9,00	L1
SC00541	100,00	x	9,00	L1P
SC00545	100,00	x	12,00	L1P
SC00547	101,60	x	6,50	L1
SC00550	101,60	x	9,00	L1
SC00548	101,60	x	9,00	L1P
SC00555	105,00	x	6,20	L1P
SC00560	105,00	x	6,40	L1
SC00563	105,00	x	9,00	L1P
SC00564	105,00	x	9,00	L1
SC00570	108,00	x	10,00	L1
SC00575	109,50	x	10,00	L1
SC00580	110,00	x	6,40	L1
SC00585	110,00	x	7,00	L1
SC00590	110,00	x	8,00	L1
SC00595	110,00	x	8,20	L1P
SC00599	110,00	x	9,00	L1
SC00601	110,00	x	9,00	L1P
SC00605	110,00	x	10,00	L1
SC00610	111,10	x	11,50	L1
SC00613	114,00	x	11,00	L1P
SC00615	114,30	x	7,00	L1
SC00618	114,30	x	9,00	L1
SC00622	114,30	x	10,00	L1
SC00625	115,00	x	6,00	L1
SC00628	115,00	x	9,00	L1
SC00629	115,00	x	9,60	L1
SC00631	115,00	x	9,60	L1P
SC00633	115,00	x	10,00	L1P
SC00635	115,00	x	10,00	L1
SC00640	116,00	x	7,00	L1P
SC00642	116,00	x	7,50	L1
SC00645	117,40	x	9,00	L1
SC00648	119,00	x	9,00	L1
SC00650	120,00	x	9,00	L1P
SC00651	120,00	x	9,00	L1
SC00652	120,00	x	10,00	L1
SC00654	120,00	x	11,00	L1P
SC00664	120,30	x	2,00	L1P

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS 'L' TYPE

Technical description at page 23

Keeping the 'ID' (B) and the 'h' it will be possible to produce the seal with the OD (A) and with the H as per your request according to our indications.

code	B		h	type
SC00655	120,30	x	9,00	L1
SC00656	120,30	x	9,00	L1P
SC00664A	120,30	x	11,00	L1P
SC00666	120,80	x	10,00	L1P
SC00665	120,80	x	10,00	L1
SC00667	120,80	x	13,00	L1
SC00670	122,00	x	9,00	L1
SC00675	124,00	x	10,00	L1
SC00678	125,00	x	6,50	L1
SC00680	125,00	x	8,00	L1
SC00682	125,00	x	9,00	L1
SC00684	125,00	x	9,00	L1P
SC00690	125,00	x	12,00	L1
SC00692	125,00	x	12,40	L1
SC00700	127,00	x	9,00	L1P
SC00695	127,00	x	9,00	L1
SC00701	127,10	x	9,00	L1
SC00703	128,00	x	9,00	L1P
SC00705	128,50	x	9,00	L1
SC00710	128,60	x	5,80	L1
SC00715	130,00	x	6,00	L1
SC00730	130,00	x	7,00	L1
SC00733	130,00	x	8,00	L1
SC00734	130,00	x	9,00	L1
SC00735A	130,00	x	10,00	L1P
SC00735	130,00	x	10,00	L1
SC00738	133,30	x	3,00	L1
SC00739	133,30	x	8,60	L1
SC00740	133,30	x	9,00	L1
SC00741	133,30	x	9,00	L1P
SC00745	133,30	x	13,00	L1
SC00747	134,00	x	9,00	L1P
SC00750	135,00	x	9,00	L1
SC00755	135,00	x	9,00	L1P
SC00760	136,50	x	10,00	L1
SC00765	136,50	x	11,00	L1P
SC00770	138,50	x	10,00	L1
SC00775	139,60	x	10,00	L1
SC00780	140,00	x	9,00	L1
SC00781	140,00	x	9,00	L1P

code	B		h	type
SC00783	140,00	x	10,00	L1P
SC00782	140,00	x	10,00	L1
SC00784	142,00	x	9,00	L1P
SC00785	142,80	x	11,00	L1
SC00790	143,00	x	8,00	L1P
SC00792	145,00	x	7,50	L1
SC00793	145,00	x	8,00	L1
SC00796	145,00	x	9,00	L1P
SC00795	145,00	x	9,00	L1
SC00800	145,00	x	11,00	L1
SC00803	146,00	x	11,00	L1
SC00805	146,50	x	7,00	L1
SC00815	148,00	x	9,00	L1
SC00821	148,00	x	11,00	L1P
SC00825	150,00	x	10,00	L1
SC00826	150,00	x	10,00	L1P
SC00831	150,00	x	12,00	L1P
SC00833	150,00	x	13,00	L1P
SC00835	152,40	x	11,00	L1
SC00840	155,00	x	9,00	L1
SC00842	155,00	x	9,00	L1P
SC00845	155,00	x	15,00	L1P
SC00850	156,00	x	10,00	L1
SC00852	156,50	x	6,70	L1
SC00855	156,50	x	7,80	L1
SC00864	158,70	x	9,00	L1
SC00871	159,00	x	10,00	L1P
SC00875	160,00	x	7,00	L1
SC00878	160,00	x	7,80	L1
SC00880	160,00	x	9,00	L1
SC00886	160,00	x	10,00	L1P
SC00885	160,00	x	10,00	L1
SC00890	160,00	x	11,00	L1P
SC00896	162,00	x	8,40	L1
SC00900	162,00	x	10,00	L1
SC00902	163,00	x	9,00	L1
SC00904	165,00	x	7,50	L1
SC00905	165,00	x	7,60	L1
SC00910	165,00	x	10,00	L1
SC00911	165,00	x	10,00	L1P

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS 'L' TYPE

Technical description at page 23

Keeping the 'ID' (B) and the 'h' it will be possible to produce the seal with the OD (A) and with the H as per your request according to our indications.

code	B		h	type
SC00913	165,00	x	12,00	L1
SC00916	165,00	x	19,00	L1P
SC00920	168,00	x	11,00	L1P
SC00925	168,00	x	13,00	L1
SC00928	170,00	x	9,00	L1
SC00936	170,00	x	11,00	L1P
SC00934	170,00	x	11,00	L1
SC00941	171,50	x	12,00	L1
SC00945	173,00	x	10,00	L1
SC00951	174,60	x	13,00	L1P
SC00960	175,00	x	10,00	L1
SC00965	175,00	x	12,00	L1
SC00970	177,80	x	12,00	L1
SC00980	177,80	x	13,00	L1P
SC00980A	177,80	x	13,00	L1
SC00985	177,80	x	15,00	L1
SC00990	180,00	x	7,00	L1
SC00995	180,00	x	8,50	L1
SC01001	180,00	x	11,00	L1P
SC01004	180,00	x	12,00	L1
SC01005	180,00	x	12,50	L1
SC01006	180,00	x	12,50	L1P
SC01010	182,00	x	11,00	L1
SC01015	185,00	x	10,00	L1
SC01018	186,00	x	12,00	L1
SC01020	187,00	x	8,50	L1
SC01021	188,00	x	12,00	L1
SC01022	190,00	x	7,00	L1P
SC01025	190,00	x	12,00	L1
SC01030	190,00	x	12,50	L1
SC01031	190,00	x	12,50	L1P
SC01035	192,00	x	9,00	L1
SC01038	195,00	x	8,00	L1
SC01041	195,00	x	11,00	L1P
SC01040	195,00	x	11,00	L1
SC01045	196,00	x	11,00	L1
SC01052	200,00	x	11,00	L1P
SC01050	200,00	x	11,00	L1
SC01054	200,00	x	12,00	L1
SC01055	203,00	x	11,00	L1

code	B		h	type
SC01061	203,20	x	13,00	L1P
SC01066	205,00	x	12,00	L1P
SC01065	205,00	x	12,00	L1
SC01070	205,00	x	16,00	L1
SC01073	208,00	x	12,00	L1
SC01075	209,00	x	12,00	L1
SC01077	209,50	x	9,00	L1
SC01078	209,50	x	14,00	L1
SC01081	210,00	x	11,00	L1P
SC01085	210,00	x	12,00	L1
SC01090	211,00	x	11,00	L1
SC01095	215,00	x	7,40	L1
SC01100	215,00	x	11,50	L1
SC01101	215,00	x	11,50	L1P
SC01105	216,00	x	11,50	L1
SC01111	216,00	x	17,00	L1P
SC01115	219,00	x	9,00	L1
SC01118	220,00	x	7,50	L1
SC01120	220,00	x	10,00	L1
SC01126	220,00	x	12,00	L1P
SC01125	220,00	x	12,00	L1
SC01130	222,20	x	12,00	L1
SC01133	225,00	x	7,00	L1
SC01135	225,00	x	12,50	L1
SC01140	226,20	x	13,80	L1
SC01145	228,00	x	15,00	L1
SC01150	228,50	x	10,00	L1
SC01152	228,60	x	14,50	L1P
SC01155	230,00	x	6,50	L1
SC01160	230,00	x	9,00	L1
SC01165	230,00	x	11,00	L1
SC01168	230,00	x	12,00	L1P
SC01167	230,00	x	12,00	L1
SC01169	235,00	x	12,00	L1
SC01170	235,00	x	12,00	L1P
SC01175	235,00	x	16,00	L1
SC01176	240,00	x	7,50	L1
SC01178	240,00	x	9,00	L1P
SC01181	240,00	x	11,00	L1P
SC01182	240,00	x	11,00	L1

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS 'L' TYPE

Technical description at page 23

Keeping the 'ID' (B) and the 'h' it will be possible to produce the seal with the OD (A) and with the H as per your request according to our indications.

code	B		h	type
SC01183	240,00	x	12,00	L1
SC01185	240,00	x	12,50	L1
SC01190	241,30	x	8,00	L1
SC01195	241,30	x	20,00	L1
SC01200	245,00	x	12,00	L1
SC01203	247,00	x	15,00	L1
SC01205	247,50	x	11,00	L1
SC01215	250,00	x	12,00	L1
SC01216	250,00	x	12,00	L1P
SC01220	250,80	x	13,50	L1
SC01225	254,00	x	10,00	L1
SC01230	254,00	x	15,00	L1
SC01235	254,00	x	17,00	L1
SC01240	255,00	x	12,00	L1
SC01245	258,00	x	12,50	L1
SC01248	260,00	x	8,60	L1
SC01250	260,00	x	11,00	L1
SC01251A	260,00	x	12,00	L1P
SC01253	260,00	x	13,00	L1
SC01255	260,00	x	14,00	L1
SC01260	263,50	x	16,00	L1
SC01265	265,00	x	12,00	L1
SC01266	265,80	x	12,50	L1
SC01270	266,70	x	13,00	L1
SC01272	266,70	x	19,00	L1
SC01280	270,00	x	8,00	L1
SC01283	270,00	x	10,00	L1
SC01285	270,00	x	12,00	L1
SC01286	270,00	x	12,00	L1P
SC01290	272,00	x	12,00	L1
SC01293	273,00	x	11,00	L1
SC01296	273,00	x	12,50	L1P
SC01298	275,00	x	7,00	L1
SC01300	275,00	x	12,50	L1
SC01305	279,20	x	7,00	L1
SC01310	280,00	x	9,20	L1
SC01315	280,00	x	12,00	L1
SC01316	280,00	x	12,00	L1P
SC01320	280,00	x	14,00	L1
SC01323	285,00	x	7,00	L1

code	B		h	type
SC01325	285,00	x	12,00	L1
SC01327	285,70	x	21,50	L1
SC01330	285,70	x	34,00	L1
SC01335	287,00	x	14,00	L1
SC01338	289,00	x	14,00	L1
SC1340A	290,00	x	10,00	L1P
SC01340	290,00	x	12,00	L1
SC01341	290,00	x	12,00	L1P
SC01345	292,00	x	15,00	L1
SC01350	295,00	x	14,00	L1
SC01355	297,00	x	13,00	L1
SC01358	298,50	x	12,00	L1
SC01360A	300,00	x	13,00	L1
SC01361	300,00	x	13,00	L1P
SC01360	300,00	x	13,00	L1
SC01364	300,00	x	16,00	L1P
SC01365	305,00	x	12,00	L1
SC01370	305,00	x	18,00	L1
SC01378	310,00	x	8,00	L1
SC01380	310,00	x	12,00	L1
SC01384	310,00	x	14,00	L1
SC01385	310,00	x	15,00	L1
SC01387	310,00	x	20,00	L1P
SC01389	312,00	x	20,00	L1
SC01390	312,00	x	20,00	L1P
SC01392	314,30	x	21,50	L1
SC01396	315,00	x	13,00	L1
SC01395	315,00	x	13,00	L1
SC01400	317,50	x	14,00	L1
SC01403	320,00	x	14,00	L1P
SC01405	320,00	x	15,00	L1
SC01407A	320,00	x	16,00	L1P
SC01407	320,00	x	16,00	L1
SC01410	325,00	x	12,00	L1
SC01415	330,00	x	14,00	L1
SC01416	330,00	x	14,00	L1P
SC01417	330,00	x	20,00	L1P
SC01420	335,00	x	14,00	L1
SC014253	340,00	x	10,00	L1
SC01425	340,00	x	10,00	L1

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS 'L' TYPE

Technical description at page 23

Keeping the 'ID' (B) and the 'h' it will be possible to produce the seal with the OD (A) and with the H as per your request according to our indications.

code	B		h	type
SC01431	340,00	x	14,00	L1P
SC01430	340,00	x	14,00	L1
SC01435	343,00	x	11,00	L1
SC01440	345,00	x	14,00	L1
SC01445	350,00	x	9,40	L1
SC01450	350,00	x	12,00	L1
SC01452	350,00	x	14,00	L1
SC01455	350,00	x	15,00	L1
SC01460	353,00	x	9,00	L1
SC01465	355,00	x	15,00	L1
SC01470A	360,00	x	15,00	L1
SC01471	360,00	x	15,00	L1P
SC01470	360,00	x	15,00	L1
SC01472	360,00	x	16,00	L1
SC01472A	360,00	x	16,00	L1P
SC01473	360,00	x	20,00	L1P
SC01475	365,00	x	14,00	L1
SC01480	368,30	x	16,00	L1
SC01485	370,00	x	12,00	L1
SC01490	370,00	x	16,00	L1
SC01494	380,00	x	8,50	L1
SC01495	380,00	x	12,00	L1
SC01501	380,00	x	14,00	L1P
SC01500	380,00	x	14,00	L1
SC01503	380,00	x	16,00	L1
SC01505	384,00	x	11,00	L1
SC01511	390,00	x	14,00	L1P
SC01510	390,00	x	14,00	L1
SC01515	395,00	x	14,00	L1
SC01530	400,00	x	13,50	L1P
SC01525	400,00	x	14,00	L1
SC01531	400,00	x	15,00	L1
SC01532	400,00	x	16,00	L1P
SC01535	406,00	x	13,50	L1
SC01537	406,00	x	15,00	L1
SC01542	412,70	x	15,00	L1
SC01543	415,00	x	16,00	L1
SC01545	420,00	x	15,00	L1
SC01545A	420,00	x	16,00	L1
SC1545B	420,00	x	16,00	L1P

code	B		h	type
SC01550	430,00	x	12,00	L1
SC01555	430,00	x	15,00	L1
SC01560	430,00	x	20,00	L1
SC01565	431,80	x	15,50	L1
SC01570	438,00	x	15,00	L1
SC01575	440,00	x	15,00	L1
SC01576	440,00	x	15,00	L1P
SC01577	440,00	x	16,00	L1
SC01578A	440,00	x	16,00	L1P
SC01580	440,00	x	20,00	L1
SC01585	445,00	x	12,00	L1
SC01590	450,00	x	14,00	L1
SC01595	460,00	x	16,00	L1
SC01600	465,00	x	14,00	L1
SC01605	467,00	x	9,00	L1
SC01610	467,00	x	16,00	L1
SC01612	468,00	x	16,00	L1
SC01615	469,90	x	16,00	L1
SC01615	469,90	x	16,00	L1
SC01617	475,00	x	16,00	L1
SC016018	480,00	x	9,00	L1
SC01620	480,00	x	16,00	L1
SC01625	482,60	x	16,00	L1
SC01630	485,00	x	18,00	L1
SC01631	490,00	x	16,00	L1
SC01633	495,00	x	16,00	L1
SC01635	500,00	x	16,00	L1
SC01635A	500,00	x	16,00	L1
SC01636	500,00	x	16,00	L1P
SC01640	508,00	x	15,00	L1
SC01645	510,00	x	16,00	L1
SC01650	520,00	x	16,00	L1
SC01652	525,00	x	14,00	L1
SC01655	527,00	x	16,00	L1
SC01658	530,00	x	13,00	L1
SC01660	530,00	x	16,00	L1
SC01662	533,40	x	16,00	L1
SC01663	535,00	x	18,00	L1
SC01664	540,00	x	12,50	L1
SC01664	540,00	x	12,50	L1

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS 'L' TYPE

Technical description at page 23

Keeping the 'ID' (B) and the 'h' it will be possible to produce the seal with the OD (A) and with the H as per your request according to our indications.

code	B		h	type
SC01665	540,00	x	15,00	L1
SC01666	540,00	x	15,00	L1P
SC01670	550,00	x	16,00	L1
SC01671	550,00	x	16,00	L1P
SC01675	555,00	x	15,00	L1
SC01680	558,80	x	20,00	L1
SC01686	560,00	x	15,00	L1P
SC01685	560,00	x	15,00	L1
SC01688A	560,00	x	16,00	L1P
SC01688	560,00	x	16,00	L1
SC01690	570,00	x	16,00	L1
SC01695	575,00	x	16,00	L1
SC01701	580,00	x	16,00	L1P
SC01700	580,00	x	16,00	L1
SC01705	584,00	x	16,00	L1
SC01708	590,00	x	15,00	L1
SC01710	595,00	x	16,00	L1
SC01715	600,00	x	16,00	L1
SC01720	610,00	x	16,00	L1
SC01723	620,00	x	16,00	L1
SC01726	630,00	x	16,00	L1P
SC01725	630,00	x	16,00	L1
SC01729	635,00	x	12,00	L1
SC01730	635,00	x	12,00	L1P
SC01731	640,00	x	18,00	L1
SC01732	644,00	x	16,00	L1
SC01735	647,70	x	16,40	L1
SC01741	650,00	x	18,00	L1P
SC01740	650,00	x	18,00	L1
SC01745	654,00	x	16,00	L1
SC01750A	660,00	x	16,00	L1P
SC01750	660,00	x	16,00	L1
SC01753	670,00	x	16,00	L1
SC01755	670,00	x	18,00	L1
SC01756	670,00	x	20,00	L1P
SC01758	673,00	x	16,00	L1
SC01760	680,00	x	16,00	L1
SC01765	686,00	x	16,00	L1
SC01766	690,00	x	16,00	L1
SC01767	700,00	x	16,00	L1

code	B		h	type
SC01770	710,00	x	16,00	L1
SC01772	715,00	x	16,00	L1
SC01773	737,00	x	16,00	L1
SC01775	740,00	x	20,00	L1
SC01780	750,00	x	16,00	L1
SC01785	760,00	x	16,00	L1
SC01790	770,00	x	16,00	L1
SC01792	780,00	x	16,00	L1
SC01794	790,00	x	18,00	L1
SC01795	794,00	x	17,00	L1
SC01798	800,00	x	12,00	L1
SC01799	800,00	x	16,00	L1
SC01800	810,00	x	16,00	L1
SC01803B	815,00	x	16,00	L1P
SC01803C	816,00	x	16,00	L1
SC01803A	820,00	x	15,40	L1
SC01803	820,00	x	16,00	L1
SC01810	840,00	x	20,00	L1
SC01815	850,00	x	20,00	L1
SC01818	850,90	x	12,60	L1
SC01820	850,90	x	20,00	L1P
SC01822	860,00	x	18,00	L1
SC01824	870,00	x	16,00	L1P
SC01826A	890,00	x	18,00	L1
SC01826A	900,00	x	20,00	L1
SC01827A	915,00	x	20,00	L1
SC01829	927,10	x	16,40	L1
SC01829A	930,00	x	18,00	L1
SC01830	933,40	x	16,40	L1
SC01833	950,00	x	16,00	L1
SC01835	952,40	x	19,20	L1
SC1835A	960,00	x	18,00	L1
SC01836	971,50	x	16,00	L1
SC01837	990,00	x	16,00	L1
SC01837	990,00	x	22,00	L1
SC01838C	1.000,00	x	18,00	L1
SC01840	1.100,00	x	16,00	L1
SC01838B	1.105,00	x	17,20	L1
SC01839	1.105,00	x	18,00	L1
SC01841	1.120,00	x	16,00	L1

AZIENDA CON SISTEMA QUALITÀ
CERTIFICATO DA DNV
=UNI EN ISO 9001/2000=

SPECIAL OIL SEALS 'L' TYPE

Technical description at page 23

Keeping the 'ID' (B) and the 'h' it will be possible to produce the seal with the OD (A) and with the H as per your request according to our indications.

code	B		h	type
SC01843	1.160,00	x	16,00	L1

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS 'L' TYPE

Technical description at page 23

Keeping the 'ID' (B) and the 'h' it will be possible to produce the seal with the OD (A) and with the H as per your request according to our indications.

* up to	ø 100		øe = øi + 20	A = B + 20
* from	ø 101	to ø 150	øe = øi + 25	A = B + 25
* from	ø 151	to ø 300	øe = øi + 30	A = B + 30
* above	ø 301		øe = øi + 40	A = B + 40

B = nominal shaft diameter
h = width of the sealing lip
H = seal width (h + minimum 2mm)





code	B		h	type
SC00255	60,00	x	7,00	L2
SC00256	60,00	x	7,00	L2P
SC00257	60,00	x	7,00	L2P
SC00260	60,30	x	9,00	L2
SC00262	61,90	x	8,00	L2P
SC00265	62,00	x	7,00	L2
SC00270A	62,00	x	8,00	L2P
SC00270	62,00	x	8,00	L2P
SC00275	62,00	x	8,40	L2
SC00277	62,00	x	9,30	L2
SC00280	63,00	x	7,00	L2
SC00285	63,50	x	9,00	L2
SC00290	65,00	x	7,00	L2
SC00291	65,00	x	7,00	L2P
SC00294	65,00	x	7,60	L2
SC00296	65,00	x	8,00	L2
SC00297	65,00	x	8,00	L2
SC00298	65,00	x	8,00	L2P
SC00299	65,00	x	8,20	L2
SC00295	65,00	x	9,00	L2
SC00301	65,00	x	9,30	L2
SC00301A	65,00	x	10,00	L2P
SC00302	66,00	x	8,00	L2
SC00305	66,60	x	7,00	L2
SC00308	66,60	x	8,00	L2
SC00308A	66,60	x	9,40	L2
SC00309	68,00	x	9,00	L2P
SC00310	68,20	x	9,00	L2
SC00315	68,30	x	7,00	L2P
SC00320	69,80	x	9,00	L2
SC00326	70,00	x	5,00	L2P
SC00325	70,00	x	5,00	L2
SC00327	70,00	x	5,50	L2
SC00330	70,00	x	6,20	L2P
SC00335	70,00	x	8,20	L2
SC00337	70,00	x	9,00	L2P
SC00339	72,00	x	8,00	L2
SC00340	72,00	x	8,00	L2P
SC00345	72,00	x	9,00	L2
SC00348	73,00	x	9,00	L2
SC00350	73,30	x	7,00	L2P
SC00355	75,00	x	8,00	L2
SC00357	75,00	x	8,00	L2P
SC00360	75,00	x	9,00	L2P
SC00362	75,00	x	11,00	L2P
SC00365	75,40	x	8,00	L2
SC00367	75,40	x	9,00	L2P
SC00370	76,20	x	7,00	L2
SC00372	76,20	x	8,50	L2P
SC00375	76,50	x	7,00	L2
SC00378	78,00	x	8,00	L2
SC00379	79,30	x	9,00	L2P
SC00380	79,40	x	6,00	L2
SC00383	80,00	x	6,50	L2
SC00386	80,00	x	7,00	L2P
SC00385	80,00	x	7,00	L2
SC00385A	80,00	x	7,60	L2
SC00390	80,00	x	8,00	L2P
SC00396	80,00	x	8,20	L2P
SC00397	80,00	x	8,20	L2
SC00395	80,00	x	8,20	L2
SC00399	80,00	x	9,00	L2
SC00401	80,00	x	9,00	L2P
SC00407	82,00	x	9,00	L2P
SC00405	82,00	x	9,00	L2
SC00410	82,50	x	5,50	L2

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS 'L' TYPE

Technical description at page 23

Keeping the 'ID' (B) and the 'h' it will be possible to produce the seal with the OD (A) and with the H as per your request according to our indications.

code	B		h	type
SC00412	82,50	x	8,60	L2
SC00415	84,00	x	9,00	L2
SC00416	84,00	x	9,00	L2P
SC00418	85,00	x	6,50	L2
SC00420	85,00	x	7,00	L2
SC00423	85,00	x	7,00	L2P
SC00425	85,00	x	8,00	L2
SC00428	85,00	x	9,00	L2
SC00431	85,00	x	9,00	L2P
SC00428	85,00	x	9,00	L2
SC00437	87,00	x	9,00	L2
SC00438	88,00	x	8,00	L2
SC00439	88,90	x	8,40	L2P
SC00439A	88,90	x	8,40	L2
SC00440	88,90	x	9,00	L2
SC00445	89,00	x	6,00	L2
SC00450	90,00	x	5,50	L2
SC00452	90,00	x	6,50	L2
SC00456	90,00	x	7,00	L2P
SC00459	90,00	x	8,00	L2
SC00467	90,00	x	9,00	L2P
SC00465	90,00	x	9,00	L2
SC00470	90,00	x	10,00	L2P
SC00475	92,00	x	9,00	L2
SC00480	92,00	x	14,00	L2
SC00481	92,10	x	9,00	L2
SC00485	93,60	x	9,00	L2P
SC00490	94,00	x	9,00	L2
SC00493	95,00	x	6,50	L2
SC00494	95,00	x	7,00	L2P
SC00500	95,00	x	8,50	L2
SC00505	95,00	x	9,00	L2
SC00505	95,00	x	9,00	L2
SC00507	95,00	x	10,00	L2P
SC00508	95,10	x	9,00	L2
SC00509	95,20	x	9,00	L2
SC00509A	96,00	x	7,00	L2
SC00510	96,00	x	9,00	L2
SC00515	96,80	x	9,00	L2

code	B		h	type
SC00520	98,00	x	9,00	L2
SC00521	98,00	x	9,00	L2P
SC00525	98,40	x	8,20	L2
SC00530	100,00	x	5,80	L2
SC00535	100,00	x	8,00	L2P
SC00536	100,00	x	9,00	L2
SC00541	100,00	x	9,00	L2P
SC00545	100,00	x	12,00	L2P
SC00547	101,60	x	6,50	L2
SC00548	101,60	x	9,00	L2P
SC00550	101,60	x	9,00	L2
SC00555	105,00	x	6,20	L2P
SC00560	105,00	x	6,40	L2
SC00564	105,00	x	9,00	L2
SC00563	105,00	x	9,00	L2P
SC00570	108,00	x	10,00	L2
SC00575	109,50	x	10,00	L2
SC00580	110,00	x	6,40	L2
SC00585	110,00	x	7,00	L2
SC00590	110,00	x	8,00	L2
SC00595	110,00	x	8,20	L2P
SC00599	110,00	x	9,00	L2
SC00601	110,00	x	9,00	L2P
SC00605	110,00	x	10,00	L2
SC00610	111,10	x	11,50	L2
SC00613	114,00	x	11,00	L2P
SC00615	114,30	x	7,00	L2
SC00618	114,30	x	9,00	L2
SC00622	114,30	x	10,00	L2
SC00625	115,00	x	6,00	L2
SC00628	115,00	x	9,00	L2
SC00629	115,00	x	9,60	L2
SC00631	115,00	x	9,60	L2P
SC00633	115,00	x	10,00	L2P
SC00635	115,00	x	10,00	L2
SC00640	116,00	x	7,00	L2P
SC00642	116,00	x	7,50	L2
SC00645	117,40	x	9,00	L2
SC00648	119,00	x	9,00	L2

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS 'L' TYPE

Technical description at page 23

Keeping the 'ID' (B) and the 'h' it will be possible to produce the seal with the OD (A) and with the H as per your request according to our indications.

code	B		h	type
SC00650	120,00	x	9,00	L2P
SC00651	120,00	x	9,00	L2
SC00652	120,00	x	10,00	L2
SC00654	120,00	x	11,00	L2P
SC00664	120,30	x	2,00	L2P
SC00656	120,30	x	9,00	L2P
SC00655	120,30	x	9,00	L2
SC00664A	120,30	x	11,00	L2P
SC00666	120,80	x	10,00	L2P
SC00665	120,80	x	10,00	L2
SC00667	120,80	x	13,00	L2
SC00670	122,00	x	9,00	L2
SC00675	124,00	x	10,00	L2
SC00678	125,00	x	6,50	L2
SC00680	125,00	x	8,00	L2
SC00682	125,00	x	9,00	L2
SC00684	125,00	x	9,00	L2P
SC00690	125,00	x	12,00	L2
SC00692	125,00	x	12,40	L2
SC00697	127,00	x	9,00	L2
SC00700	127,00	x	9,00	L2P
SC00695	127,00	x	9,00	L2
SC00701	127,10	x	9,00	L2
SC00703	128,00	x	9,00	L2P
SC00705	128,50	x	9,00	L2
SC00710	128,60	x	5,80	L2
SC00715	130,00	x	6,00	L2
SC00730	130,00	x	7,00	L2
SC00733	130,00	x	8,00	L2
SC00734	130,00	x	9,00	L2
SC00735	130,00	x	10,00	L2
SC00735A	130,00	x	10,00	L2P
SC00738	133,30	x	3,00	L2
SC00739	133,30	x	8,60	L2
SC00740	133,30	x	9,00	L2
SC00741	133,30	x	9,00	L2P
SC00745	133,30	x	13,00	L2
SC00747	134,00	x	9,00	L2P
SC00750	135,00	x	9,00	L2

code	B		h	type
SC00755	135,00	x	9,00	L2P
SC00760	136,50	x	10,00	L2
SC00765	136,50	x	11,00	L2P
SC00770	138,50	x	10,00	L2
SC00775	139,60	x	10,00	L2
SC00780	140,00	x	9,00	L2
SC00781	140,00	x	9,00	L2P
SC00782	140,00	x	10,00	L2
SC00783	140,00	x	10,00	L2P
SC00784	142,00	x	9,00	L2P
SC00785	142,80	x	11,00	L2
SC00790	143,00	x	8,00	L2P
SC00792	145,00	x	7,50	L2
SC00793	145,00	x	8,00	L2
SC00795	145,00	x	9,00	L2
SC00796	145,00	x	9,00	L2P
SC00800	145,00	x	11,00	L2
SC00803	146,00	x	11,00	L2
SC00805	146,50	x	7,00	L2
SC00815	148,00	x	9,00	L2
SC00821	148,00	x	11,00	L2P
SC00826	150,00	x	10,00	L2P
SC00825	150,00	x	10,00	L2
SC00831	150,00	x	12,00	L2P
SC00833	150,00	x	13,00	L2P
SC00835	152,40	x	11,00	L2
SC00840	155,00	x	9,00	L2
SC00842	155,00	x	9,00	L2P
SC00845	155,00	x	15,00	L2P
SC00850	156,00	x	10,00	L2
SC00852	156,50	x	6,70	L2
SC00855	156,50	x	7,80	L2
SC00864	158,70	x	9,00	L2
SC00871	159,00	x	10,00	L2P
SC00875	160,00	x	7,00	L2
SC00878	160,00	x	7,80	L2
SC00880	160,00	x	9,00	L2
SC00885	160,00	x	10,00	L2
SC00886	160,00	x	10,00	L2P

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS 'L' TYPE

Technical description at page 23

Keeping the 'ID' (B) and the 'h' it will be possible to produce the seal with the OD (A) and with the H as per your request according to our indications.

code	B		h	type
SC00890	160,00	x	11,00	L2P
SC00896	162,00	x	8,40	L2
SC00900	162,00	x	10,00	L2
SC00902	163,00	x	9,00	L2
SC00904	165,00	x	7,50	L2
SC00905	165,00	x	7,60	L2
SC00910	165,00	x	10,00	L2
SC00911	165,00	x	10,00	L2P
SC00913	165,00	x	12,00	L2
SC00916	165,00	x	19,00	L2P
SC00920	168,00	x	11,00	L2P
SC00925	168,00	x	13,00	L2
SC00928	170,00	x	9,00	L2
SC00934	170,00	x	11,00	L2
SC00936	170,00	x	11,00	L2P
SC00941	171,50	x	12,00	L2
SC00945	173,00	x	10,00	L2
SC00951	174,60	x	13,00	L2P
SC00960	175,00	x	10,00	L2
SC00965	175,00	x	12,00	L2
SC00970	177,80	x	12,00	L2
SC00980	177,80	x	13,00	L2P
SC00980A	177,80	x	13,00	L2
SC00985	177,80	x	15,00	L2
SC00990	180,00	x	7,00	L2
SC00995	180,00	x	8,50	L2
SC01001	180,00	x	11,00	L2P
SC01004	180,00	x	12,00	L2
SC01005	180,00	x	12,50	L2
SC01006	180,00	x	12,50	L2P
SC01010	182,00	x	11,00	L2
SC01015	185,00	x	10,00	L2
SC01018	186,00	x	12,00	L2
SC01020	187,00	x	8,50	L2
SC01021	188,00	x	12,00	L2
SC01022	190,00	x	7,00	L2P
SC01025	190,00	x	12,00	L2
SC01030	190,00	x	12,50	L2
SC01031	190,00	x	12,50	L2P

code	B		h	type
SC01035	192,00	x	9,00	L2
SC01038	195,00	x	8,00	L2
SC01040	195,00	x	11,00	L2
SC01041	195,00	x	11,00	L2P
SC01045	196,00	x	11,00	L2
SC01050	200,00	x	11,00	L2
SC01052	200,00	x	11,00	L2P
SC01054	200,00	x	12,00	L2
SC01055	203,00	x	11,00	L2
SC01061	203,20	x	13,00	L2P
SC01065	205,00	x	12,00	L2
SC01066	205,00	x	12,00	L2P
SC01070	205,00	x	16,00	L2
SC01073	208,00	x	12,00	L2
SC01075	209,00	x	12,00	L2
SC01077	209,50	x	9,00	L2
SC01078	209,50	x	14,00	L2
SC01081	210,00	x	11,00	L2P
SC01085	210,00	x	12,00	L2
SC01090	211,00	x	11,00	L2
SC01095	215,00	x	7,40	L2
SC01100	215,00	x	11,50	L2
SC01101	215,00	x	11,50	L2P
SC01105	216,00	x	11,50	L2
SC01111	216,00	x	17,00	L2P
SC01115	219,00	x	9,00	L2
SC01118	220,00	x	7,50	L2
SC01120	220,00	x	10,00	L2
SC01125	220,00	x	12,00	L2
SC01126	220,00	x	12,00	L2P
SC01130	222,20	x	12,00	L2
SC01133	225,00	x	7,00	L2
SC01135	225,00	x	12,50	L2
SC01140	226,20	x	13,80	L2
SC01145	228,00	x	15,00	L2
SC01150	228,50	x	10,00	L2
SC01152	228,60	x	14,50	L2P
SC01155	230,00	x	6,50	L2
SC01160	230,00	x	9,00	L2

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS 'L' TYPE

Technical description at page 23

Keeping the 'ID' (B) and the 'h' it will be possible to produce the seal with the OD (A) and with the H as per your request according to our indications.

code	B		h	type
SC01165	230,00	x	11,00	L2
SC01168	230,00	x	12,00	L2P
SC01167	230,00	x	12,00	L2
SC01169	235,00	x	12,00	L2
SC01170	235,00	x	12,00	L2P
SC01175	235,00	x	16,00	L2
SC01176	240,00	x	7,50	L2
SC01178	240,00	x	9,00	L2P
SC01181	240,00	x	11,00	L2P
SC01182	240,00	x	11,00	L2
SC01183	240,00	x	12,00	L2
SC01185	240,00	x	12,50	L2
SC01190	241,30	x	8,00	L2
SC01195	241,30	x	20,00	L2
SC01200	245,00	x	12,00	L2
SC01203	247,00	x	15,00	L2
SC01205	247,50	x	11,00	L2
SC01215	250,00	x	12,00	L2
SC01216	250,00	x	12,00	L2P
SC01220	250,80	x	13,50	L2
SC01225	254,00	x	10,00	L2
SC01230	254,00	x	15,00	L2
SC01235	254,00	x	17,00	L2
SC01240	255,00	x	12,00	L2
SC01245	258,00	x	12,50	L2
SC01248	260,00	x	8,60	L2
SC01250	260,00	x	11,00	L2
SC01251A	260,00	x	12,00	L2P
SC01253	260,00	x	13,00	L2
SC01255	260,00	x	14,00	L2
SC01260	263,50	x	16,00	L2
SC01265	265,00	x	12,00	L2
SC01266	265,80	x	12,50	L2
SC01270	266,70	x	13,00	L2
SC01272	266,70	x	19,00	L2
SC01280	270,00	x	8,00	L2
SC01283	270,00	x	10,00	L2
SC01285	270,00	x	12,00	L2
SC01286	270,00	x	12,00	L2P

code	B		h	type
SC01290	272,00	x	12,00	L2
SC01293	273,00	x	11,00	L2
SC01296	273,00	x	12,50	L2P
SC01298	275,00	x	7,00	L2
SC01300	275,00	x	12,50	L2
SC01305	279,20	x	7,00	L2
SC01310	280,00	x	9,20	L2
SC01315	280,00	x	12,00	L2
SC01316	280,00	x	12,00	L2P
SC01320	280,00	x	14,00	L2
SC01323	285,00	x	7,00	L2
SC01325	285,00	x	12,00	L2
SC01327	285,70	x	21,50	L2
SC01330	285,70	x	34,00	L2
SC01335	287,00	x	14,00	L2
SC01338	289,00	x	14,00	L2
SC1340A	290,00	x	10,00	L2P
SC01340	290,00	x	12,00	L2
SC01341	290,00	x	12,00	L2P
SC01345	292,00	x	15,00	L2
SC01350	295,00	x	14,00	L2
SC01355	297,00	x	13,00	L2
SC01358	298,50	x	12,00	L2
SC01360A	300,00	x	13,00	L2
SC01360	300,00	x	13,00	L2
SC01361	300,00	x	13,00	L2P
SC01364	300,00	x	16,00	L2P
SC01365	305,00	x	12,00	L2
SC01370	305,00	x	18,00	L2
SC01378	310,00	x	8,00	L2
SC01380	310,00	x	12,00	L2
SC01384	310,00	x	14,00	L2
SC01385	310,00	x	15,00	L2
SC01387	310,00	x	20,00	L2P
SC01390	312,00	x	20,00	L2P
SC01389	312,00	x	20,00	L2
SC01392	314,30	x	21,50	L2
SC01395	315,00	x	13,00	L2
SC01396	315,00	x	13,00	L2

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS 'L' TYPE

Technical description at page 23

Keeping the 'ID' (B) and the 'h' it will be possible to produce the seal with the OD (A) and with the H as per your request according to our indications.

code	B		h	type
SC01400	317,50	x	14,00	L2
SC01403	320,00	x	14,00	L2P
SC01405	320,00	x	15,00	L2
SC01407	320,00	x	16,00	L2
SC01407A	320,00	x	16,00	L2P
SC01410	325,00	x	12,00	L2
SC01416	330,00	x	14,00	L2P
SC01415	330,00	x	14,00	L2
SC01417	330,00	x	20,00	L2P
SC01420	335,00	x	14,00	L2
SC01425	340,00	x	10,00	L2
SC01425	340,00	x	10,00	L2
SC01430	340,00	x	14,00	L2
SC01431	340,00	x	14,00	L2P
SC01435	343,00	x	11,00	L2
SC01440	345,00	x	14,00	L2
SC01445	350,00	x	9,40	L2
SC01450	350,00	x	12,00	L2
SC01452	350,00	x	14,00	L2
SC01455	350,00	x	15,00	L2
SC01460	353,00	x	9,00	L2
SC01465	355,00	x	15,00	L2
SC01470A	360,00	x	15,00	L2
SC01471	360,00	x	15,00	L2P
SC01470	360,00	x	15,00	L2
SC01472A	360,00	x	16,00	L2P
SC01472	360,00	x	16,00	L2
SC01473	360,00	x	20,00	L2P
SC01475	365,00	x	14,00	L2
SC01480	368,30	x	16,00	L2
SC01485	370,00	x	12,00	L2
SC01490	370,00	x	16,00	L2
SC01494	380,00	x	8,50	L2
SC01495	380,00	x	12,00	L2
SC01501	380,00	x	14,00	L2P
SC01500	380,00	x	14,00	L2
SC01503	380,00	x	16,00	L2
SC01505	384,00	x	11,00	L2
SC01510	390,00	x	14,00	L2

code	B		h	type
SC01511	390,00	x	14,00	L2P
SC01515	395,00	x	14,00	L2
SC01530	400,00	x	13,50	L2P
SC01525	400,00	x	14,00	L2
SC01531	400,00	x	15,00	L2
SC01532	400,00	x	16,00	L2P
SC01535	406,00	x	13,50	L2
SC01537	406,00	x	15,00	L2
SC01542	412,70	x	15,00	L2
SC01543	415,00	x	16,00	L2
SC01545	420,00	x	15,00	L2
SC01545A	420,00	x	16,00	L2
SC1545B	420,00	x	16,00	L2P
SC01550	430,00	x	12,00	L2
SC01555	430,00	x	15,00	L2
SC01560	430,00	x	20,00	L2
SC01565	431,80	x	15,50	L2
SC01570	438,00	x	15,00	L2
SC01576	440,00	x	15,00	L2P
SC01575	440,00	x	15,00	L2
SC01578A	440,00	x	16,00	L2P
SC01577	440,00	x	16,00	L2
SC01580	440,00	x	20,00	L2
SC01585	445,00	x	12,00	L2
SC01590	450,00	x	14,00	L2
SC01595	460,00	x	16,00	L2
SC01600	465,00	x	14,00	L2
SC01605	467,00	x	9,00	L2
SC01610	467,00	x	16,00	L2
SC01612	468,00	x	16,00	L2
SC01615	469,90	x	16,00	L2
SC01615	469,90	x	16,00	L2
SC01617	475,00	x	16,00	L2
SC016018	480,00	x	9,00	L2
SC01620	480,00	x	16,00	L2
SC01625	482,60	x	16,00	L2
SC01630	485,00	x	18,00	L2
SC01631	490,00	x	16,00	L2
SC01633	495,00	x	16,00	L2

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS 'L' TYPE

Technical description at page 23

Keeping the 'ID' (B) and the 'h' it will be possible to produce the seal with the OD (A) and with the H as per your request according to our indications.

code	B		h	type
SC01636	500,00	x	16,00	L2P
SC01635A	500,00	x	16,00	L2
SC01635	500,00	x	16,00	L2
SC01640	508,00	x	15,00	L2
SC01645	510,00	x	16,00	L2
SC01650	520,00	x	16,00	L2
SC01652	525,00	x	14,00	L2
SC01655	527,00	x	16,00	L2
SC01658	530,00	x	13,00	L2
SC01660	530,00	x	16,00	L2
SC01662	533,40	x	16,00	L2
SC01663	535,00	x	18,00	L2
SC01664	540,00	x	12,50	L2
SC01664	540,00	x	12,50	L2
SC01666	540,00	x	15,00	L2P
SC01665	540,00	x	15,00	L2
SC01670	550,00	x	16,00	L2
SC01671	550,00	x	16,00	L2P
SC01675	555,00	x	15,00	L2
SC01680	558,80	x	20,00	L2
SC01685	560,00	x	15,00	L2
SC01686	560,00	x	15,00	L2P
SC01688	560,00	x	16,00	L2
SC01688A	560,00	x	16,00	L2P
SC01690	570,00	x	16,00	L2
SC01695	575,00	x	16,00	L2
SC01700	580,00	x	16,00	L2
SC01701	580,00	x	16,00	L2P
SC01705	584,00	x	16,00	L2
SC01708	590,00	x	15,00	L2
SC01710	595,00	x	16,00	L2
SC01715	600,00	x	16,00	L2
SC01720	610,00	x	16,00	L2
SC01723	620,00	x	16,00	L2
SC01726	630,00	x	16,00	L2P
SC01725	630,00	x	16,00	L2
SC01729	635,00	x	12,00	L2
SC01730	635,00	x	12,00	L2P
SC01731	640,00	x	18,00	L2

code	B		h	type
SC01732	644,00	x	16,00	L2
SC01735	647,70	x	16,40	L2
SC01741	650,00	x	18,00	L2P
SC01740	650,00	x	18,00	L2
SC01745	654,00	x	16,00	L2
SC01750A	660,00	x	16,00	L2P
SC01750	660,00	x	16,00	L2
SC01753	670,00	x	16,00	L2
SC01755	670,00	x	18,00	L2
SC01756	670,00	x	20,00	L2P
SC01758	673,00	x	16,00	L2
SC01760	680,00	x	16,00	L2
SC01765	686,00	x	16,00	L2
SC01766	690,00	x	16,00	L2
SC01767	700,00	x	16,00	L2
SC01770	710,00	x	16,00	L2
SC01772	715,00	x	16,00	L2
SC01773	737,00	x	16,00	L2
SC01775	740,00	x	20,00	L2
SC01780	750,00	x	16,00	L2
SC01785	760,00	x	16,00	L2
SC01790	770,00	x	16,00	L2
SC01792	780,00	x	16,00	L2
SC01794	790,00	x	18,00	L2
SC01795	794,00	x	17,00	L2
SC01798	800,00	x	12,00	L2
SC01799	800,00	x	16,00	L2
SC01800	810,00	x	16,00	L2
SC01803B	815,00	x	16,00	L2P
SC01803C	816,00	x	16,00	L2
SC01803A	820,00	x	15,40	L2
SC01803	820,00	x	16,00	L2
SC01810	840,00	x	20,00	L2
SC01815	850,00	x	20,00	L2
SC01818	850,90	x	12,60	L2
SC01820	850,90	x	20,00	L2P
SC01822	860,00	x	18,00	L2
SC01824	870,00	x	16,00	L2P
SC01826A	890,00	x	18,00	L2

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS 'L' TYPE

Technical description at page 23

Keeping the 'ID' (B) and the 'h' it will be possible to produce the seal with the OD (A) and with the H as per your request according to our indications.

code	B		h	type
SC01826A	900,00	x	20,00	L2
SC01827A	915,00	x	20,00	L2
SC01829	927,10	x	16,40	L2
SC01829A	930,00	x	18,00	L2
SC01830	933,40	x	16,40	L2
SC01833	950,00	x	16,00	L2
SC01835	952,40	x	19,20	L2
SC1835A	960,00	x	18,00	L2
SC01836	971,50	x	16,00	L2
SC01837	990,00	x	16,00	L2
SC01837	990,00	x	22,00	L2
SC01838C	1.000,00	x	18,00	L2
SC01840	1.100,00	x	16,00	L2
SC01838B	1.105,00	x	17,20	L2
SC01839	1.105,00	x	18,00	L2
SC01841	1.120,00	x	16,00	L2
SC01843	1.160,00	x	16,00	L2

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS 'L2M' TYPE

Ordered according to size

Technical description at page 24









code	B		A		H	type
1299	155,57	x	193,67	x	17,45	L2ML
3075	180,00	x	220,00	x	16,00	L2M
3011	180,97	x	209,55	x	19,05	L2ML
3082	190,00	x	220,00	x	15,00	L2ML
1036	190,00	x	225,00	x	16,00	L2ML
3043	196,85	x	238,12	x	15,87	L2ML
3114	200,00	x	230,00	x	15,00	L2MLP
3013	200,00	x	240,00	x	20,00	L2M
9176	200,02	x	238,12	x	17,45	L2M
3921	203,20	x	241,30	x	17,45	L2M
9712	206,37	x	257,17	x	17,45	L2M
3071	209,55	x	234,95	x	15,87	L2ML
3101	209,55	x	247,65	x	19,05	L2MP
4499	209,55	x	260,35	x	20,62	L2M
3933	212,72	x	250,82	x	17,45	L2M
4500	212,72	x	263,52	x	20,62	L2M
1705	215,90	x	247,65	x	14,28	L2ML
6384	215,90	x	247,65	x	16,56	L2ML
6384	215,90	x	247,65	x	16,56	L2M
3066	215,90	x	247,65	x	19,05	L2MLP
8453	215,90	x	254,00	x	17,45	L2M
3110	215,90	x	254,00	x	19,05	L2M
3938	215,90	x	266,70	x	20,62	L2M
3939	219,07	x	257,17	x	17,45	L2M
2736	219,07	x	260,60	x	17,45	L2M
7718	219,07	x	273,05	x	20,62	L2M
3069	220,00	x	250,00	x	15,00	L2ML
3039	220,00	x	250,00	x	18,00	L2ML
3074	220,00	x	260,00	x	16,00	L2M
3946	222,25	x	260,35	x	17,45	L2M
9911	222,25	x	266,70	x	17,45	L2M
3952	222,25	x	273,05	x	20,62	L2M
3953	225,42	x	276,22	x	20,62	L2M
3031	228,60	x	254,00	x	19,05	L2MLP
3954	228,60	x	266,70	x	17,45	L2M
3955	228,60	x	279,40	x	20,62	L2M
3957	231,77	x	269,87	x	17,45	L2M
3962	231,77	x	282,57	x	20,62	L2M
8765	232,00	x	269,87	x	17,45	L2M
3963	234,95	x	273,05	x	17,45	L2M
9706	234,95	x	285,75	x	17,45	L2M
4610	238,12	x	288,92	x	20,62	L2M
3040	240,00	x	270,00	x	15,00	L2ML
3015	240,00	x	280,00	x	20,00	L2M
3145	241,30	x	273,05	x	14,28	L2M
3981	241,30	x	285,75	x	19,05	L2MP
3981	241,30	x	285,75	x	19,05	L2M
3984	241,30	x	292,10	x	20,62	L2M
1692	247,65	x	282,57	x	14,28	L2M
3985	247,65	x	285,75	x	17,45	L2M
9425	247,65	x	298,45	x	17,45	L2M
5339	250,00	x	280,00	x	15,00	L2M
3051	254,00	x	292,10	x	15,88	L2ML
3992	254,00	x	292,10	x	17,45	L2M
3994	254,00	x	298,45	x	19,05	L2M
3997	254,00	x	304,80	x	20,62	L2M
3998	254,00	x	304,80	x	22,22	L2M
3669	254,00	x	311,15	x	20,62	L2M
3999	257,17	x	295,27	x	17,45	L2M
5989	257,17	x	298,45	x	17,45	L2M
5429	260,00	x	300,00	x	20,00	L2M
3076	260,00	x	304,00	x	20,00	L2M
4004	260,35	x	298,45	x	17,45	L2M
4009	260,35	x	311,15	x	20,62	L2M
4015	260,35	x	317,50	x	20,62	L2M
4011	266,70	x	304,80	x	17,45	L2M
4017	266,70	x	317,50	x	20,62	L2M
7769	270,00	x	308,00	x	17,45	L2M
3035	270,00	x	310,00	x	20,00	L2MLP
4023	273,05	x	311,15	x	17,45	L2M
4033	273,05	x	317,50	x	22,22	L2M
3014	273,05	x	323,85	x	15,87	L2M
4031	273,05	x	323,85	x	20,62	L2M
4022	273,05	x	330,20	x	20,62	L2M

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS 'L2M' TYPE

Ordered according to size

Technical description at page 24

code	B	A	H	type
4026	273,05	336,55	20,62	L2M
3078	275,00	319,00	18,00	L2M
3096	275,00	319,50	19,00	L2M
4027	276,22	314,32	17,45	L2M
4028	276,22	317,50	17,45	L2M
3135	279,40	311,15	14,28	L2M
4611	279,40	317,50	17,45	L2M
6034	279,40	330,20	17,45	L2M
4036	279,40	330,20	20,62	L2M
3060	279,40	342,90	17,45	L2M
7391	280,00	319,98	19,98	L2M
4039	280,00	340,00	20,62	L2M
3699	282,57	330,20	17,45	L2M
3700	282,57	336,55	20,62	L2M
4527	285,75	323,85	17,45	L2M
4046	285,75	323,85	19,05	L2M
8778	285,75	336,55	17,45	L2M
4047	285,75	336,55	20,62	L2M
4052	288,92	339,72	20,62	L2M
3886	290,00	330,00	18,00	L2M
4057	292,10	330,20	17,45	L2M
3083	292,10	330,20	19,05	L2MP
4063	292,10	342,90	20,62	L2M
4064	298,45	336,55	17,45	L2M
4612	304,80	342,90	17,45	L2M
8523	304,80	346,07	17,45	L2M
3701	304,80	349,25	17,45	L2M
5838	304,80	355,60	17,45	L2M
4071	304,80	355,60	19,05	L2M
4072	304,80	355,60	20,62	L2M
3702	304,80	374,65	20,62	L2M
4053	307,97	352,42	17,45	L2M
3115	310,00	350,00	18,00	L2MP
4613	311,15	349,25	17,45	L2M
4614	311,15	349,25	22,22	L2M
4055	311,15	355,60	17,45	L2M
4075	311,15	361,95	20,62	L2M
4076	314,32	352,42	17,45	L2M
4056	314,32	355,60	17,45	L2M
4097	314,32	365,12	17,45	L2M
4106	314,32	368,30	20,62	L2M
4079	317,50	355,60	17,45	L2M

code	B	A	H	type
4082	317,50	368,30	19,05	L2M
4083	317,50	368,30	20,62	L2M
4084	317,50	381,00	20,62	L2M
3079	320,00	364,00	18,00	L2M
3080	320,00	364,00	20,00	L2M
4081	320,67	358,77	17,45	L2M
3716	320,67	368,30	17,45	L2M
9766	322,24	374,65	20,62	L2M
4089	323,85	361,95	17,45	L2M
7652	323,85	374,65	17,45	L2M
4092	323,85	381,00	20,62	L2M
5404	327,02	381,00	20,62	L2M
3099	330,00	360,00	18,00	L2ML
3007	330,00	370,00	18,00	L2M
4093	330,20	368,30	17,45	L2M
4096	330,20	377,82	17,45	L2M
4099	330,20	381,00	20,62	L2M
4101	336,55	374,65	17,45	L2M
7734	336,55	377,82	17,45	L2M
7169	336,55	381,00	17,45	L2M
4105	336,55	384,17	17,45	L2M
6294	336,55	387,35	17,45	L2M
4779	336,55	387,35	20,62	L2M
3036	340,00	380,00	18,00	L2MP
3116	340,00	380,00	20,00	L2MP
3116	340,00	380,00	20,00	L2M
4121	342,90	381,00	17,45	L2M
4128	342,90	393,70	20,62	L2M
4123	342,90	400,05	20,62	L2M
4120	346,07	393,70	17,45	L2M
4529	349,25	387,35	17,45	L2M
4531	349,25	393,70	19,05	L2M
4129	349,25	400,05	20,62	L2M
4119	349,25	406,40	20,62	L2M
4108	350,85	406,40	20,62	L2M
4110	352,42	406,40	20,62	L2M
4130	353,99	392,09	17,45	L2M
4111	354,02	393,70	17,45	L2M
4112	354,02	406,40	17,45	L2M
4131	355,60	393,70	17,45	L2M
5991	355,60	400,05	17,45	L2M
4134	355,60	400,05	19,05	L2M

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS 'L2M' TYPE

Ordered according to size

Technical description at page 24

code	B		A		H	type
4135	355,60	x	406,40	x	20,62	L2MP
4135	355,60	x	406,40	x	20,62	L2M
5382	355,60	x	412,75	x	20,62	L2M
7535	355,60	x	419,10	x	20,62	L2M
9996	360,00	x	404,00	x	17,45	L2M
9280	360,34	x	424,99	x	20,62	L2M
4118	361,95	x	400,05	x	17,45	L2M
4118	361,95	x	400,05	x	17,45	L2ML
4139	361,95	x	406,40	x	17,45	L2M
4140	361,95	x	412,75	x	20,62	L2M
3855	361,95	x	419,10	x	20,62	L2M
5481	365,12	x	406,40	x	17,45	L2M
4142	368,30	x	406,40	x	17,45	L2M
4145	368,30	x	419,10	x	20,62	L2M
3856	371,47	x	412,75	x	17,45	L2MP
3857	371,47	x	425,45	x	20,62	L2M
4147	374,65	x	412,75	x	17,45	L2M
5990	374,65	x	419,10	x	17,45	L2M
3858	377,82	x	419,10	x	17,45	L2M
3859	377,82	x	425,45	x	17,45	L2M
2622	377,82	x	428,62	x	23,79	L2M
4150	377,82	x	428,62	x	25,40	L2M
3860	377,82	x	431,80	x	20,62	L2M
3861	378,61	x	431,80	x	20,62	L2M
4151	381,00	x	419,10	x	17,45	L2M
3067	381,00	x	419,10	x	19,05	L2MP
3067	381,00	x	419,10	x	19,05	L2M
3111	381,00	x	425,45	x	19,05	L2M
4156	381,00	x	431,80	x	20,62	L2M
8508	381,00	x	438,15	x	20,62	L2M
9637	381,00	x	444,50	x	20,62	L2M
3862	381,00	x	450,85	x	20,62	L2M
4165	384,17	x	425,45	x	17,45	L2M
4615	387,35	x	425,45	x	17,45	L2M
4476	387,35	x	438,15	x	20,62	L2MP
3030	387,35	x	438,15	x	22,22	L2M
4158	388,92	x	428,62	x	17,45	L2M
5992	388,92	x	439,72	x	17,45	L2M
4616	390,00	x	430,00	x	16,00	L2M
4166	390,11	x	450,01	x	17,45	L2M
4167	390,52	x	438,15	x	17,45	L2M
4159	390,52	x	441,32	x	20,62	L2M

code	B		A		H	type
4163	393,70	x	444,40	x	20,62	L2M
6771	393,70	x	450,85	x	20,62	L2M
4168	393,70	x	457,20	x	20,62	L2M
4169	399,99	x	449,98	x	17,45	L2M
3038	400,00	x	440,00	x	20,00	L2M
9986	400,05	x	436,00	x	17,45	L2M
4170	400,05	x	438,15	x	17,45	L2M
9271	400,05	x	439,72	x	17,45	L2M
4171	400,05	x	444,50	x	17,45	L2M
6874	400,05	x	450,85	x	17,45	L2M
4172	400,05	x	457,20	x	20,62	L2M
4175	400,05	x	469,90	x	25,40	L2M
4176	403,22	x	454,02	x	20,62	L2M
4177	406,40	x	444,50	x	17,45	L2MP
4177	406,40	x	444,50	x	17,45	L2M
4173	406,40	x	447,67	x	17,45	L2M
4180	406,40	x	457,20	x	20,62	L2M
5077	406,40	x	457,20	x	22,22	L2M
5995	406,40	x	469,90	x	20,62	L2M
4181	412,75	x	450,85	x	17,45	L2M
8217	412,75	x	457,20	x	17,45	L2M
4184	412,75	x	457,20	x	19,05	L2M
3057	412,75	x	457,20	x	25,40	L2M
9892	412,75	x	463,55	x	17,45	L2M
4174	412,75	x	469,90	x	20,62	L2M
4179	415,92	x	454,02	x	17,45	L2M
9863	419,10	x	457,20	x	17,45	L2M
4187	419,10	x	469,90	x	17,45	L2M
4186	419,10	x	469,90	x	20,62	L2M
4183	419,10	x	482,60	x	20,62	L2M
8504	419,98	x	459,99	x	17,45	L2M
8792	419,98	x	470,00	x	17,45	L2M
1929	419,98	x	470,00	x	22,22	L2M
3010	420,00	x	460,00	x	20,00	L2M
3744	425,45	x	463,55	x	17,45	L2M
8862	425,45	x	469,90	x	17,45	L2M
3748	425,45	x	482,60	x	20,62	L2M
9695	430,19	x	489,99	x	20,62	L2M
4188	431,80	x	469,90	x	17,45	L2M
4190	431,80	x	482,60	x	20,62	L2M
4191	431,80	x	488,95	x	20,62	L2M
3750	431,80	x	495,30	x	20,62	L2M

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS 'L2M' TYPE

Ordered according to size

Technical description at page 24

code	B	A	H	type
1387	435,00	485,00	20,00	L2M
3751	438,15	476,25	17,45	L2M
6967	438,15	476,25	19,05	L2M
4192	440,00	480,00	20,00	L2M
4194	444,50	482,60	17,45	L2M
5054	444,50	488,95	17,45	L2M
3005	444,50	488,95	25,40	L2M
4198	444,50	495,30	17,45	L2M
4197	444,50	501,65	20,62	L2M
4199	447,67	488,95	17,45	L2M
6850	447,67	498,47	17,45	L2M
4200	450,85	501,65	20,62	L2M
9084	450,85	509,98	22,22	L2M
4204	454,02	504,82	20,62	L2M
4206	457,20	495,30	17,45	L2M
5728	457,20	501,65	17,45	L2M
4203	457,20	504,82	17,45	L2M
4209	457,20	508,00	19,05	L2M
4210	457,20	508,00	22,22	L2M
3752	457,20	520,70	22,22	L2M
3753	457,20	533,40	22,22	L2M
3754	460,24	520,70	22,22	L2M
3756	460,37	520,70	22,22	L2M
3757	463,55	501,65	17,45	L2M
3765	463,55	504,82	17,45	L2M
4213	466,72	504,82	17,45	L2M
7103	466,72	506,39	17,45	L2M
4215	466,72	508,00	19,05	L2M
6740	466,72	517,52	20,62	L2M
3767	466,72	520,70	19,05	L2M
3768	469,90	508,00	17,45	L2M
3772	469,90	514,35	17,45	L2M
3068	469,90	520,70	20,62	L2MP
4216	469,90	520,70	22,22	L2M
3029	470,00	520,00	22,00	L2M
3062	470,00	530,00	20,00	L2M
7281	479,98	519,98	19,98	L2M
4218	482,60	520,70	19,05	L2M
4219	482,60	533,40	22,22	L2M
3773	482,60	546,10	22,22	L2M
4220	485,00	535,00	19,05	L2M
4617	488,95	527,05	19,05	L2M

code	B	A	H	type
3777	488,95	533,40	19,05	L2M
5485	488,95	539,75	19,05	L2M
3778	492,12	533,40	19,05	L2M
3779	495,30	533,40	19,05	L2M
4221	495,30	546,10	22,22	L2M
3783	495,30	550,87	22,22	L2M
4232	500,00	550,00	19,05	L2M
1383	500,00	550,00	20,00	L2M
4228	501,65	552,45	22,22	L2M
7400	501,65	561,97	22,22	L2M
3785	501,65	565,15	22,22	L2M
3788	504,82	558,80	22,22	L2M
4233	506,40	550,84	15,87	L2M
3789	506,42	546,10	19,05	L2M
4235	508,00	546,10	19,05	L2M
4236	508,00	552,45	19,05	L2M
4237	508,00	558,80	22,22	L2M
4238	508,00	560,00	25,00	L2M
3790	508,00	571,50	22,22	L2M
3792	511,63	565,15	22,22	L2M
9997	513,00	543,00	16,00	L2ML
4239	514,35	552,45	19,05	L2M
8231	514,35	565,02	22,22	L2M
4240	514,35	565,15	22,22	L2M
4241	514,35	568,32	19,05	L2M
8770	514,35	571,50	22,22	L2M
4242	519,12	571,50	20,62	L2M
3025	520,00	560,00	18,00	L2M
3027	520,00	570,00	22,00	L2M
9989	520,00	572,00	22,00	L2M
4619	520,70	558,80	19,05	L2M
4245	520,70	565,15	20,62	L2M
4246	520,70	571,50	22,22	L2M
6287	520,70	577,85	22,22	L2M
9893	523,87	574,67	20,62	L2M
4248	527,05	577,85	22,22	L2M
4243	527,05	584,20	20,62	L2M
4244	529,99	580,03	20,62	L2M
4250	530,22	581,02	22,22	L2M
6417	530,22	589,99	22,22	L2M
5259	533,40	571,50	19,05	L2M
5312	533,40	577,85	19,05	L2M

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS 'L2M' TYPE

Ordered according to size

Technical description at page 24

code	B	A	H	type
6535	533,40	584,20	20,62	L2M
4253	533,40	584,20	22,22	L2M
4251	533,40	590,55	20,62	L2M
9772	533,40	596,90	22,22	L2M
4255	539,75	584,20	19,05	L2M
4254	539,75	590,55	22,22	L2M
3044	540,00	578,00	15,00	L2ML
7393	540,00	589,99	24,98	L2M
4256	544,49	588,94	19,05	L2M
4257	546,10	590,55	19,05	L2M
7407	546,10	596,90	20,62	L2M
4259	546,10	596,90	22,22	L2M
6493	546,10	600,07	22,22	L2M
6779	546,10	609,60	22,22	L2M
4261	549,27	593,72	19,05	L2M
4263	549,27	600,07	22,22	L2M
4621	552,45	590,55	19,05	L2M
4265	552,45	603,25	22,22	L2M
5276	552,45	609,60	22,22	L2M
8675	552,45	615,95	22,22	L2M
4260	552,45	622,30	22,22	L2M
4262	552,45	628,65	22,22	L2M
4269	558,80	596,90	19,05	L2M
4270	558,80	609,60	22,22	L2M
9082	558,80	615,95	20,62	L2M
3763	558,80	615,95	22,22	L2M
6295	558,80	622,30	22,22	L2M
7266	560,00	610,00	20,00	L2M
9995	565,00	601,00	20,00	L2M
3764	565,15	615,95	22,22	L2M
4268	568,32	615,95	19,05	L2M
6999	568,32	619,12	19,05	L2M
2576	568,32	619,12	22,22	L2M
4275	569,89	609,60	19,05	L2M
4276	569,89	615,95	19,05	L2M
1915	569,89	620,69	22,22	L2M
6480	569,89	620,70	19,05	L2M
9840	569,89	622,30	19,05	L2M
3061	570,00	630,00	20,00	L2M
4271	571,50	609,60	19,05	L2M
4272	571,50	615,95	19,05	L2M
4279	571,50	622,30	22,22	L2M

code	B	A	H	type
4273	571,50	628,65	22,22	L2M
4274	571,50	635,00	22,22	L2M
4281	577,85	628,65	22,22	L2M
6843	577,85	635,00	22,22	L2M
3053	580,00	620,00	20,00	L2M
4283	584,20	622,30	19,05	L2M
5421	584,20	628,65	19,05	L2M
4284	584,20	635,00	22,22	L2M
4277	584,20	644,52	22,22	L2M
4285	584,20	647,70	22,22	L2M
4286	590,55	635,00	19,05	L2M
9371	590,55	641,35	19,05	L2M
6910	590,55	641,35	20,62	L2M
4287	593,72	644,52	22,22	L2M
3033	596,90	626,90	15,00	L2M
5547	596,90	641,35	19,05	L2M
4288	596,90	647,70	22,22	L2M
4290	598,47	641,35	19,05	L2M
4291	598,47	644,52	19,05	L2M
8624	600,00	640,00	20,00	L2M
4292	600,07	660,40	22,22	L2M
6239	603,25	641,35	25,40	L2M
4293	606,42	660,40	22,22	L2M
4623	609,60	647,70	19,05	L2M
9988	609,60	660,40	19,05	L2M
4295	609,60	660,40	20,62	L2M
4294	609,60	660,40	22,22	L2M
4294	609,60	660,40	22,22	L2MP
6293	609,60	666,75	22,22	L2M
4297	609,60	673,10	22,22	L2M
5644	609,60	685,80	22,22	L2M
4301	615,95	666,75	22,22	L2M
3770	615,95	666,75	25,40	L2M
4302	620,69	660,40	19,05	L2M
4304	620,69	671,49	19,05	L2M
9990	620,69	684,15	25,40	L2M
4305	622,30	673,10	22,22	L2M
3020	630,00	670,00	20,00	L2M
3059	630,00	690,00	20,00	L2M
4308	635,00	673,10	19,05	L2M
3774	635,00	685,80	22,22	L2M
4309	635,00	685,80	25,40	L2M

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS 'L2M' TYPE

Ordered according to size

Technical description at page 24

code	B	A	H	type
6421	635,00	692,15	22,22	L2M
5997	635,00	698,50	22,22	L2M
3047	638,17	679,45	22,22	L2M
5994	639,74	684,19	19,05	L2M
4311	639,75	682,62	19,05	L2M
3019	640,00	680,00	20,00	L2M
4299	641,35	692,15	19,05	L2M
3109	644,75	682,62	19,05	L2M
3022	647,70	679,45	19,05	L2ML
4300	647,70	685,80	22,22	L2M
4318	647,70	698,50	22,22	L2M
3016	650,00	714,00	25,00	L2M
6998	654,05	698,50	19,05	L2M
4303	657,22	711,20	22,22	L2M
4306	660,09	701,67	19,05	L2M
5921	660,40	701,67	19,05	L2M
4325	660,40	711,20	22,22	L2M
9402	660,40	714,37	22,22	L2M
4794	660,40	723,90	22,22	L2M
4329	663,57	701,67	19,05	L2M
4330	663,57	714,37	22,22	L2M
9992	668,00	706,00	25,40	L2M
4307	669,92	715,97	22,22	L2M
4312	669,92	717,55	22,22	L2M
3081	670,00	720,00	22,00	L2M
4533	673,10	711,20	19,05	L2M
4313	673,10	723,90	22,22	L2M
4333	685,80	736,60	22,22	L2M
8031	685,80	749,30	22,22	L2M
9984	685,80	762,00	22,22	L2M
3054	690,00	730,00	20,00	L2M
4626	692,15	742,95	22,22	L2M
4315	698,50	736,60	19,05	L2M
4339	698,50	749,30	22,22	L2M
3046	698,50	763,60	19,05	L2M
5001	701,67	752,47	19,05	L2M
4336	701,70	749,30	19,05	L2M
4341	708,02	757,22	22,22	L2M
4343	711,20	749,30	19,05	L2M
7828	711,20	752,47	19,05	L2M
4316	711,20	757,25	19,05	L2M
4316	711,20	757,25	19,05	L2M

code	B	A	H	type
4344	711,20	762,00	22,22	L2M
4320	711,20	768,35	20,62	L2M
3878	711,20	774,70	22,22	L2M
5998	711,20	787,40	22,22	L2M
4321	722,32	787,40	22,22	L2M
4346	723,90	774,70	22,22	L2M
4534	723,90	787,40	22,22	L2M
4628	730,25	781,05	22,22	L2M
4347	736,60	774,70	19,05	L2M
4348	736,60	787,40	22,22	L2M
8793	736,60	800,10	25,40	L2M
4537	736,60	812,80	22,22	L2M
3072	740,00	778,00	15,00	L2M
4352	749,30	800,10	22,22	L2M
3791	749,30	800,10	25,40	L2M
4538	749,30	812,80	22,22	L2M
4322	749,30	819,15	22,22	L2M
4539	749,30	825,50	22,22	L2M
4629	750,00	814,00	25,00	L2M
3048	762,00	800,00	15,00	L2M
4356	762,00	800,10	19,05	L2M
5000	762,00	803,04	19,05	L2M
7870	762,00	803,27	19,05	L2M
4357	762,00	812,80	22,22	L2MP
4357	762,00	812,80	22,22	L2M
4323	762,00	819,15	22,22	L2M
4323	762,00	819,15	22,22	L2M
4358	762,00	825,50	22,22	L2M
3797	762,00	825,50	25,40	L2M
4359	762,00	831,85	22,22	L2M
4360	762,00	838,20	22,22	L2M
4906	768,35	825,50	22,22	L2M
4361	769,92	822,32	22,22	L2M
4365	774,70	825,50	22,22	L2M
8577	774,70	838,20	22,22	L2M
8230	774,70	850,90	22,22	L2M
3032	780,00	844,00	25,00	L2M
5739	787,40	825,50	19,05	L2M
4367	787,40	838,20	22,22	L2M
4540	787,40	850,90	22,22	L2M
4541	787,40	863,60	22,22	L2M
6666	790,00	854,00	25,00	L2M

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS 'L2M' TYPE

Ordered according to size

Technical description at page 24

code	B		A		H	type
4631	793,75	x	831,85	x	19,05	L2M
5033	793,75	x	844,55	x	19,05	L2M
5016	806,45	x	857,25	x	22,22	L2M
3023	812,80	x	850,90	x	19,05	L2M
4632	812,80	x	863,60	x	22,22	L2M
8407	812,80	x	876,30	x	22,22	L2M
4371	815,97	x	866,77	x	22,22	L2M
7537	815,97	x	879,47	x	22,22	L2M
3002	815,98	x	866,77	x	19,05	L2M
4373	820,72	x	876,30	x	22,22	L2M
4377	825,50	x	876,30	x	22,22	L2M
4542	831,85	x	869,95	x	19,05	L2M
8289	831,85	x	889,00	x	22,22	L2M
3009	837,00	x	889,00	x	22,22	L2M
4380	838,10	x	881,00	x	20,00	L2M
4381	838,20	x	876,30	x	19,05	L2M
6787	838,20	x	879,47	x	19,05	L2M
4634	838,20	x	880,10	x	20,00	L2M
6152	838,20	x	881,04	x	19,05	L2M
4382	838,20	x	889,00	x	22,22	L2M
4326	838,20	x	895,35	x	22,22	L2M
4544	838,20	x	901,70	x	22,22	L2M
3034	840,00	x	904,00	x	25,00	L2MP
9504	850,90	x	889,00	x	22,22	L2M
4389	850,90	x	901,70	x	22,22	L2M
4548	850,90	x	904,87	x	22,22	L2M
4549	850,90	x	908,05	x	22,22	L2M
4550	850,90	x	914,40	x	22,22	L2M
4327	850,90	x	920,75	x	22,22	L2M
4552	850,90	x	924,99	x	22,22	L2M
4328	854,07	x	904,87	x	22,22	L2M
4399	863,60	x	914,40	x	22,22	L2M
4331	863,60	x	920,75	x	22,22	L2M
3056	863,60	x	927,10	x	19,05	L2M
4400	863,60	x	927,10	x	22,22	L2M
4332	863,60	x	939,80	x	22,22	L2M
3017	869,95	x	914,40	x	19,05	L2M
4401	869,95	x	920,75	x	22,22	L2M
4335	869,95	x	933,45	x	22,22	L2M
6908	876,30	x	914,40	x	19,05	L2M
4405	876,30	x	927,10	x	22,22	L2M
3021	876,30	x	927,10	x	25,40	L2M

code	B		A		H	type
4338	876,30	x	952,50	x	22,22	L2M
3831	882,65	x	933,45	x	22,22	L2M
3835	889,00	x	939,80	x	22,22	L2M
3836	889,00	x	952,50	x	22,22	L2M
3837	889,00	x	965,20	x	22,22	L2M
4416	895,35	x	946,15	x	22,22	L2M
4647	895,35	x	971,55	x	20,62	L2M
4417	898,52	x	949,32	x	22,22	L2M
9079	900,09	x	980,00	x	22,22	L2M
3001	901,60	x	965,10	x	25,00	L2M
4553	901,70	x	952,50	x	22,22	L2M
3065	905,00	x	955,00	x	22,00	L2M
3003	910,00	x	967,15	x	17,45	L2M
4421	914,40	x	965,20	x	22,22	L2M
3095	914,40	x	977,90	x	15,00	L2M
9993	914,40	x	977,90	x	25,40	L2M
7770	919,98	x	958,01	x	19,05	L2M
4429	927,10	x	965,20	x	19,05	L2M
4430	927,10	x	977,90	x	22,22	L2M
3084	927,10	x	977,90	x	25,40	L2MP
3026	930,00	x	980,00	x	22,22	L2M
4432	933,45	x	984,25	x	22,22	L2M
7428	933,45	x	996,95	x	22,22	L2M
4434	939,80	x	990,60	x	22,22	L2M
4436	946,15	x	996,95	x	22,22	L2M
4425	949,30	x	1.003,30	x	22,22	L2M
9987	950,00	x	1.000,00	x	22,22	L2M
3847	950,89	x	1.003,30	x	22,22	L2M
9411	952,50	x	990,60	x	19,05	L2M
4438	952,50	x	1.003,30	x	22,22	L2M
3004	965,20	x	1.003,30	x	19,05	L2M
4448	965,20	x	1.016,00	x	22,22	L2M
4340	965,20	x	1.041,40	x	22,22	L2M
4454	971,55	x	1.022,35	x	22,22	L2M
4567	971,55	x	1.035,05	x	22,22	L2M
4569	971,55	x	1.047,75	x	22,22	L2M
4342	974,29	x	1.035,05	x	22,22	L2M
4349	977,90	x	1.041,40	x	22,22	L2M
4456	984,25	x	1.035,05	x	22,22	L2M
4570	984,25	x	1.041,40	x	22,22	L2M
4462	988,99	x	1.041,40	x	22,22	L2M
9998	990,00	x	1.040,00	x	25,00	L2M

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS 'L2M' TYPE

Ordered according to size

Technical description at page 24

P.S.: higher diameters can be made on request.

code	B		A		H	type
4465	990,60	x	1.041,40	x	22,22	L2M
4350	990,60	x	1.054,10	x	22,22	L2M
4577	990,60	x	1.073,15	x	22,22	L2M
1073	999,99	x	1.049,98	x	22,22	L2M
1073	999,99	x	1.049,98	x	22,22	L2M
3093	1.000,00	x	1.064,00	x	25,00	L2M
7538	1.009,65	x	1.073,15	x	22,22	L2M
8791	1.016,00	x	1.079,50	x	22,22	L2M
8599	1.016,00	x	1.079,50	x	25,40	L2M
4468	1.028,70	x	1.079,50	x	22,22	L2M
7300	1.028,70	x	1.092,20	x	22,22	L2M
1964	1.028,70	x	1.092,70	x	22,22	L2M
3070	1.030,00	x	1.070,00	x	25,00	L2M
4635	1.054,10	x	1.104,90	x	22,22	L2M
3012	1.055,00	x	1.100,00	x	25,00	L2M
8628	1.063,62	x	1.104,90	x	25,40	L2M
4470	1.073,10	x	1.123,90	x	25,40	L2M
5555	1.079,50	x	1.123,95	x	22,22	L2M
4473	1.079,50	x	1.143,00	x	22,22	L2M
6269	1.079,50	x	1.155,70	x	22,22	L2M
7189	1.092,20	x	1.155,70	x	22,22	L2M
9994	1.092,20	x	1.155,70	x	25,40	L2M
4637	1.104,90	x	1.155,70	x	22,22	L2M
4640	1.105,00	x	1.160,00	x	22,00	L2M
4638	1.111,25	x	1.162,05	x	22,22	L2M
7087	1.117,60	x	1.168,40	x	22,22	L2M
4475	1.117,60	x	1.181,10	x	22,22	L2M
3024	1.117,60	x	1.181,10	x	25,40	L2M
4563	1.130,30	x	1.168,40	x	19,05	L2M
8903	1.143,00	x	1.184,27	x	25,40	L2M
3006	1.168,50	x	1.206,50	x	19,05	L2M
4578	1.181,10	x	1.231,90	x	22,22	L2M
8317	1.189,99	x	1.240,00	x	22,22	L2M
8579	1.219,20	x	1.270,00	x	22,22	L2M
4639	1.225,55	x	1.276,35	x	22,22	L2M
8198	1.270,00	x	1.320,80	x	22,22	L2M
6747	1.301,70	x	1.353,20	x	22,22	L2MP
6747	1.301,75	x	1.353,20	x	22,22	L2M
7065	1.350,00	x	1.414,00	x	22,00	L2M
3028	1.350,00	x	1.415,00	x	25,00	L2M
8594	1.380,00	x	1.440,00	x	25,00	L2M

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS 'L2M' TYPE

Ordered according to code

Technical description at page 24









code	B		A		H	type
1036	190,00	x	225,00	x	16,00	L2ML
1073	999,99	x	1.049,98	x	22,22	L2M
1073	999,99	x	1.049,98	x	22,22	L2M
1299	155,57	x	193,67	x	17,45	L2ML
1383	500,00	x	550,00	x	20,00	L2M
1387	435,00	x	485,00	x	20,00	L2M
1692	247,65	x	282,57	x	14,28	L2M
1705	215,90	x	247,65	x	14,28	L2ML
1915	569,89	x	620,69	x	22,22	L2M
1929	419,98	x	470,00	x	22,22	L2M
1964	1.028,70	x	1.092,70	x	22,22	L2M
2576	568,32	x	619,12	x	22,22	L2M
2622	377,82	x	428,62	x	23,79	L2M
2736	219,07	x	260,60	x	17,45	L2M
3001	901,60	x	965,10	x	25,00	L2M
3002	815,98	x	866,77	x	19,05	L2M
3003	910,00	x	967,15	x	17,45	L2M
3004	965,20	x	1.003,30	x	19,05	L2M
3005	444,50	x	488,95	x	25,40	L2M
3006	1.168,50	x	1.206,50	x	19,05	L2M
3007	330,00	x	370,00	x	18,00	L2M
3009	837,00	x	889,00	x	22,22	L2M
3010	420,00	x	460,00	x	20,00	L2M
3011	180,97	x	209,55	x	19,05	L2ML
3012	1.055,00	x	1.100,00	x	25,00	L2M
3013	200,00	x	240,00	x	20,00	L2M
3014	273,05	x	323,85	x	15,87	L2M
3015	240,00	x	280,00	x	20,00	L2M
3016	650,00	x	714,00	x	25,00	L2M
3017	869,95	x	914,40	x	19,05	L2M
3019	640,00	x	680,00	x	20,00	L2M
3020	630,00	x	670,00	x	20,00	L2M

code	B		A		H	type
3021	876,30	x	927,10	x	25,40	L2M
3022	647,70	x	679,45	x	19,05	L2ML
3023	812,80	x	850,90	x	19,05	L2M
3024	1.117,60	x	1.181,10	x	25,40	L2M
3025	520,00	x	560,00	x	18,00	L2M
3026	930,00	x	980,00	x	22,22	L2M
3027	520,00	x	570,00	x	22,00	L2M
3028	1.350,00	x	1.415,00	x	25,00	L2M
3029	470,00	x	520,00	x	22,00	L2M
3030	387,35	x	438,15	x	22,22	L2M
3031	228,60	x	254,00	x	19,05	L2MLP
3032	780,00	x	844,00	x	25,00	L2M
3033	596,90	x	626,90	x	15,00	L2M
3034	840,00	x	904,00	x	25,00	L2MP
3035	270,00	x	310,00	x	20,00	L2MLP
3036	340,00	x	380,00	x	18,00	L2MP
3038	400,00	x	440,00	x	20,00	L2M
3039	220,00	x	250,00	x	18,00	L2ML
3040	240,00	x	270,00	x	15,00	L2ML
3043	196,85	x	238,12	x	15,87	L2ML
3044	540,00	x	578,00	x	15,00	L2ML
3046	698,50	x	763,60	x	19,05	L2M
3047	638,17	x	679,45	x	22,22	L2M
3048	762,00	x	800,00	x	15,00	L2M
3051	254,00	x	292,10	x	15,88	L2ML
3053	580,00	x	620,00	x	20,00	L2M
3054	690,00	x	730,00	x	20,00	L2M
3056	863,60	x	927,10	x	19,05	L2M
3057	412,75	x	457,20	x	25,40	L2M
3059	630,00	x	690,00	x	20,00	L2M
3060	279,40	x	342,90	x	17,45	L2M
3061	570,00	x	630,00	x	20,00	L2M
3062	470,00	x	530,00	x	20,00	L2M
3065	905,00	x	955,00	x	22,00	L2M
3066	215,90	x	247,65	x	19,05	L2MLP
3067	381,00	x	419,10	x	19,05	L2MP
3067	381,00	x	419,10	x	19,05	L2M
3068	469,90	x	520,70	x	20,62	L2MP
3069	220,00	x	250,00	x	15,00	L2ML
3070	1.030,00	x	1.070,00	x	25,00	L2M
3071	209,55	x	234,95	x	15,87	L2ML
3072	740,00	x	778,00	x	15,00	L2M

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS 'L2M' TYPE

Ordered according to code

Technical description at page 24

code	B		A		H	type
3074	220,00	x	260,00	x	16,00	L2M
3075	180,00	x	220,00	x	16,00	L2M
3076	260,00	x	304,00	x	20,00	L2M
3078	275,00	x	319,00	x	18,00	L2M
3079	320,00	x	364,00	x	18,00	L2M
3080	320,00	x	364,00	x	20,00	L2M
3081	670,00	x	720,00	x	22,00	L2M
3082	190,00	x	220,00	x	15,00	L2ML
3083	292,10	x	330,20	x	19,05	L2MP
3084	927,10	x	977,90	x	25,40	L2MP
3093	1.000,00	x	1.064,00	x	25,00	L2M
3095	914,40	x	977,90	x	15,00	L2M
3096	275,00	x	319,50	x	19,00	L2M
3099	330,00	x	360,00	x	18,00	L2ML
3101	209,55	x	247,65	x	19,05	L2MP
3109	644,75	x	682,62	x	19,05	L2M
3110	215,90	x	254,00	x	19,05	L2M
3111	381,00	x	425,45	x	19,05	L2M
3114	200,00	x	230,00	x	15,00	L2MLP
3115	310,00	x	350,00	x	18,00	L2MP
3116	340,00	x	380,00	x	20,00	L2MP
3116	340,00	x	380,00	x	20,00	L2M
3135	279,40	x	311,15	x	14,28	L2M
3145	241,30	x	273,05	x	14,28	L2M
3669	254,00	x	311,15	x	20,62	L2M
3699	282,57	x	330,20	x	17,45	L2M
3700	282,57	x	336,55	x	20,62	L2M
3701	304,80	x	349,25	x	17,45	L2M
3702	304,80	x	374,65	x	20,62	L2M
3716	320,67	x	368,30	x	17,45	L2M
3744	425,45	x	463,55	x	17,45	L2M
3748	425,45	x	482,60	x	20,62	L2M
3750	431,80	x	495,30	x	20,62	L2M
3751	438,15	x	476,25	x	17,45	L2M
3752	457,20	x	520,70	x	22,22	L2M
3753	457,20	x	533,40	x	22,22	L2M
3754	460,24	x	520,70	x	22,22	L2M
3756	460,37	x	520,70	x	22,22	L2M
3757	463,55	x	501,65	x	17,45	L2M
3763	558,80	x	615,95	x	22,22	L2M
3764	565,15	x	615,95	x	22,22	L2M
3765	463,55	x	504,82	x	17,45	L2M

code	B		A		H	type
3767	466,72	x	520,70	x	19,05	L2M
3768	469,90	x	508,00	x	17,45	L2M
3770	615,95	x	666,75	x	25,40	L2M
3772	469,90	x	514,35	x	17,45	L2M
3773	482,60	x	546,10	x	22,22	L2M
3774	635,00	x	685,80	x	22,22	L2M
3777	488,95	x	533,40	x	19,05	L2M
3778	492,12	x	533,40	x	19,05	L2M
3779	495,30	x	533,40	x	19,05	L2M
3783	495,30	x	550,87	x	22,22	L2M
3785	501,65	x	565,15	x	22,22	L2M
3788	504,82	x	558,80	x	22,22	L2M
3789	506,42	x	546,10	x	19,05	L2M
3790	508,00	x	571,50	x	22,22	L2M
3791	749,30	x	800,10	x	25,40	L2M
3792	511,63	x	565,15	x	22,22	L2M
3797	762,00	x	825,50	x	25,40	L2M
3831	882,65	x	933,45	x	22,22	L2M
3835	889,00	x	939,80	x	22,22	L2M
3836	889,00	x	952,50	x	22,22	L2M
3837	889,00	x	965,20	x	22,22	L2M
3847	950,89	x	1.003,30	x	22,22	L2M
3855	361,95	x	419,10	x	20,62	L2M
3856	371,47	x	412,75	x	17,45	L2MP
3857	371,47	x	425,45	x	20,62	L2M
3858	377,82	x	419,10	x	17,45	L2M
3859	377,82	x	425,45	x	17,45	L2M
3860	377,82	x	431,80	x	20,62	L2M
3861	378,61	x	431,80	x	20,62	L2M
3862	381,00	x	450,85	x	20,62	L2M
3878	711,20	x	774,70	x	22,22	L2M
3886	290,00	x	330,00	x	18,00	L2M
3921	203,20	x	241,30	x	17,45	L2M
3933	212,72	x	250,82	x	17,45	L2M
3938	215,90	x	266,70	x	20,62	L2M
3939	219,07	x	257,17	x	17,45	L2M
3946	222,25	x	260,35	x	17,45	L2M
3952	222,25	x	273,05	x	20,62	L2M
3953	225,42	x	276,22	x	20,62	L2M
3954	228,60	x	266,70	x	17,45	L2M
3955	228,60	x	279,40	x	20,62	L2M
3957	231,77	x	269,87	x	17,45	L2M

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS 'L2M' TYPE

Ordered according to code

Technical description at page 24

code	B	A	H	type
3962	231,77	282,57	20,62	L2M
3963	234,95	273,05	17,45	L2M
3981	241,30	285,75	19,05	L2M
3981	241,30	285,75	19,05	L2MP
3984	241,30	292,10	20,62	L2M
3985	247,65	285,75	17,45	L2M
3992	254,00	292,10	17,45	L2M
3994	254,00	298,45	19,05	L2M
3997	254,00	304,80	20,62	L2M
3998	254,00	304,80	22,22	L2M
3999	257,17	295,27	17,45	L2M
4004	260,35	298,45	17,45	L2M
4009	260,35	311,15	20,62	L2M
4011	266,70	304,80	17,45	L2M
4015	260,35	317,50	20,62	L2M
4017	266,70	317,50	20,62	L2M
4022	273,05	330,20	20,62	L2M
4023	273,05	311,15	17,45	L2M
4026	273,05	336,55	20,62	L2M
4027	276,22	314,32	17,45	L2M
4028	276,22	317,50	17,45	L2M
4031	273,05	323,85	20,62	L2M
4033	273,05	317,50	22,22	L2M
4036	279,40	330,20	20,62	L2M
4039	280,00	340,00	20,62	L2M
4046	285,75	323,85	19,05	L2M
4047	285,75	336,55	20,62	L2M
4052	288,92	339,72	20,62	L2M
4053	307,97	352,42	17,45	L2M
4055	311,15	355,60	17,45	L2M
4056	314,32	355,60	17,45	L2M
4057	292,10	330,20	17,45	L2M
4063	292,10	342,90	20,62	L2M
4064	298,45	336,55	17,45	L2M
4071	304,80	355,60	19,05	L2M
4072	304,80	355,60	20,62	L2M
4075	311,15	361,95	20,62	L2M
4076	314,32	352,42	17,45	L2M
4079	317,50	355,60	17,45	L2M
4081	320,67	358,77	17,45	L2M
4082	317,50	368,30	19,05	L2M
4083	317,50	368,30	20,62	L2M

code	B	A	H	type
4084	317,50	381,00	20,62	L2M
4089	323,85	361,95	17,45	L2M
4092	323,85	381,00	20,62	L2M
4093	330,20	368,30	17,45	L2M
4096	330,20	377,82	17,45	L2M
4097	314,32	365,12	17,45	L2M
4099	330,20	381,00	20,62	L2M
4101	336,55	374,65	17,45	L2M
4105	336,55	384,17	17,45	L2M
4106	314,32	368,30	20,62	L2M
4108	350,85	406,40	20,62	L2M
4110	352,42	406,40	20,62	L2M
4111	354,02	393,70	17,45	L2M
4112	354,02	406,40	17,45	L2M
4118	361,95	400,05	17,45	L2M
4118	361,95	400,05	17,45	L2ML
4119	349,25	406,40	20,62	L2M
4120	346,07	393,70	17,45	L2M
4121	342,90	381,00	17,45	L2M
4123	342,90	400,05	20,62	L2M
4128	342,90	393,70	20,62	L2M
4129	349,25	400,05	20,62	L2M
4130	353,99	392,09	17,45	L2M
4131	355,60	393,70	17,45	L2M
4134	355,60	400,05	19,05	L2M
4135	355,60	406,40	20,62	L2M
4135	355,60	406,40	20,62	L2MP
4139	361,95	406,40	17,45	L2M
4140	361,95	412,75	20,62	L2M
4142	368,30	406,40	17,45	L2M
4145	368,30	419,10	20,62	L2M
4147	374,65	412,75	17,45	L2M
4150	377,82	428,62	25,40	L2M
4151	381,00	419,10	17,45	L2M
4156	381,00	431,80	20,62	L2M
4158	388,92	428,62	17,45	L2M
4159	390,52	441,32	20,62	L2M
4163	393,70	444,40	20,62	L2M
4165	384,17	425,45	17,45	L2M
4166	390,11	450,01	17,45	L2M
4167	390,52	438,15	17,45	L2M
4168	393,70	457,20	20,62	L2M

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS 'L2M' TYPE

Ordered according to code

Technical description at page 24

code	B	A	H	type
4169	399,99	449,98	17,45	L2M
4170	400,05	438,15	17,45	L2M
4171	400,05	444,50	17,45	L2M
4172	400,05	457,20	20,62	L2M
4173	406,40	447,67	17,45	L2M
4174	412,75	469,90	20,62	L2M
4175	400,05	469,90	25,40	L2M
4176	403,22	454,02	20,62	L2M
4177	406,40	444,50	17,45	L2M
4177	406,40	444,50	17,45	L2MP
4179	415,92	454,02	17,45	L2M
4180	406,40	457,20	20,62	L2M
4181	412,75	450,85	17,45	L2M
4183	419,10	482,60	20,62	L2M
4184	412,75	457,20	19,05	L2M
4186	419,10	469,90	20,62	L2M
4187	419,10	469,90	17,45	L2M
4188	431,80	469,90	17,45	L2M
4190	431,80	482,60	20,62	L2M
4191	431,80	488,95	20,62	L2M
4192	440,00	480,00	20,00	L2M
4194	444,50	482,60	17,45	L2M
4197	444,50	501,65	20,62	L2M
4198	444,50	495,30	17,45	L2M
4199	447,67	488,95	17,45	L2M
4200	450,85	501,65	20,62	L2M
4203	457,20	504,82	17,45	L2M
4204	454,02	504,82	20,62	L2M
4206	457,20	495,30	17,45	L2M
4209	457,20	508,00	19,05	L2M
4210	457,20	508,00	22,22	L2M
4213	466,72	504,82	17,45	L2M
4215	466,72	508,00	19,05	L2M
4216	469,90	520,70	22,22	L2M
4218	482,60	520,70	19,05	L2M
4219	482,60	533,40	22,22	L2M
4220	485,00	535,00	19,05	L2M
4221	495,30	546,10	22,22	L2M
4228	501,65	552,45	22,22	L2M
4232	500,00	550,00	19,05	L2M
4233	506,40	550,84	15,87	L2M
4235	508,00	546,10	19,05	L2M

code	B	A	H	type
4236	508,00	552,45	19,05	L2M
4237	508,00	558,80	22,22	L2M
4238	508,00	560,00	25,00	L2M
4239	514,35	552,45	19,05	L2M
4240	514,35	565,15	22,22	L2M
4241	514,35	568,32	19,05	L2M
4242	519,12	571,50	20,62	L2M
4243	527,05	584,20	20,62	L2M
4244	529,99	580,03	20,62	L2M
4245	520,70	565,15	20,62	L2M
4246	520,70	571,50	22,22	L2M
4248	527,05	577,85	22,22	L2M
4250	530,22	581,02	22,22	L2M
4251	533,40	590,55	20,62	L2M
4253	533,40	584,20	22,22	L2M
4254	539,75	590,55	22,22	L2M
4255	539,75	584,20	19,05	L2M
4256	544,49	588,94	19,05	L2M
4257	546,10	590,55	19,05	L2M
4259	546,10	596,90	22,22	L2M
4260	552,45	622,30	22,22	L2M
4261	549,27	593,72	19,05	L2M
4262	552,45	628,65	22,22	L2M
4263	549,27	600,07	22,22	L2M
4265	552,45	603,25	22,22	L2M
4268	568,32	615,95	19,05	L2M
4269	558,80	596,90	19,05	L2M
4270	558,80	609,60	22,22	L2M
4271	571,50	609,60	19,05	L2M
4272	571,50	615,95	19,05	L2M
4273	571,50	628,65	22,22	L2M
4274	571,50	635,00	22,22	L2M
4275	569,89	609,60	19,05	L2M
4276	569,89	615,95	19,05	L2M
4277	584,20	644,52	22,22	L2M
4279	571,50	622,30	22,22	L2M
4281	577,85	628,65	22,22	L2M
4283	584,20	622,30	19,05	L2M
4284	584,20	635,00	22,22	L2M
4285	584,20	647,70	22,22	L2M
4286	590,55	635,00	19,05	L2M
4287	593,72	644,52	22,22	L2M

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS 'L2M' TYPE

Ordered according to code

Technical description at page 24

code	B	A	H	type
4288	596,90	647,70	22,22	L2M
4290	598,47	641,35	19,05	L2M
4291	598,47	644,52	19,05	L2M
4292	600,07	660,40	22,22	L2M
4293	606,42	660,40	22,22	L2M
4294	609,60	660,40	22,22	L2MP
4294	609,60	660,40	22,22	L2M
4295	609,60	660,40	20,62	L2M
4297	609,60	673,10	22,22	L2M
4299	641,35	692,15	19,05	L2M
4300	647,70	685,80	22,22	L2M
4301	615,95	666,75	22,22	L2M
4302	620,69	660,40	19,05	L2M
4303	657,22	711,20	22,22	L2M
4304	620,69	671,49	19,05	L2M
4305	622,30	673,10	22,22	L2M
4306	660,09	701,67	19,05	L2M
4307	669,92	715,97	22,22	L2M
4308	635,00	673,10	19,05	L2M
4309	635,00	685,80	25,40	L2M
4311	639,75	682,62	19,05	L2M
4312	669,92	717,55	22,22	L2M
4313	673,10	723,90	22,22	L2M
4315	698,50	736,60	19,05	L2M
4316	711,20	757,25	19,05	L2M
4316	711,20	757,25	19,05	L2M
4318	647,70	698,50	22,22	L2M
4320	711,20	768,35	20,62	L2M
4321	722,32	787,40	22,22	L2M
4322	749,30	819,15	22,22	L2M
4323	762,00	819,15	22,22	L2M
4323	762,00	819,15	22,22	L2M
4325	660,40	711,20	22,22	L2M
4326	838,20	895,35	22,22	L2M
4327	850,90	920,75	22,22	L2M
4328	854,07	904,87	22,22	L2M
4329	663,57	701,67	19,05	L2M
4330	663,57	714,37	22,22	L2M
4331	863,60	920,75	22,22	L2M
4332	863,60	939,80	22,22	L2M
4333	685,80	736,60	22,22	L2M
4335	869,95	933,45	22,22	L2M

code	B	A	H	type
4336	701,70	749,30	19,05	L2M
4338	876,30	952,50	22,22	L2M
4339	698,50	749,30	22,22	L2M
4340	965,20	1.041,40	22,22	L2M
4341	708,02	757,22	22,22	L2M
4342	974,29	1.035,05	22,22	L2M
4343	711,20	749,30	19,05	L2M
4344	711,20	762,00	22,22	L2M
4346	723,90	774,70	22,22	L2M
4347	736,60	774,70	19,05	L2M
4348	736,60	787,40	22,22	L2M
4349	977,90	1.041,40	22,22	L2M
4350	990,60	1.054,10	22,22	L2M
4352	749,30	800,10	22,22	L2M
4356	762,00	800,10	19,05	L2M
4357	762,00	812,80	22,22	L2MP
4357	762,00	812,80	22,22	L2M
4358	762,00	825,50	22,22	L2M
4359	762,00	831,85	22,22	L2M
4360	762,00	838,20	22,22	L2M
4361	769,92	822,32	22,22	L2M
4365	774,70	825,50	22,22	L2M
4367	787,40	838,20	22,22	L2M
4371	815,97	866,77	22,22	L2M
4373	820,72	876,30	22,22	L2M
4377	825,50	876,30	22,22	L2M
4380	838,10	881,00	20,00	L2M
4381	838,20	876,30	19,05	L2M
4382	838,20	889,00	22,22	L2M
4389	850,90	901,70	22,22	L2M
4399	863,60	914,40	22,22	L2M
4400	863,60	927,10	22,22	L2M
4401	869,95	920,75	22,22	L2M
4405	876,30	927,10	22,22	L2M
4416	895,35	946,15	22,22	L2M
4417	898,52	949,32	22,22	L2M
4421	914,40	965,20	22,22	L2M
4425	949,30	1.003,30	22,22	L2M
4429	927,10	965,20	19,05	L2M
4430	927,10	977,90	22,22	L2M
4432	933,45	984,25	22,22	L2M
4434	939,80	990,60	22,22	L2M

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS 'L2M' TYPE

Ordered according to code

Technical description at page 24

code	B	A	H	type
4436	946,15	996,95	22,22	L2M
4438	952,50	1.003,30	22,22	L2M
4448	965,20	1.016,00	22,22	L2M
4454	971,55	1.022,35	22,22	L2M
4456	984,25	1.035,05	22,22	L2M
4462	988,99	1.041,40	22,22	L2M
4465	990,60	1.041,40	22,22	L2M
4468	1.028,70	1.079,50	22,22	L2M
4470	1.073,10	1.123,90	25,40	L2M
4473	1.079,50	1.143,00	22,22	L2M
4475	1.117,60	1.181,10	22,22	L2M
4476	387,35	438,15	20,62	L2MP
4499	209,55	260,35	20,62	L2M
4500	212,72	263,52	20,62	L2M
4527	285,75	323,85	17,45	L2M
4529	349,25	387,35	17,45	L2M
4531	349,25	393,70	19,05	L2M
4533	673,10	711,20	19,05	L2M
4534	723,90	787,40	22,22	L2M
4537	736,60	812,80	22,22	L2M
4538	749,30	812,80	22,22	L2M
4539	749,30	825,50	22,22	L2M
4540	787,40	850,90	22,22	L2M
4541	787,40	863,60	22,22	L2M
4542	831,85	869,95	19,05	L2M
4544	838,20	901,70	22,22	L2M
4548	850,90	904,87	22,22	L2M
4549	850,90	908,05	22,22	L2M
4550	850,90	914,40	22,22	L2M
4552	850,90	924,99	22,22	L2M
4553	901,70	952,50	22,22	L2M
4563	1.130,30	1.168,40	19,05	L2M
4567	971,55	1.035,05	22,22	L2M
4569	971,55	1.047,75	22,22	L2M
4570	984,25	1.041,40	22,22	L2M
4577	990,60	1.073,15	22,22	L2M
4578	1.181,10	1.231,90	22,22	L2M
4610	238,12	288,92	20,62	L2M
4611	279,40	317,50	17,45	L2M
4612	304,80	342,90	17,45	L2M
4613	311,15	349,25	17,45	L2M
4614	311,15	349,25	22,22	L2M

code	B	A	H	type
4615	387,35	425,45	17,45	L2M
4616	390,00	430,00	16,00	L2M
4617	488,95	527,05	19,05	L2M
4619	520,70	558,80	19,05	L2M
4621	552,45	590,55	19,05	L2M
4623	609,60	647,70	19,05	L2M
4626	692,15	742,95	22,22	L2M
4628	730,25	781,05	22,22	L2M
4629	750,00	814,00	25,00	L2M
4631	793,75	831,85	19,05	L2M
4632	812,80	863,60	22,22	L2M
4634	838,20	880,10	20,00	L2M
4635	1.054,10	1.104,90	22,22	L2M
4637	1.104,90	1.155,70	22,22	L2M
4638	1.111,25	1.162,05	22,22	L2M
4639	1.225,55	1.276,35	22,22	L2M
4640	1.105,00	1.160,00	22,00	L2M
4647	895,35	971,55	20,62	L2M
4779	336,55	387,35	20,62	L2M
4794	660,40	723,90	22,22	L2M
4906	768,35	825,50	22,22	L2M
5000	762,00	803,04	19,05	L2M
5001	701,67	752,47	19,05	L2M
5016	806,45	857,25	22,22	L2M
5033	793,75	844,55	19,05	L2M
5054	444,50	488,95	17,45	L2M
5077	406,40	457,20	22,22	L2M
5259	533,40	571,50	19,05	L2M
5276	552,45	609,60	22,22	L2M
5312	533,40	577,85	19,05	L2M
5339	250,00	280,00	15,00	L2M
5382	355,60	412,75	20,62	L2M
5404	327,02	381,00	20,62	L2M
5421	584,20	628,65	19,05	L2M
5429	260,00	300,00	20,00	L2M
5481	365,12	406,40	17,45	L2M
5485	488,95	539,75	19,05	L2M
5547	596,90	641,35	19,05	L2M
5555	1.079,50	1.123,95	22,22	L2M
5644	609,60	685,80	22,22	L2M
5728	457,20	501,65	17,45	L2M
5739	787,40	825,50	19,05	L2M

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS 'L2M' TYPE

Ordered according to code

Technical description at page 24

code	B	A	H	type
5838	304,80	355,60	17,45	L2M
5921	660,40	701,67	19,05	L2M
5989	257,17	298,45	17,45	L2M
5990	374,65	419,10	17,45	L2M
5991	355,60	400,05	17,45	L2M
5992	388,92	439,72	17,45	L2M
5994	639,74	684,19	19,05	L2M
5995	406,40	469,90	20,62	L2M
5997	635,00	698,50	22,22	L2M
5998	711,20	787,40	22,22	L2M
6034	279,40	330,20	17,45	L2M
6152	838,20	881,04	19,05	L2M
6239	603,25	641,35	25,40	L2M
6269	1.079,50	1.155,70	22,22	L2M
6287	520,70	577,85	22,22	L2M
6293	609,60	666,75	22,22	L2M
6294	336,55	387,35	17,45	L2M
6295	558,80	622,30	22,22	L2M
6384	215,90	247,65	16,56	L2M
6384	215,90	247,65	16,56	L2ML
6417	530,22	589,99	22,22	L2M
6421	635,00	692,15	22,22	L2M
6480	569,89	620,70	19,05	L2M
6493	546,10	600,07	22,22	L2M
6535	533,40	584,20	20,62	L2M
6666	790,00	854,00	25,00	L2M
6740	466,72	517,52	20,62	L2M
6747	1.301,70	1.353,20	22,22	L2MP
6747	1.301,75	1.353,20	22,22	L2M
6771	393,70	450,85	20,62	L2M
6779	546,10	609,60	22,22	L2M
6787	838,20	879,47	19,05	L2M
6843	577,85	635,00	22,22	L2M
6850	447,67	498,47	17,45	L2M
6874	400,05	450,85	17,45	L2M
6908	876,30	914,40	19,05	L2M
6910	590,55	641,35	20,62	L2M
6967	438,15	476,25	19,05	L2M
6998	654,05	698,50	19,05	L2M
6999	568,32	619,12	19,05	L2M
7065	1.350,00	1.414,00	22,00	L2M
7087	1.117,60	1.168,40	22,22	L2M

code	B	A	H	type
7103	466,72	506,39	17,45	L2M
7169	336,55	381,00	17,45	L2M
7189	1.092,20	1.155,70	22,22	L2M
7266	560,00	610,00	20,00	L2M
7281	479,98	519,98	19,98	L2M
7300	1.028,70	1.092,20	22,22	L2M
7391	280,00	319,98	19,98	L2M
7393	540,00	589,99	24,98	L2M
7400	501,65	561,97	22,22	L2M
7407	546,10	596,90	20,62	L2M
7428	933,45	996,95	22,22	L2M
7535	355,60	419,10	20,62	L2M
7537	815,97	879,47	22,22	L2M
7538	1.009,65	1.073,15	22,22	L2M
7652	323,85	374,65	17,45	L2M
7718	219,07	273,05	20,62	L2M
7734	336,55	377,82	17,45	L2M
7769	270,00	308,00	17,45	L2M
7770	919,98	958,01	19,05	L2M
7828	711,20	752,47	19,05	L2M
7870	762,00	803,27	19,05	L2M
8031	685,80	749,30	22,22	L2M
8198	1.270,00	1.320,80	22,22	L2M
8217	412,75	457,20	17,45	L2M
8230	774,70	850,90	22,22	L2M
8231	514,35	565,02	22,22	L2M
8289	831,85	889,00	22,22	L2M
8317	1.189,99	1.240,00	22,22	L2M
8407	812,80	876,30	22,22	L2M
8453	215,90	254,00	17,45	L2M
8504	419,98	459,99	17,45	L2M
8508	381,00	438,15	20,62	L2M
8523	304,80	346,07	17,45	L2M
8577	774,70	838,20	22,22	L2M
8579	1.219,20	1.270,00	22,22	L2M
8594	1.380,00	1.440,00	25,00	L2M
8599	1.016,00	1.079,50	25,40	L2M
8624	600,00	640,00	20,00	L2M
8628	1.063,62	1.104,90	25,40	L2M
8675	552,45	615,95	22,22	L2M
8765	232,00	269,87	17,45	L2M
8770	514,35	571,50	22,22	L2M

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS 'L2M' TYPE

Ordered according to code

Technical description at page 24

P.S.: higher diameters can be made on request.

code	B		A		H	type
8778	285,75	x	336,55	x	17,45	L2M
8791	1.016,00	x	1.079,50	x	22,22	L2M
8792	419,98	x	470,00	x	17,45	L2M
8793	736,60	x	800,10	x	25,40	L2M
8862	425,45	x	469,90	x	17,45	L2M
8903	1.143,00	x	1.184,27	x	25,40	L2M
9079	900,09	x	980,00	x	22,22	L2M
9082	558,80	x	615,95	x	20,62	L2M
9084	450,85	x	509,98	x	22,22	L2M
9176	200,02	x	238,12	x	17,45	L2M
9271	400,05	x	439,72	x	17,45	L2M
9280	360,34	x	424,99	x	20,62	L2M
9371	590,55	x	641,35	x	19,05	L2M
9402	660,40	x	714,37	x	22,22	L2M
9411	952,50	x	990,60	x	19,05	L2M
9425	247,65	x	298,45	x	17,45	L2M
9504	850,90	x	889,00	x	22,22	L2M
9637	381,00	x	444,50	x	20,62	L2M
9695	430,19	x	489,99	x	20,62	L2M
9706	234,95	x	285,75	x	17,45	L2M
9712	206,37	x	257,17	x	17,45	L2M
9766	322,24	x	374,65	x	20,62	L2M
9772	533,40	x	596,90	x	22,22	L2M
9840	569,89	x	622,30	x	19,05	L2M
9863	419,10	x	457,20	x	17,45	L2M
9892	412,75	x	463,55	x	17,45	L2M
9893	523,87	x	574,67	x	20,62	L2M
9911	222,25	x	266,70	x	17,45	L2M
9984	685,80	x	762,00	x	22,22	L2M
9986	400,05	x	436,00	x	17,45	L2M
9987	950,00	x	1.000,00	x	22,22	L2M
9988	609,60	x	660,40	x	19,05	L2M
9989	520,00	x	572,00	x	22,00	L2M
9990	620,69	x	684,15	x	25,40	L2M
9992	668,00	x	706,00	x	25,40	L2M
9993	914,40	x	977,90	x	25,40	L2M
9994	1.092,20	x	1.155,70	x	25,40	L2M
9995	565,00	x	601,00	x	20,00	L2M
9996	360,00	x	404,00	x	17,45	L2M
9997	513,00	x	543,00	x	16,00	L2ML
9998	990,00	x	1.040,00	x	25,00	L2M

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS 'L2M-BP' TYPE

Ordered according to size

Technical description at page 24



code	B		A		H	type
4064	298,45	x	336,55	x	17,45	L2M-BP
4083	317,50	x	368,30	x	20,62	L2M-BP
4128	342,90	x	393,70	x	20,62	L2M-BP
6874	400,05	x	450,85	x	17,45	L2M-BP

P.S.: higher diameters can be made on request.

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS 'L2M-BP' TYPE

Ordered according to code

Technical description at page 24



code	*B*		*A*		*H*	*type*
4064	298,45	x	336,55	x	17,45	L2M-BP
4083	317,50	x	368,30	x	20,62	L2M-BP
4128	342,90	x	393,70	x	20,62	L2M-BP
6874	400,05	x	450,85	x	17,45	L2M-BP

P.S.: higher diameters can be made on request.

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS 'L2M-PL' TYPE

Ordered according to size

Technical description at page 24









code	B		A		H	type
3082	190,00	x	220,00	x	15,00	L2ML-PL
3045	240,00	x	280,00	x	15,00	L2ML-PL
3015	240,00	x	280,00	x	20,00	L2M-PL
4004	260,35	x	298,45	x	17,45	L2ML-PL
4009	260,35	x	311,15	x	20,62	L2M-PL
3856	371,47	x	412,75	x	17,45	L2MP-PL
5990	374,65	x	419,10	x	17,45	L2M-PL
4170	400,05	x	438,15	x	17,45	L2M-PL
9991	410,00	x	470,00	x	28,00	L2MP-PL
4194	444,50	x	482,60	x	17,45	L2M-PL
4198	444,50	x	495,30	x	17,45	L2M-PL
4215	466,72	x	508,00	x	19,05	L2M-PL
4235	508,00	x	546,10	x	19,05	L2M-PL
3033	596,90	x	626,90	x	15,00	L2M-PL
4301	615,95	x	666,75	x	22,22	L2M-PL
4308	635,00	x	673,10	x	19,05	L2M-PL
4325	660,40	x	711,20	x	22,22	L2M-PL
4330	663,57	x	714,37	x	22,22	L2M-PL
4333	685,80	x	736,60	x	22,22	L2M-PL
4339	698,50	x	749,30	x	22,22	L2M-PL
4344	711,20	x	762,00	x	22,22	L2M-PL
4628	730,25	x	781,05	x	22,22	L2M-PL
4628	730,25	x	781,05	x	22,22	L2MP-PL
4367	787,40	x	838,20	x	22,22	L2M-PL
3023	812,80	x	850,90	x	19,05	L2M-PL
4632	812,80	x	863,60	x	22,22	L2M-PL
4382	838,20	x	889,00	x	22,22	L2M-PL
4331	863,60	x	920,75	x	22,22	L2M-PL
3118	870,00	x	920,00	x	25,00	L2M-PL
4405	876,30	x	927,10	x	22,22	L2M-PL
4417	898,52	x	949,32	x	22,22	L2M-PL
3003	910,00	x	967,15	x	17,45	L2M-PL
4421	914,40	x	965,20	x	22,22	L2M-PL
4436	946,15	x	996,95	x	22,22	L2M-PL
4438	952,50	x	1.003,30	x	22,22	L2M-PL
3004	965,20	x	1.003,30	x	19,05	L2M-PL
4448	965,20	x	1.016,00	x	22,22	L2M-PL
4467	1.016,00	x	1.066,80	x	22,22	L2M-PL
9994	1.092,20	x	1.155,70	x	25,40	L2M-PL
4475	1.117,60	x	1.181,10	x	22,22	L2M-PL
3049	1.150,00	x	1.200,80	x	22,22	L2M-PL
3006	1.168,50	x	1.206,50	x	19,05	L2M-PL
8317	1.189,99	x	1.240,00	x	22,22	L2M-PL
4639	1.225,55	x	1.276,35	x	22,22	L2M-PL
3028	1.350,00	x	1.415,00	x	25,00	L2M-PL
8594	1.380,00	x	1.440,00	x	25,00	L2M-PL
9985	1.540,00	x	1.600,00	x	25,00	L2M-PL

P.S.: higher diameters can be made on request.

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS 'L2M-PL' TYPE

Ordered according to code

Technical description at page 24









code	B		A		H	type
3003	910,00	x	967,15	x	17,45	L2M-PL
3004	965,20	x	1.003,30	x	19,05	L2M-PL
3006	1.168,50	x	1.206,50	x	19,05	L2M-PL
3015	240,00	x	280,00	x	20,00	L2M-PL
3023	812,80	x	850,90	x	19,05	L2M-PL
3028	1.350,00	x	1.415,00	x	25,00	L2M-PL
3033	596,90	x	626,90	x	15,00	L2M-PL
3045	240,00	x	280,00	x	15,00	L2ML-PL
3049	1.150,00	x	1.200,80	x	22,22	L2M-PL
3082	190,00	x	220,00	x	15,00	L2ML-PL
3118	870,00	x	920,00	x	25,00	L2M-PL
3856	371,47	x	412,75	x	17,45	L2MP-PL
4004	260,35	x	298,45	x	17,45	L2ML-PL
4009	260,35	x	311,15	x	20,62	L2M-PL
4170	400,05	x	438,15	x	17,45	L2M-PL
4194	444,50	x	482,60	x	17,45	L2M-PL
4198	444,50	x	495,30	x	17,45	L2M-PL
4215	466,72	x	508,00	x	19,05	L2M-PL
4235	508,00	x	546,10	x	19,05	L2M-PL
4301	615,95	x	666,75	x	22,22	L2M-PL
4308	635,00	x	673,10	x	19,05	L2M-PL
4325	660,40	x	711,20	x	22,22	L2M-PL
4330	663,57	x	714,37	x	22,22	L2M-PL
4331	863,60	x	920,75	x	22,22	L2M-PL
4333	685,80	x	736,60	x	22,22	L2M-PL
4339	698,50	x	749,30	x	22,22	L2M-PL
4344	711,20	x	762,00	x	22,22	L2M-PL
4367	787,40	x	838,20	x	22,22	L2M-PL
4382	838,20	x	889,00	x	22,22	L2M-PL
4405	876,30	x	927,10	x	22,22	L2M-PL
4417	898,52	x	949,32	x	22,22	L2M-PL
4421	914,40	x	965,20	x	22,22	L2M-PL
4436	946,15	x	996,95	x	22,22	L2M-PL
4438	952,50	x	1.003,30	x	22,22	L2M-PL
4448	965,20	x	1.016,00	x	22,22	L2M-PL
4467	1.016,00	x	1.066,80	x	22,22	L2M-PL
4475	1.117,60	x	1.181,10	x	22,22	L2M-PL
4628	730,25	x	781,05	x	22,22	L2MP-PL
4628	730,25	x	781,05	x	22,22	L2M-PL
4632	812,80	x	863,60	x	22,22	L2M-PL
4639	1.225,55	x	1.276,35	x	22,22	L2M-PL
5990	374,65	x	419,10	x	17,45	L2M-PL
8317	1.189,99	x	1.240,00	x	22,22	L2M-PL
8594	1.380,00	x	1.440,00	x	25,00	L2M-PL
9985	1.540,00	x	1.600,00	x	25,00	L2M-PL
9991	410,00	x	470,00	x	28,00	L2MP-PL
9994	1.092,20	x	1.155,70	x	25,40	L2M-PL

P.S.: higher diameters can be made on request.

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS 'L2M-PLS' TYPE

Ordered according to size

Technical description at page 24









code	*B*		*A*		*H*	*type*
3071	209,55	x	234,95	x	15,87	L2ML-PLS
3097	209,55	x	241,29	x	15,87	L2MLP-PLS
3039	220,00	x	250,00	x	18,00	L2MLP-PLS
3040	240,00	x	270,00	x	15,00	L2ML-PLS
3007	330,00	x	370,00	x	18,00	L2M-PLS
3007	330,00	x	370,00	x	18,00	L2MP-PLS
8624	600,00	x	640,00	x	20,00	L2M-PLS
3019	640,00	x	680,00	x	20,00	L2M-PLS
3037	760,00	x	804,00	x	18,00	L2M-PLS
4550	850,90	x	914,40	x	22,22	L2MP-PLS
3064	990,00	x	1.054,00	x	25,00	L2MP-PLS
3064	990,00	x	1.054,00	x	25,00	L2M-PLS
3090	990,60	x	1.041,40	x	25,40	L2M-PLS

P.S.: L2M-PLS and L2MP-PLS not to be used in paper industry. Special designed for high speed gear drives, aluminium foil mills, high speed cold mills. Sizes not covered in this list can be produced on request.

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS 'L2M-PLS' TYPE

Ordered according to code

Technical description at page 24









code	B		A		H	type
3007	330,00	x	370,00	x	18,00	L2M-PLS
3007	330,00	x	370,00	x	18,00	L2MP-PLS
3019	640,00	x	680,00	x	20,00	L2M-PLS
3037	760,00	x	804,00	x	18,00	L2M-PLS
3039	220,00	x	250,00	x	18,00	L2MLP-PLS
3040	240,00	x	270,00	x	15,00	L2ML-PLS
3064	990,00	x	1.054,00	x	25,00	L2MP-PLS
3064	990,00	x	1.054,00	x	25,00	L2M-PLS
3071	209,55	x	234,95	x	15,87	L2ML-PLS
3090	990,60	x	1.041,40	x	25,40	L2M-PLS
3097	209,55	x	241,29	x	15,87	L2MLP-PLS
4550	850,90	x	914,40	x	22,22	L2MP-PLS
8624	600,00	x	640,00	x	20,00	L2M-PLS

P.S.: L2M-PLS and L2MP-PLS not to be used in paper industry. Special designed for high speed gear drives, aluminium foil mills, high speed cold mills. Sizes not covered in this list can be produced on request.

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS 'L2M-TE' TYPE

Ordered according to size

Technical description at page 24

L2M-TE



L2MP-TE



code	B		A		H	type
3094	175,00	x	215,00	x	20,00	L2M-TE
3063	250,00	x	290,00	x	20,00	L2M-TE
3119	300,00	x	360,00	x	22,00	L2M-TE
3058	350,00	x	400,00	x	20,00	L2M-TE
3050	360,00	x	400,00	x	20,00	L2MP-TE
4177	406,40	x	444,50	x	17,45	L2M-TE
3010	420,00	x	460,00	x	20,00	L2MP-TE
3740	430,00	x	480,00	x	22,00	L2M-TE
4194	444,50	x	482,60	x	17,45	L2M-TE
3091	460,00	x	500,00	x	20,00	L2MP-TE
4235	508,00	x	546,10	x	19,05	L2M-TE
4259	546,10	x	596,90	x	22,22	L2M-TE
4263	549,27	x	600,07	x	22,22	L2M-TE
4279	571,50	x	622,30	x	22,22	L2M-TE
4623	609,60	x	647,70	x	19,05	L2M-TE
4301	615,95	x	666,75	x	22,22	L2M-TE
3774	635,00	x	685,80	x	22,22	L2M-TE
4329	663,57	x	701,67	x	19,05	L2M-TE
3042	700,00	x	750,00	x	22,00	L2M-TE
3098	740,00	x	790,00	x	22,00	L2M-TE
4328	854,07	x	904,87	x	22,22	L2M-TE
3120	880,00	x	930,00	x	22,00	L2M-TE
3092	1.150,00	x	1.200,00	x	25,00	L2M-TE

P.S.: higher diameters can be made on request.

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS 'L2M-TE' TYPE

Ordered according to code

Technical description at page 24

L2M-TE



L2MP-TE



code	B		A		H	type
3010	420,00	x	460,00	x	20,00	L2MP-TE
3042	700,00	x	750,00	x	22,00	L2M-TE
3050	360,00	x	400,00	x	20,00	L2MP-TE
3058	350,00	x	400,00	x	20,00	L2M-TE
3063	250,00	x	290,00	x	20,00	L2M-TE
3091	460,00	x	500,00	x	20,00	L2MP-TE
3092	1.150,00	x	1.200,00	x	25,00	L2M-TE
3094	175,00	x	215,00	x	20,00	L2M-TE
3098	740,00	x	790,00	x	22,00	L2M-TE
3119	300,00	x	360,00	x	22,00	L2M-TE
3120	880,00	x	930,00	x	22,00	L2M-TE
3740	430,00	x	480,00	x	22,00	L2M-TE
3774	635,00	x	685,80	x	22,22	L2M-TE
4177	406,40	x	444,50	x	17,45	L2M-TE
4194	444,50	x	482,60	x	17,45	L2M-TE
4235	508,00	x	546,10	x	19,05	L2M-TE
4259	546,10	x	596,90	x	22,22	L2M-TE
4263	549,27	x	600,07	x	22,22	L2M-TE
4279	571,50	x	622,30	x	22,22	L2M-TE
4301	615,95	x	666,75	x	22,22	L2M-TE
4328	854,07	x	904,87	x	22,22	L2M-TE
4329	663,57	x	701,67	x	19,05	L2M-TE
4623	609,60	x	647,70	x	19,05	L2M-TE

P.S.: higher diameters can be made on request.

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS 'L2M-VF' TYPE

Ordered according to size

Technical description at page 24



code	B		A		H	type
4151	381,00	x	419,10	x	17,45	L2M-VF
4246	520,70	x	571,50	x	22,22	L2M-VF
4248	527,05	x	577,85	x	22,22	L2M-VF
4270	558,80	x	609,60	x	22,22	L2M-VF
4281	577,85	x	628,65	x	22,22	L2M-VF
4284	584,20	x	635,00	x	22,22	L2M-VF
4301	615,95	x	666,75	x	22,22	L2M-VF
4305	622,30	x	673,10	x	22,22	L2M-VF
4330	663,57	x	714,37	x	22,22	L2M-VF
4333	685,80	x	736,60	x	22,22	L2M-VF
4339	698,50	x	749,30	x	22,22	L2M-VF
4348	736,60	x	787,40	x	22,22	L2M-VF
4632	812,80	x	863,60	x	22,22	L2M-VF
4382	838,20	x	889,00	x	22,22	L2M-VF

P.S.: higher diameters can be made on request.

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS 'L2M-VF' TYPE

Ordered according to code

Technical description at page 24



code	B		A		H	type
4151	381,00	x	419,10	x	17,45	L2M-VF
4246	520,70	x	571,50	x	22,22	L2M-VF
4248	527,05	x	577,85	x	22,22	L2M-VF
4270	558,80	x	609,60	x	22,22	L2M-VF
4281	577,85	x	628,65	x	22,22	L2M-VF
4284	584,20	x	635,00	x	22,22	L2M-VF
4301	615,95	x	666,75	x	22,22	L2M-VF
4305	622,30	x	673,10	x	22,22	L2M-VF
4330	663,57	x	714,37	x	22,22	L2M-VF
4333	685,80	x	736,60	x	22,22	L2M-VF
4339	698,50	x	749,30	x	22,22	L2M-VF
4348	736,60	x	787,40	x	22,22	L2M-VF
4382	838,20	x	889,00	x	22,22	L2M-VF
4632	812,80	x	863,60	x	22,22	L2M-VF

P.S.: higher diameters can be made on request.

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'L1M'

Ordered according to size

Technical description at page 27









code	B		A		H	type
2501	98,42	x	123,82	x	12,70	L1M
2570	103,20	x	130,17	x	12,70	L1M
2819	119,04	x	146,05	x	12,70	L1M
2873	123,82	x	152,40	x	12,70	L1M
3188	139,70	x	177,80	x	12,70	L1M
2990	140,00	x	170,00	x	15,00	L1M
3192	142,80	x	174,60	x	15,87	L1M
3293	146,05	x	177,80	x	12,70	L1M
3319	149,23	x	177,80	x	12,70	L1M
3322	149,23	x	180,98	x	12,70	L1M
3121	150,00	x	170,00	x	15,00	L1M
3124	150,00	x	180,00	x	13,00	L1M
3355	152,40	x	177,80	x	12,70	L1M
3361	152,40	x	184,15	x	12,80	L1M
3363	152,40	x	184,15	x	15,87	L1M
1299	155,57	x	193,67	x	17,45	L1M-L
3405	158,75	x	196,85	x	19,05	L1M
3108	160,00	x	190,00	x	15,00	L1M-L
3426	165,10	x	190,50	x	15,87	L1M
3434	165,10	x	203,20	x	15,87	L1M
3436	168,27	x	196,67	x	15,87	L1M
3456	171,45	x	196,85	x	15,87	L1M
3460	171,45	x	203,20	x	15,87	L1M
3492	177,80	x	203,20	x	15,87	L1M
3500	177,80	x	215,90	x	15,87	L1M
3075	180,00	x	220,00	x	16,00	L1M
3510	180,90	x	212,72	x	15,87	L1M-L
3508	180,97	x	209,55	x	15,87	L1M
3011	180,97	x	209,55	x	19,05	L1M-L
3522	184,15	x	215,90	x	15,87	L1M
3526	184,15	x	222,25	x	15,88	L1M

code	B		A		H	type
8049	189,99	x	219,98	x	15,01	L1M
3082	190,00	x	220,00	x	15,00	L1M-L
3043	196,85	x	238,12	x	15,87	L1M-L
3114	200,00	x	230,00	x	15,00	L1M-L
3013	200,00	x	240,00	x	20,00	L1M
9176	200,02	x	238,12	x	17,45	L1M
3590	201,59	x	231,77	x	15,87	L1M
3592	203,20	x	228,60	x	15,87	L1M
3600	203,20	x	241,30	x	15,87	L1M
3921	203,20	x	241,30	x	17,45	L1M
3601	203,20	x	241,30	x	19,05	L1M
3924	203,20	x	254,00	x	17,45	L1M
3071	209,55	x	234,95	x	15,87	L1M-L
3101	209,55	x	247,65	x	19,05	L1M-L
4499	209,55	x	260,35	x	20,62	L1M
3933	212,72	x	250,82	x	17,45	L1M
1705	215,90	x	247,65	x	14,28	L1M-L
6384	215,90	x	247,65	x	16,56	L1M-L
3066	215,90	x	247,65	x	19,05	L1M-L
8453	215,90	x	254,00	x	17,45	L1M
3110	215,90	x	254,00	x	19,05	L1M-L
3610	215,90	x	266,70	x	25,40	L1M
3939	219,07	x	257,17	x	17,45	L1M
3069	220,00	x	250,00	x	15,00	L1M-L
3039	220,00	x	250,00	x	18,00	L1M-L
3074	220,00	x	260,00	x	16,00	L1M
3946	222,25	x	260,35	x	17,45	L1M
3104	222,25	x	260,35	x	19,05	L1M
3031	228,60	x	254,00	x	19,05	L1M-L
3620	228,60	x	266,70	x	15,87	L1M
3954	228,60	x	266,70	x	17,45	L1M
3623	228,60	x	279,40	x	19,05	L1M
3122	228,60	x	279,40	x	20,63	L1M
3957	231,77	x	269,87	x	17,45	L1M
3959	231,77	x	273,05	x	19,05	L1M
4511	234,95	x	266,70	x	15,87	L1M
3963	234,95	x	273,05	x	17,45	L1M
3972	238,12	x	279,40	x	19,05	L1M
4610	238,12	x	288,92	x	20,62	L1M
3015	240,00	x	280,00	x	20,00	L1M
3977	241,30	x	266,70	x	15,87	L1M
3981	241,30	x	285,75	x	19,05	L1M

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'L1M'

Ordered according to size

Technical description at page 27

code	B		A		H	type
3981	241,30	x	285,75	x	19,05	L1M
3984	241,30	x	292,10	x	20,62	L1M
3984	241,30	x	292,10	x	20,62	L1M
3984	241,30	x	292,10	x	20,62	L1M
3985	247,65	x	285,75	x	17,45	L1M
3107	250,00	x	290,00	x	16,00	L1M-L
3051	254,00	x	292,10	x	15,88	L1M-L
3992	254,00	x	292,10	x	17,45	L1M
3672	254,00	x	292,10	x	19,05	L1M
3994	254,00	x	298,45	x	19,05	L1M
3994	254,00	x	298,45	x	19,05	L1M
3673	254,00	x	304,00	x	25,40	L1M
3997	254,00	x	304,80	x	20,62	L1M
3669	254,00	x	311,15	x	20,62	L1M
3999	257,17	x	295,27	x	17,45	L1M
5989	257,17	x	298,45	x	17,45	L1M
3076	260,00	x	304,00	x	20,00	L1M
3123	260,35	x	298,45	x	15,82	L1M
4004	260,35	x	298,45	x	17,45	L1M
4005	260,35	x	298,45	x	19,05	L1M
4011	266,70	x	304,80	x	17,45	L1M
4012	266,70	x	304,80	x	19,05	L1M
3041	266,70	x	317,50	x	19,05	L1M
4017	266,70	x	317,50	x	20,62	L1M
3035	270,00	x	310,00	x	20,00	L1M-L
4023	273,05	x	311,15	x	17,45	L1M
4033	273,05	x	317,50	x	22,22	L1M
3014	273,05	x	323,85	x	15,87	L1M
3078	275,00	x	319,00	x	18,00	L1M
3096	275,00	x	319,50	x	19,00	L1M
4028	276,22	x	317,50	x	17,45	L1M
3693	279,40	x	317,50	x	15,87	L1M
4611	279,40	x	317,50	x	17,45	L1M
4036	279,40	x	330,20	x	20,62	L1M
3060	279,40	x	342,90	x	17,45	L1M
4039	280,00	x	340,00	x	20,62	L1M
4527	285,75	x	323,85	x	17,45	L1M
4046	285,75	x	323,85	x	19,05	L1M
4047	285,75	x	336,55	x	20,62	L1M
4052	288,92	x	339,72	x	20,62	L1M
4050	288,93	x	327,02	x	19,05	L1M
4057	292,10	x	330,20	x	17,45	L1M

code	B		A		H	type
3083	292,10	x	330,20	x	19,05	L1M
4062	292,10	x	342,90	x	19,05	L1M
4063	292,10	x	342,90	x	20,62	L1M
4064	298,45	x	336,55	x	17,45	L1M
4612	304,80	x	342,90	x	17,45	L1M
4068	304,80	x	346,08	x	19,05	L1M
4068	304,80	x	346,08	x	19,05	L1M
4071	304,80	x	355,60	x	19,05	L1M
4072	304,80	x	355,60	x	20,62	L1M
3115	310,00	x	350,00	x	18,00	L1M
4613	311,15	x	349,25	x	17,45	L1M
4614	311,15	x	349,25	x	22,22	L1M
4075	311,15	x	361,95	x	20,62	L1M
4076	314,32	x	352,42	x	17,45	L1M
4056	314,32	x	355,60	x	17,45	L1M
4079	317,50	x	355,60	x	17,45	L1M
4083	317,50	x	368,30	x	20,62	L1M
3079	320,00	x	364,00	x	18,00	L1M
3080	320,00	x	364,00	x	20,00	L1M
4089	323,85	x	361,95	x	17,45	L1M
4092	323,85	x	381,00	x	20,62	L1M
3099	330,00	x	360,00	x	18,00	L1M-L
3007	330,00	x	370,00	x	18,00	L1M
4093	330,20	x	368,30	x	17,45	L1M
4094	330,20	x	368,30	x	19,05	L1M
4099	330,20	x	381,00	x	20,62	L1M
4100	330,20	x	381,00	x	25,40	L1M
4101	336,55	x	374,65	x	17,45	L1M
7734	336,55	x	377,82	x	17,45	L1M
3036	340,00	x	380,00	x	18,00	L1M
3116	340,00	x	380,00	x	20,00	L1M
4121	342,90	x	381,00	x	17,45	L1M
3052	342,90	x	387,35	x	19,05	L1M
4128	342,90	x	393,70	x	20,62	L1M
4129	349,25	x	400,05	x	20,62	L1M
4130	353,99	x	392,09	x	17,45	L1M
4131	355,60	x	393,70	x	17,45	L1M
5991	355,60	x	400,05	x	17,45	L1M
4134	355,60	x	400,05	x	19,05	L1M
4135	355,60	x	406,40	x	20,62	L1M
4135	355,60	x	406,40	x	20,62	L1M
9996	360,00	x	404,00	x	17,45	L1M

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'L1M'

Ordered according to size

Technical description at page 27

code	B		A		H	type
4118	361,95	x	400,05	x	17,45	L1M
4118	361,95	x	400,05	x	17,45	L1M
4140	361,95	x	412,75	x	20,62	L1M
4142	368,30	x	406,40	x	17,45	L1M
4145	368,30	x	419,10	x	20,62	L1M
4105	370,00	x	390,00	x	12,00	L1M
3857	371,47	x	425,45	x	20,62	L1M
4147	374,65	x	412,75	x	17,45	L1M
5990	374,65	x	419,10	x	17,45	L1M
3858	377,82	x	419,10	x	17,45	L1M
4151	381,00	x	419,10	x	17,45	L1M
3067	381,00	x	419,10	x	19,05	L1M
3111	381,00	x	425,45	x	19,05	L1M
4155	381,00	x	431,80	x	19,05	L1M
4156	381,00	x	431,80	x	20,62	L1M
3734	387,30	x	438,10	x	22,22	L1M
4615	387,35	x	425,45	x	17,45	L1M
4476	387,35	x	438,15	x	20,62	L1M
4476	387,35	x	438,15	x	20,62	L1M
3030	387,35	x	438,15	x	22,22	L1M
5992	388,92	x	439,72	x	17,45	L1M
4616	390,00	x	430,00	x	16,00	L1M
4163	393,70	x	444,40	x	20,62	L1M
3038	400,00	x	440,00	x	20,00	L1M
9986	400,05	x	436,00	x	17,45	L1M
4170	400,05	x	438,15	x	17,45	L1M
6874	400,05	x	450,85	x	17,45	L1M
4177	406,40	x	444,50	x	17,45	L1M
4177	406,40	x	444,50	x	17,45	L1M
4180	406,40	x	457,20	x	20,62	L1M
5077	406,40	x	457,20	x	22,22	L1M
5995	406,40	x	469,90	x	20,62	L1M
4181	412,75	x	450,85	x	17,45	L1M
4184	412,75	x	457,20	x	19,05	L1M
3057	412,75	x	457,20	x	25,40	L1M
4179	415,92	x	454,02	x	17,45	L1M
9863	419,10	x	457,20	x	17,45	L1M
4187	419,10	x	469,90	x	17,45	L1M
4186	419,10	x	469,90	x	20,62	L1M
3010	420,00	x	460,00	x	20,00	L1M
4188	431,80	x	469,90	x	17,45	L1M
4190	431,80	x	482,60	x	20,62	L1M

code	B		A		H	type
3750	431,80	x	495,30	x	20,62	L1M
3751	438,15	x	476,25	x	17,45	L1M
4192	440,00	x	480,00	x	20,00	L1M
4194	444,50	x	482,60	x	17,45	L1M
5054	444,50	x	488,95	x	17,45	L1M
3005	444,50	x	488,95	x	25,40	L1M
4198	444,50	x	495,30	x	17,45	L1M
4199	447,67	x	488,95	x	17,45	L1M
4204	454,02	x	504,82	x	20,62	L1M
4206	457,20	x	495,30	x	17,45	L1M
4210	457,20	x	508,00	x	22,22	L1M
4213	466,72	x	504,82	x	17,45	L1M
4215	466,72	x	508,00	x	19,05	L1M
3768	469,90	x	508,00	x	17,45	L1M
3068	469,90	x	520,70	x	20,62	L1M
4216	469,90	x	520,70	x	22,22	L1M
3029	470,00	x	520,00	x	22,00	L1M
3062	470,00	x	530,00	x	20,00	L1M
7281	479,98	x	519,98	x	19,98	L1M
4218	482,60	x	520,70	x	19,05	L1M
4219	482,60	x	533,40	x	22,22	L1M
3773	482,60	x	546,10	x	22,22	L1M
4220	485,00	x	535,00	x	19,00	L1M
4617	488,95	x	527,05	x	19,05	L1M
4221	495,30	x	546,10	x	22,22	L1M
4232	500,00	x	550,00	x	19,00	L1M
4228	501,65	x	552,45	x	22,22	L1M
4233	506,39	x	550,84	x	15,87	L1M
4235	508,00	x	546,10	x	19,05	L1M
4236	508,00	x	552,45	x	19,05	L1M
4237	508,00	x	558,80	x	22,22	L1M
3179	508,00	x	558,80	x	25,40	L1M
9997	513,00	x	543,00	x	16,00	L1M-L
4239	514,35	x	552,45	x	19,05	L1M
3027	520,00	x	570,00	x	22,00	L1M
4619	520,70	x	558,80	x	19,05	L1M
4246	520,70	x	571,50	x	22,22	L1M
4248	527,05	x	577,85	x	22,22	L1M
4244	529,99	x	580,03	x	20,62	L1M
5259	533,40	x	571,50	x	19,05	L1M
5312	533,40	x	577,85	x	19,05	L1M
4253	533,40	x	584,20	x	22,22	L1M

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'L1M'

Ordered according to size

Technical description at page 27

code	B		A		H	type
4255	539,75	x	584,20	x	19,05	L1M
4254	539,75	x	590,55	x	22,22	L1M
3044	540,00	x	578,00	x	15,00	L1M-L
4257	546,10	x	590,55	x	19,05	L1M
4259	546,10	x	596,90	x	22,22	L1M
4263	549,27	x	600,07	x	22,22	L1M
4621	552,45	x	590,55	x	19,05	L1M
4265	552,45	x	603,25	x	22,22	L1M
4269	558,80	x	596,90	x	19,05	L1M
4270	558,80	x	609,60	x	22,22	L1M
7266	560,00	x	610,00	x	20,00	L1M
9995	565,00	x	601,00	x	20,00	L1M
3764	565,15	x	615,95	x	22,22	L1M
4275	569,89	x	609,60	x	19,05	L1M
6480	569,89	x	620,69	x	19,05	L1M
3061	570,00	x	630,00	x	20,00	L1M
4271	571,50	x	609,60	x	19,05	L1M
4279	571,50	x	622,30	x	22,22	L1M
4281	577,85	x	628,65	x	22,22	L1M
3053	580,00	x	620,00	x	20,00	L1M
4283	584,20	x	622,30	x	19,05	L1M
4284	584,20	x	635,00	x	22,22	L1M
4285	584,20	x	647,70	x	22,22	L1M
4288	596,90	x	647,70	x	22,22	L1M
4291	598,47	x	644,52	x	19,05	L1M
8624	600,00	x	640,00	x	20,00	L1M
4292	600,07	x	660,40	x	22,22	L1M
6239	603,25	x	641,35	x	25,40	L1M
4293	606,42	x	660,40	x	22,22	L1M
4623	609,60	x	647,70	x	19,05	L1M
9988	609,60	x	660,40	x	19,05	L1M
4294	609,60	x	660,40	x	22,22	L1M
4294	609,60	x	660,40	x	22,22	L1M
4301	615,95	x	666,75	x	22,22	L1M
4302	620,69	x	660,40	x	19,05	L1M
9990	620,69	x	684,15	x	25,40	L1M
4305	622,30	x	673,10	x	22,22	L1M
3020	630,00	x	670,00	x	20,00	L1M
3059	630,00	x	690,00	x	20,00	L1M
4308	635,00	x	673,10	x	19,05	L1M
3774	635,00	x	685,80	x	22,22	L1M
4309	635,00	x	685,80	x	25,40	L1M

code	B		A		H	type
3047	638,17	x	679,45	x	22,22	L1M
4311	639,74	x	682,62	x	19,05	L1M
3019	640,00	x	680,00	x	20,00	L1M
4299	641,35	x	692,15	x	19,05	L1M
3109	644,75	x	682,62	x	19,05	L1M
3022	647,70	x	679,45	x	19,05	L1M-L
4300	647,70	x	685,80	x	22,22	L1M
4318	647,70	x	698,50	x	22,22	L1M
3016	650,00	x	714,00	x	25,00	L1M
4306	660,09	x	701,67	x	19,05	L1M
5921	660,40	x	701,67	x	19,05	L1M
4325	660,40	x	711,20	x	22,22	L1M
4329	663,57	x	701,67	x	19,05	L1M
4330	663,57	x	714,37	x	22,22	L1M
9992	668,00	x	706,00	x	25,40	L1M
3081	670,00	x	720,00	x	22,00	L1M
4533	673,10	x	711,20	x	19,05	L1M
4313	673,10	x	723,90	x	22,22	L1M
4333	685,80	x	736,60	x	22,22	L1M
9984	685,80	x	762,00	x	22,22	L1M
3054	690,00	x	730,00	x	20,00	L1M
4626	692,15	x	742,95	x	22,22	L1M
4315	698,50	x	736,60	x	19,05	L1M
4339	698,50	x	749,30	x	22,22	L1M
3046	698,50	x	763,60	x	19,05	L1M
3089	700,00	x	764,00	x	25,00	L1M
4336	701,70	x	749,30	x	19,05	L1M
4343	711,20	x	749,30	x	19,05	L1M
7828	711,20	x	752,47	x	19,05	L1M
4344	711,20	x	762,00	x	22,22	L1M
3878	711,20	x	774,70	x	22,22	L1M
5998	711,20	x	787,40	x	22,22	L1M
4346	723,90	x	774,70	x	22,22	L1M
4628	730,25	x	781,05	x	22,22	L1M
4347	736,60	x	774,70	x	19,05	L1M
4348	736,60	x	787,40	x	22,22	L1M
3072	740,00	x	778,00	x	15,00	L1M
4352	749,30	x	800,10	x	22,22	L1M
3791	749,30	x	800,10	x	25,40	L1M
4629	750,00	x	814,00	x	25,00	L1M
3048	762,00	x	800,00	x	15,00	L1M
4357	762,00	x	812,80	x	22,22	L1M

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'L1M'

Ordered according to size

Technical description at page 27

code	B		A		H	type
4357	762,00	x	812,80	x	22,22	L1M
4323	762,00	x	819,15	x	22,22	L1M
3125	774,00	x	825,50	x	23,00	L1M-TE
4365	774,70	x	825,50	x	22,22	L1M
8577	774,70	x	838,20	x	22,22	L1M
3032	780,00	x	844,00	x	25,00	L1M
4367	787,40	x	838,20	x	22,22	L1M
6666	790,00	x	854,00	x	25,00	L1M
5033	793,75	x	844,55	x	19,05	L1M
5016	806,45	x	857,25	x	22,22	L1M
3023	812,80	x	850,90	x	19,05	L1M
4632	812,80	x	863,60	x	22,22	L1M
4371	815,97	x	866,77	x	22,22	L1M
3002	815,98	x	866,77	x	19,05	L1M
4373	820,72	x	876,30	x	22,22	L1M
4377	825,50	x	876,30	x	22,22	L1M
3009	837,00	x	889,00	x	22,22	L1M
4380	838,10	x	881,00	x	20,00	L1M
4381	838,20	x	876,30	x	19,05	L1M
6787	838,20	x	879,47	x	19,05	L1M
4634	838,20	x	880,10	x	20,00	L1M
4382	838,20	x	889,00	x	22,22	L1M
4326	838,20	x	895,35	x	22,22	L1M
4544	838,20	x	901,70	x	22,22	L1M
3034	840,00	x	904,00	x	25,00	L1M
4389	850,90	x	901,70	x	22,22	L1M
4550	850,90	x	914,40	x	22,22	L1M
3055	860,00	x	920,00	x	25,00	L1M
4399	863,60	x	914,40	x	22,22	L1M
3056	863,60	x	927,10	x	19,05	L1M
4400	863,60	x	927,10	x	22,22	L1M
3017	869,95	x	914,40	x	19,05	L1M
4405	876,30	x	927,10	x	22,22	L1M
3021	876,30	x	927,10	x	25,40	L1M
3835	889,00	x	939,80	x	22,22	L1M
3836	889,00	x	952,50	x	22,22	L1M
3837	889,00	x	965,20	x	22,22	L1M
3077	890,00	x	954,00	x	22,00	L1M
4416	895,35	x	946,15	x	22,22	L1M
4417	898,52	x	949,32	x	22,22	L1M
3001	901,60	x	965,10	x	25,00	L1M
4553	901,70	x	952,50	x	22,22	L1M

code	B		A		H	type
3065	905,00	x	955,00	x	22,00	L1M
3003	910,00	x	967,15	x	17,45	L1M
4421	914,40	x	965,20	x	22,22	L1M
3095	914,40	x	977,90	x	15,00	L1M
9993	914,40	x	977,90	x	25,40	L1M
4430	927,10	x	977,90	x	22,22	L1M
3084	927,10	x	977,90	x	25,40	L1M
3026	930,00	x	980,00	x	22,22	L1M
4432	933,45	x	984,25	x	22,22	L1M
7428	933,45	x	996,95	x	22,22	L1M
4434	939,80	x	990,60	x	22,22	L1M
4436	946,15	x	996,95	x	22,22	L1M
4438	952,50	x	1.003,30	x	22,22	L1M
3004	965,20	x	1.003,30	x	19,05	L1M
4448	965,20	x	1.016,00	x	22,22	L1M
4454	971,55	x	1.022,35	x	22,22	L1M
4342	971,75	x	1.035,05	x	22,22	L1M
4570	984,25	x	1.041,40	x	22,22	L1M
9998	990,00	x	1.040,00	x	25,00	L1M
4465	990,60	x	1.041,40	x	22,22	L1M
3090	990,60	x	1.041,40	x	25,40	L1M
1073	999,99	x	1.049,98	x	22,22	L1M
3093	1.000,00	x	1.064,00	x	25,00	L1M
7538	1.009,65	x	1.073,15	x	22,22	L1M
4468	1.028,70	x	1.079,50	x	22,22	L1M
3070	1.030,00	x	1.070,00	x	25,00	L1M
4635	1.054,10	x	1.104,90	x	22,22	L1M
3012	1.055,00	x	1.100,00	x	25,00	L1M
8628	1.063,62	x	1.104,90	x	25,40	L1M
4470	1.073,10	x	1.123,90	x	25,40	L1M
5555	1.079,50	x	1.123,95	x	22,22	L1M
4473	1.079,50	x	1.143,00	x	22,22	L1M
9994	1.092,20	x	1.155,70	x	25,40	L1M
4637	1.104,90	x	1.155,70	x	22,22	L1M
4640	1.105,00	x	1.160,00	x	22,00	L1M
3018	1.105,00	x	1.160,00	x	25,00	L1M
4638	1.111,25	x	1.162,05	x	22,22	L1M
3024	1.117,60	x	1.181,10	x	25,40	L1M
4563	1.130,30	x	1.168,40	x	19,05	L1M
8903	1.143,00	x	1.184,27	x	25,40	L1M
3006	1.168,50	x	1.206,50	x	19,05	L1M
8317	1.189,99	x	1.240,00	x	22,22	L1M

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'L1M'

Ordered according to size

Technical description at page 27

code	B		A		H	type
4639	1.225,55	x	1.276,35	x	22,22	L1M
8198	1.270,00	x	1.320,80	x	22,22	L1M
6747	1.301,71	x	1.353,20	x	22,22	L1M
6747	1.301,71	x	1.353,55	x	22,22	L1M
3028	1.350,00	x	1.415,00	x	25,00	L1M

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'L1M'

Ordered according to code

Technical description at page 27









code	B		A		H	type
1073	999,99	x	1.049,98	x	22,22	L1M
1299	155,57	x	193,67	x	17,45	L1M-L
1705	215,90	x	247,65	x	14,28	L1M-L
2501	98,42	x	123,82	x	12,70	L1M
2570	103,20	x	130,17	x	12,70	L1M
2819	119,04	x	146,05	x	12,70	L1M
2873	123,82	x	152,40	x	12,70	L1M
2990	140,00	x	170,00	x	15,00	L1M
3001	901,60	x	965,10	x	25,00	L1M
3002	815,98	x	866,77	x	19,05	L1M
3003	910,00	x	967,15	x	17,45	L1M
3004	965,20	x	1.003,30	x	19,05	L1M
3005	444,50	x	488,95	x	25,40	L1M
3006	1.168,50	x	1.206,50	x	19,05	L1M
3007	330,00	x	370,00	x	18,00	L1M
3009	837,00	x	889,00	x	22,22	L1M
3010	420,00	x	460,00	x	20,00	L1M
3011	180,97	x	209,55	x	19,05	L1M-L
3012	1.055,00	x	1.100,00	x	25,00	L1M
3013	200,00	x	240,00	x	20,00	L1M
3014	273,05	x	323,85	x	15,87	L1M
3015	240,00	x	280,00	x	20,00	L1M
3016	650,00	x	714,00	x	25,00	L1M
3017	869,95	x	914,40	x	19,05	L1M
3018	1.105,00	x	1.160,00	x	25,00	L1M
3019	640,00	x	680,00	x	20,00	L1M
3020	630,00	x	670,00	x	20,00	L1M
3021	876,30	x	927,10	x	25,40	L1M
3022	647,70	x	679,45	x	19,05	L1M-L
3023	812,80	x	850,90	x	19,05	L1M
3024	1.117,60	x	1.181,10	x	25,40	L1M

code	B		A		H	type
3026	930,00	x	980,00	x	22,22	L1M
3027	520,00	x	570,00	x	22,00	L1M
3028	1.350,00	x	1.415,00	x	25,00	L1M
3029	470,00	x	520,00	x	22,00	L1M
3030	387,35	x	438,15	x	22,22	L1M
3031	228,60	x	254,00	x	19,05	L1M-L
3032	780,00	x	844,00	x	25,00	L1M
3034	840,00	x	904,00	x	25,00	L1M
3035	270,00	x	310,00	x	20,00	L1M-L
3036	340,00	x	380,00	x	18,00	L1M
3038	400,00	x	440,00	x	20,00	L1M
3039	220,00	x	250,00	x	18,00	L1M-L
3041	266,70	x	317,50	x	19,05	L1M
3043	196,85	x	238,12	x	15,87	L1M-L
3044	540,00	x	578,00	x	15,00	L1M-L
3046	698,50	x	763,60	x	19,05	L1M
3047	638,17	x	679,45	x	22,22	L1M
3048	762,00	x	800,00	x	15,00	L1M
3051	254,00	x	292,10	x	15,88	L1M-L
3052	342,90	x	387,35	x	19,05	L1M
3053	580,00	x	620,00	x	20,00	L1M
3054	690,00	x	730,00	x	20,00	L1M
3055	860,00	x	920,00	x	25,00	L1M
3056	863,60	x	927,10	x	19,05	L1M
3057	412,75	x	457,20	x	25,40	L1M
3059	630,00	x	690,00	x	20,00	L1M
3060	279,40	x	342,90	x	17,45	L1M
3061	570,00	x	630,00	x	20,00	L1M
3062	470,00	x	530,00	x	20,00	L1M
3065	905,00	x	955,00	x	22,00	L1M
3066	215,90	x	247,65	x	19,05	L1M-L
3067	381,00	x	419,10	x	19,05	L1M
3068	469,90	x	520,70	x	20,62	L1M
3069	220,00	x	250,00	x	15,00	L1M-L
3070	1.030,00	x	1.070,00	x	25,00	L1M
3071	209,55	x	234,95	x	15,87	L1M-L
3072	740,00	x	778,00	x	15,00	L1M
3074	220,00	x	260,00	x	16,00	L1M
3075	180,00	x	220,00	x	16,00	L1M
3076	260,00	x	304,00	x	20,00	L1M
3077	890,00	x	954,00	x	22,00	L1M
3078	275,00	x	319,00	x	18,00	L1M

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'L1M'

Ordered according to code

Technical description at page 27

code	B	A	H	type
3079	320,00	364,00	18,00	L1M
3080	320,00	364,00	20,00	L1M
3081	670,00	720,00	22,00	L1M
3082	190,00	220,00	15,00	L1M-L
3083	292,10	330,20	19,05	L1M
3084	927,10	977,90	25,40	L1M
3089	700,00	764,00	25,00	L1M
3090	990,60	1.041,40	25,40	L1M
3093	1.000,00	1.064,00	25,00	L1M
3095	914,40	977,90	15,00	L1M
3096	275,00	319,50	19,00	L1M
3099	330,00	360,00	18,00	L1M-L
3101	209,55	247,65	19,05	L1M-L
3104	222,25	260,35	19,05	L1M
3107	250,00	290,00	16,00	L1M-L
3108	160,00	190,00	15,00	L1M-L
3109	644,75	682,62	19,05	L1M
3110	215,90	254,00	19,05	L1M-L
3111	381,00	425,45	19,05	L1M
3114	200,00	230,00	15,00	L1M-L
3115	310,00	350,00	18,00	L1M
3116	340,00	380,00	20,00	L1M
3121	150,00	170,00	15,00	L1M
3122	228,60	279,40	20,63	L1M
3123	260,35	298,45	15,82	L1M
3124	150,00	180,00	13,00	L1M
3125	774,00	825,50	23,00	L1M-TE
3179	508,00	558,80	25,40	L1M
3188	139,70	177,80	12,70	L1M
3192	142,80	174,60	15,87	L1M
3293	146,05	177,80	12,70	L1M
3319	149,23	177,80	12,70	L1M
3322	149,23	180,98	12,70	L1M
3355	152,40	177,80	12,70	L1M
3361	152,40	184,15	12,80	L1M
3363	152,40	184,15	15,87	L1M
3405	158,75	196,85	19,05	L1M
3426	165,10	190,50	15,87	L1M
3434	165,10	203,20	15,87	L1M
3436	168,27	196,67	15,87	L1M
3456	171,45	196,85	15,87	L1M
3460	171,45	203,20	15,87	L1M
3492	177,80	203,20	15,87	L1M
3500	177,80	215,90	15,87	L1M
3508	180,97	209,55	15,87	L1M
3510	180,90	212,72	15,87	L1M-L
3522	184,15	215,90	15,87	L1M
3526	184,15	222,25	15,88	L1M
3590	201,59	231,77	15,87	L1M
3592	203,20	228,60	15,87	L1M
3600	203,20	241,30	15,87	L1M
3601	203,20	241,30	19,05	L1M
3610	215,90	266,70	25,40	L1M
3620	228,60	266,70	15,87	L1M
3623	228,60	279,40	19,05	L1M
3669	254,00	311,15	20,62	L1M
3672	254,00	292,10	19,05	L1M
3673	254,00	304,00	25,40	L1M
3693	279,40	317,50	15,87	L1M
3734	387,30	438,10	22,22	L1M
3750	431,80	495,30	20,62	L1M
3751	438,15	476,25	17,45	L1M
3764	565,15	615,95	22,22	L1M
3768	469,90	508,00	17,45	L1M
3773	482,60	546,10	22,22	L1M
3774	635,00	685,80	22,22	L1M
3791	749,30	800,10	25,40	L1M
3835	889,00	939,80	22,22	L1M
3836	889,00	952,50	22,22	L1M
3837	889,00	965,20	22,22	L1M
3857	371,47	425,45	20,62	L1M
3858	377,82	419,10	17,45	L1M
3878	711,20	774,70	22,22	L1M
3921	203,20	241,30	17,45	L1M
3924	203,20	254,00	17,45	L1M
3933	212,72	250,82	17,45	L1M
3939	219,07	257,17	17,45	L1M
3946	222,25	260,35	17,45	L1M
3954	228,60	266,70	17,45	L1M
3957	231,77	269,87	17,45	L1M
3959	231,77	273,05	19,05	L1M
3963	234,95	273,05	17,45	L1M
3972	238,12	279,40	19,05	L1M
3977	241,30	266,70	15,87	L1M

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'L1M'

Ordered according to code

Technical description at page 27

code	B		A		H	type
3981	241,30	x	285,75	x	19,05	L1M
3981	241,30	x	285,75	x	19,05	L1M
3984	241,30	x	292,10	x	20,62	L1M
3984	241,30	x	292,10	x	20,62	L1M
3984	241,30	x	292,10	x	20,62	L1M
3985	247,65	x	285,75	x	17,45	L1M
3992	254,00	x	292,10	x	17,45	L1M
3994	254,00	x	298,45	x	19,05	L1M
3994	254,00	x	298,45	x	19,05	L1M
3997	254,00	x	304,80	x	20,62	L1M
3999	257,17	x	295,27	x	17,45	L1M
4004	260,35	x	298,45	x	17,45	L1M
4005	260,35	x	298,45	x	19,05	L1M
4011	266,70	x	304,80	x	17,45	L1M
4012	266,70	x	304,80	x	19,05	L1M
4017	266,70	x	317,50	x	20,62	L1M
4023	273,05	x	311,15	x	17,45	L1M
4028	276,22	x	317,50	x	17,45	L1M
4033	273,05	x	317,50	x	22,22	L1M
4036	279,40	x	330,20	x	20,62	L1M
4039	280,00	x	340,00	x	20,62	L1M
4046	285,75	x	323,85	x	19,05	L1M
4047	285,75	x	336,55	x	20,62	L1M
4050	288,93	x	327,02	x	19,05	L1M
4052	288,92	x	339,72	x	20,62	L1M
4056	314,32	x	355,60	x	17,45	L1M
4057	292,10	x	330,20	x	17,45	L1M
4062	292,10	x	342,90	x	19,05	L1M
4063	292,10	x	342,90	x	20,62	L1M
4064	298,45	x	336,55	x	17,45	L1M
4068	304,80	x	346,08	x	19,05	L1M
4068	304,80	x	346,08	x	19,05	L1M
4071	304,80	x	355,60	x	19,05	L1M
4072	304,80	x	355,60	x	20,62	L1M
4075	311,15	x	361,95	x	20,62	L1M
4076	314,32	x	352,42	x	17,45	L1M
4079	317,50	x	355,60	x	17,45	L1M
4083	317,50	x	368,30	x	20,62	L1M
4089	323,85	x	361,95	x	17,45	L1M
4092	323,85	x	381,00	x	20,62	L1M
4093	330,20	x	368,30	x	17,45	L1M
4094	330,20	x	368,30	x	19,05	L1M

code	B		A		H	type
4099	330,20	x	381,00	x	20,62	L1M
4100	330,20	x	381,00	x	25,40	L1M
4101	336,55	x	374,65	x	17,45	L1M
4105	370,00	x	390,00	x	12,00	L1M
4118	361,95	x	400,05	x	17,45	L1M
4118	361,95	x	400,05	x	17,45	L1M
4121	342,90	x	381,00	x	17,45	L1M
4128	342,90	x	393,70	x	20,62	L1M
4129	349,25	x	400,05	x	20,62	L1M
4130	353,99	x	392,09	x	17,45	L1M
4131	355,60	x	393,70	x	17,45	L1M
4134	355,60	x	400,05	x	19,05	L1M
4135	355,60	x	406,40	x	20,62	L1M
4135	355,60	x	406,40	x	20,62	L1M
4140	361,95	x	412,75	x	20,62	L1M
4142	368,30	x	406,40	x	17,45	L1M
4145	368,30	x	419,10	x	20,62	L1M
4147	374,65	x	412,75	x	17,45	L1M
4151	381,00	x	419,10	x	17,45	L1M
4155	381,00	x	431,80	x	19,05	L1M
4156	381,00	x	431,80	x	20,62	L1M
4163	393,70	x	444,40	x	20,62	L1M
4170	400,05	x	438,15	x	17,45	L1M
4177	406,40	x	444,50	x	17,45	L1M
4177	406,40	x	444,50	x	17,45	L1M
4179	415,92	x	454,02	x	17,45	L1M
4180	406,40	x	457,20	x	20,62	L1M
4181	412,75	x	450,85	x	17,45	L1M
4184	412,75	x	457,20	x	19,05	L1M
4186	419,10	x	469,90	x	20,62	L1M
4187	419,10	x	469,90	x	17,45	L1M
4188	431,80	x	469,90	x	17,45	L1M
4190	431,80	x	482,60	x	20,62	L1M
4192	440,00	x	480,00	x	20,00	L1M
4194	444,50	x	482,60	x	17,45	L1M
4198	444,50	x	495,30	x	17,45	L1M
4199	447,67	x	488,95	x	17,45	L1M
4204	454,02	x	504,82	x	20,62	L1M
4206	457,20	x	495,30	x	17,45	L1M
4210	457,20	x	508,00	x	22,22	L1M
4213	466,72	x	504,82	x	17,45	L1M
4215	466,72	x	508,00	x	19,05	L1M

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'L1M'

Ordered according to code

Technical description at page 27

code	B	A	H	type
4216	469,90	520,70	22,22	L1M
4218	482,60	520,70	19,05	L1M
4219	482,60	533,40	22,22	L1M
4220	485,00	535,00	19,00	L1M
4221	495,30	546,10	22,22	L1M
4228	501,65	552,45	22,22	L1M
4232	500,00	550,00	19,00	L1M
4233	506,39	550,84	15,87	L1M
4235	508,00	546,10	19,05	L1M
4236	508,00	552,45	19,05	L1M
4237	508,00	558,80	22,22	L1M
4239	514,35	552,45	19,05	L1M
4244	529,99	580,03	20,62	L1M
4246	520,70	571,50	22,22	L1M
4248	527,05	577,85	22,22	L1M
4253	533,40	584,20	22,22	L1M
4254	539,75	590,55	22,22	L1M
4255	539,75	584,20	19,05	L1M
4257	546,10	590,55	19,05	L1M
4259	546,10	596,90	22,22	L1M
4263	549,27	600,07	22,22	L1M
4265	552,45	603,25	22,22	L1M
4269	558,80	596,90	19,05	L1M
4270	558,80	609,60	22,22	L1M
4271	571,50	609,60	19,05	L1M
4275	569,89	609,60	19,05	L1M
4279	571,50	622,30	22,22	L1M
4281	577,85	628,65	22,22	L1M
4283	584,20	622,30	19,05	L1M
4284	584,20	635,00	22,22	L1M
4285	584,20	647,70	22,22	L1M
4288	596,90	647,70	22,22	L1M
4291	598,47	644,52	19,05	L1M
4292	600,07	660,40	22,22	L1M
4293	606,42	660,40	22,22	L1M
4294	609,60	660,40	22,22	L1M
4294	609,60	660,40	22,22	L1M
4299	641,35	692,15	19,05	L1M
4300	647,70	685,80	22,22	L1M
4301	615,95	666,75	22,22	L1M
4302	620,69	660,40	19,05	L1M
4305	622,30	673,10	22,22	L1M

code	B	A	H	type
4306	660,09	701,67	19,05	L1M
4308	635,00	673,10	19,05	L1M
4309	635,00	685,80	25,40	L1M
4311	639,74	682,62	19,05	L1M
4313	673,10	723,90	22,22	L1M
4315	698,50	736,60	19,05	L1M
4318	647,70	698,50	22,22	L1M
4323	762,00	819,15	22,22	L1M
4325	660,40	711,20	22,22	L1M
4326	838,20	895,35	22,22	L1M
4329	663,57	701,67	19,05	L1M
4330	663,57	714,37	22,22	L1M
4333	685,80	736,60	22,22	L1M
4336	701,70	749,30	19,05	L1M
4339	698,50	749,30	22,22	L1M
4342	971,75	1.035,05	22,22	L1M
4343	711,20	749,30	19,05	L1M
4344	711,20	762,00	22,22	L1M
4346	723,90	774,70	22,22	L1M
4347	736,60	774,70	19,05	L1M
4348	736,60	787,40	22,22	L1M
4352	749,30	800,10	22,22	L1M
4357	762,00	812,80	22,22	L1M
4357	762,00	812,80	22,22	L1M
4365	774,70	825,50	22,22	L1M
4367	787,40	838,20	22,22	L1M
4371	815,97	866,77	22,22	L1M
4373	820,72	876,30	22,22	L1M
4377	825,50	876,30	22,22	L1M
4380	838,10	881,00	20,00	L1M
4381	838,20	876,30	19,05	L1M
4382	838,20	889,00	22,22	L1M
4389	850,90	901,70	22,22	L1M
4399	863,60	914,40	22,22	L1M
4400	863,60	927,10	22,22	L1M
4405	876,30	927,10	22,22	L1M
4416	895,35	946,15	22,22	L1M
4417	898,52	949,32	22,22	L1M
4421	914,40	965,20	22,22	L1M
4430	927,10	977,90	22,22	L1M
4432	933,45	984,25	22,22	L1M
4434	939,80	990,60	22,22	L1M

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'L1M'

Ordered according to code

Technical description at page 27

code	B		A		H	type
4436	946,15	x	996,95	x	22,22	L1M
4438	952,50	x	1.003,30	x	22,22	L1M
4448	965,20	x	1.016,00	x	22,22	L1M
4454	971,55	x	1.022,35	x	22,22	L1M
4465	990,60	x	1.041,40	x	22,22	L1M
4468	1.028,70	x	1.079,50	x	22,22	L1M
4470	1.073,10	x	1.123,90	x	25,40	L1M
4473	1.079,50	x	1.143,00	x	22,22	L1M
4476	387,35	x	438,15	x	20,62	L1M
4476	387,35	x	438,15	x	20,62	L1M
4499	209,55	x	260,35	x	20,62	L1M
4511	234,95	x	266,70	x	15,87	L1M
4527	285,75	x	323,85	x	17,45	L1M
4533	673,10	x	711,20	x	19,05	L1M
4544	838,20	x	901,70	x	22,22	L1M
4550	850,90	x	914,40	x	22,22	L1M
4553	901,70	x	952,50	x	22,22	L1M
4563	1.130,30	x	1.168,40	x	19,05	L1M
4570	984,25	x	1.041,40	x	22,22	L1M
4610	238,12	x	288,92	x	20,62	L1M
4611	279,40	x	317,50	x	17,45	L1M
4612	304,80	x	342,90	x	17,45	L1M
4613	311,15	x	349,25	x	17,45	L1M
4614	311,15	x	349,25	x	22,22	L1M
4615	387,35	x	425,45	x	17,45	L1M
4616	390,00	x	430,00	x	16,00	L1M
4617	488,95	x	527,05	x	19,05	L1M
4619	520,70	x	558,80	x	19,05	L1M
4621	552,45	x	590,55	x	19,05	L1M
4623	609,60	x	647,70	x	19,05	L1M
4626	692,15	x	742,95	x	22,22	L1M
4628	730,25	x	781,05	x	22,22	L1M
4629	750,00	x	814,00	x	25,00	L1M
4632	812,80	x	863,60	x	22,22	L1M
4634	838,20	x	880,10	x	20,00	L1M
4635	1.054,10	x	1.104,90	x	22,22	L1M
4637	1.104,90	x	1.155,70	x	22,22	L1M
4638	1.111,25	x	1.162,05	x	22,22	L1M
4639	1.225,55	x	1.276,35	x	22,22	L1M
4640	1.105,00	x	1.160,00	x	22,00	L1M
5016	806,45	x	857,25	x	22,22	L1M
5033	793,75	x	844,55	x	19,05	L1M
5054	444,50	x	488,95	x	17,45	L1M
5077	406,40	x	457,20	x	22,22	L1M
5259	533,40	x	571,50	x	19,05	L1M
5312	533,40	x	577,85	x	19,05	L1M
5555	1.079,50	x	1.123,95	x	22,22	L1M
5921	660,40	x	701,67	x	19,05	L1M
5989	257,17	x	298,45	x	17,45	L1M
5990	374,65	x	419,10	x	17,45	L1M
5991	355,60	x	400,05	x	17,45	L1M
5992	388,92	x	439,72	x	17,45	L1M
5995	406,40	x	469,90	x	20,62	L1M
5998	711,20	x	787,40	x	22,22	L1M
6239	603,25	x	641,35	x	25,40	L1M
6384	215,90	x	247,65	x	16,56	L1M-L
6480	569,89	x	620,69	x	19,05	L1M
6666	790,00	x	854,00	x	25,00	L1M
6747	1.301,71	x	1.353,20	x	22,22	L1M
6747	1.301,71	x	1.353,55	x	22,22	L1M
6787	838,20	x	879,47	x	19,05	L1M
6874	400,05	x	450,85	x	17,45	L1M
7266	560,00	x	610,00	x	20,00	L1M
7281	479,98	x	519,98	x	19,98	L1M
7428	933,45	x	996,95	x	22,22	L1M
7538	1.009,65	x	1.073,15	x	22,22	L1M
7734	336,55	x	377,82	x	17,45	L1M
7828	711,20	x	752,47	x	19,05	L1M
8049	189,99	x	219,98	x	15,01	L1M
8198	1.270,00	x	1.320,80	x	22,22	L1M
8317	1.189,99	x	1.240,00	x	22,22	L1M
8453	215,90	x	254,00	x	17,45	L1M
8577	774,70	x	838,20	x	22,22	L1M
8624	600,00	x	640,00	x	20,00	L1M
8628	1.063,62	x	1.104,90	x	25,40	L1M
8903	1.143,00	x	1.184,27	x	25,40	L1M
9176	200,02	x	238,12	x	17,45	L1M
9863	419,10	x	457,20	x	17,45	L1M
9984	685,80	x	762,00	x	22,22	L1M
9986	400,05	x	436,00	x	17,45	L1M
9988	609,60	x	660,40	x	19,05	L1M
9990	620,69	x	684,15	x	25,40	L1M
9992	668,00	x	706,00	x	25,40	L1M
9993	914,40	x	977,90	x	25,40	L1M

AZIENDA CON SISTEMA QUALITÀ CERTIFICATO DA DNV =UNI EN ISO 9001/2000=

SPECIAL OIL SEALS TYPE 'L1M'

Ordered according to code

Technical description at page 27

code	B		A		H	type
9994	1.092,20	x	1.155,70	x	25,40	L1M
9995	565,00	x	601,00	x	20,00	L1M
9996	360,00	x	404,00	x	17,45	L1M
9997	513,00	x	543,00	x	16,00	L1M-L
9998	990,00	x	1.040,00	x	25,00	L1M

AZIENDA CON SISTEMA QUALITÀ
CERTIFICATO DA DNV
=UNI EN ISO 9001/2000=

	Technical Desc. Page	Size List Pag.
ROTARY SHAFT OIL SEALS	6	36
GREASE SEALING	12	54
WIPER SEALS	13	56
HIGH PRESSURE OIL SEALS	14	58
END COVERS		60
HYDRAULIC PISTON SEALS	15	61
PNEUMATIC PISTON SEALS	16	62
V-RINGS	17	63
TEXTILE RUBBER OIL SEALS	18	73
SPECIAL OIL SEALS TYPE 'TGF'	18	82
TEXTILE RUBBER OIL SEALS 'TGU-GM'	20	83
SPECIAL OIL SEALS TYPE 'GM'	21	84
OIL SEALS TYPE 'GM-L2'	22	140
SPECIAL OIL SEALS TYPE 'L'	23	160
SPECIAL OIL SEALS TYPE 'L2M'	24	176
SPECIAL OIL SEALS TYPE 'L2M-BP'	24	192
SPECIAL OIL SEALS TYPE 'L2M-PL'	24	194
SPECIAL OIL SEALS TYPE 'L2M-PLS'	24	196
SPECIAL OIL SEALS TYPE 'L2M-TE'	24	198
SPECIAL OIL SEALS TYPE 'L2M-VF'	24	200
SPECIAL OIL SEALS TYPE 'L1M'	27	202